

TECHNICAL SPECIFICATION

**Surface cleaning appliances –
Part 1: General requirements on test material and test equipment**

IECNORM.COM : Click to view the full PDF of IEC TS 62885-1:2018



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

WIT
IECNORM.COM : Click to view the full document
10855-1:2018

TECHNICAL SPECIFICATION

**Surface cleaning appliances –
Part 1: General requirements on test material and test equipment**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 97.080

ISBN 978-2-8322-5836-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	7
4 Carpet construction specification	7
4.1 Wilton carpet.....	7
4.2 Verification of new carpets	8
4.2.1 Construction verification	8
4.2.2 Performance verification	9
5 Pre-treatment of new and replacement carpets for testing	9
5.1 General.....	9
5.2 Pre-treatment of new carpets for dust removal testing.....	9
5.3 Verification of replacement carpets for dust removal testing.....	9
5.4 Pre-treatment of new carpets for the determination of airborne acoustical noise.....	10
Annex A (informative) Initial production run of the BIC4 Wilton carpet.....	11
Table 1 – Wilton carpet construction specifications	8
Table A.1 – Test results for BIC4 Wilton carpets	11

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SURFACE CLEANING APPLIANCES –**Part 1: General requirements on test material and test equipment****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62885-1, which is a technical specification, has been prepared by subcommittee 59F: Surface cleaning appliances, of IEC technical committee 59: Performance of household and similar electrical appliances.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical change with respect to the previous edition:

- a) a new clause (Clause 5) on the pre-treatment of carpets has been introduced.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
59F/334/DTS	59F/344/RVDTS

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62885 series, under the general title *Surface cleaning appliances*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

IEC subcommittee 59F has agreed to make a collection of existing and future test equipment and materials used in testing surface cleaning equipment and to publish this collection as a Technical Specification, which it intends to keep up to date. The existing Annexes published on the IEC web will be integrated in this Technical Specification step by step.

This second edition complements the specification of the Wilton carpets in the first edition with information on pre-treatment of new and replacement carpets. Further carpet specifications may follow.

It is still the intention to supplement this Technical Specification with other test materials and SC 59F, Surface cleaning appliances, is currently looking into possibilities to add specifications concerning the various kinds of dust used.

The intention with this publication is to ensure a minimum of test material types and common use of these materials in tests of various surface cleaning appliances.

Withdwn
IECNORM.COM : Click to view the full PDF of IEC TS 62885-1:2018

SURFACE CLEANING APPLIANCES –

Part 1: General requirements on test material and test equipment

1 Scope

This part of IEC 62885 specifies the physical characteristics of test equipment and material used in tests common for several products covered by standards in the IEC 62885 series for surface cleaning appliances. In addition, it provides guidance regarding the evaluation of Wilton and other types of carpets to determine their acceptability for testing.

NOTE Currently, this document covers only the Wilton carpet and its treatment.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62885-2:—1, *Surface cleaning appliances – Part 2: Dry vacuum cleaners for household or similar use – Methods for measuring the performance*

ISO 1763, *Carpets – Determination of number of tufts and/or loops per unit length and per unit area*

ISO 1765, *Machine-made textile floor coverings – Determination of thickness*

ISO 1766, *Textile floor coverings – Determination of thickness of pile above the substrate*

ISO 1833, *Textiles – Binary fibre mixtures – Quantitative chemical analysis*

ISO 2060, *Textiles – Yarn from packages – Determination of linear density (mass per unit length) by the skein method*

ISO 2061, *Textiles – Determination of twist in yarns – Direct counting method*

ISO 2424, *Textile floor coverings – Vocabulary*

ISO 6989, *Textile fibres – Determination of length and length distribution of staple fibres (by measurement of single fibres)*

ISO 8543, *Textile floor coverings – Methods for determination of mass*

BS 4223, *Methods for determination of constructional details of carpets with yarn pile*

BS 8459, *Determination of extractable matter in textiles – Method*

¹ Under preparation. Stage at the time of publication: IEC CDV 62885-2:2017.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

interlaboratory testing

testing the same samples in different laboratories, with different operators, and comparing the results

4 Carpet construction specification

4.1 Wilton carpet

The Wilton carpet shall be woven from wool yarn to the specifications provided in Table 1. Given that wool is a natural fibre, it should be understood that some variability exists in the final product.

The carpet used for performance testing of vacuum cleaners is classified and specified by the following characteristics.

Table 1 – Wilton carpet construction specifications

Type	Wilton	Tolerance	Test method/Standard
Pile composition	wool 8,6/2*2		
Yarn count	8,6/2*2		ISO 2060
Wool composition	80 % New Zealand – 20 % British		ISO 1833
Average fibre length	80/85 mm		ISO 6989
Spinning process	semi-worsted		
Spin rotations per metre	270		ISO 2061
Spin rotation direction	Z		ISO 2061
Ply twist coefficient	155		ISO 2061
Twisted rotation direction	S		ISO 2061
Moth protection treatment	0,1 % fermentol 12 %		
Colour dye (pigment)	metal complex dye: type Neolan		
Residual oil content	< 0,60		BS 8459
Method of manufacturing	Wilton fabric – Jackard weaving		ISO 2424
Colour	dark, one colour		ISO 2424
Backing	jute and cotton + latex		ISO 2424
Type	Cut – Pile		ISO 2424
Total thickness	9,2 mm	± 5 %	ISO 1765
Thickness of pile above the substrate	6,6 mm	± 5 %	ISO 1766
Total mass/m ²	2 300 g/m ²	± 5 %	ISO 8543
Total mass of pile above the substrate/m ² (effective pile not the total pile. Determined on finished carpet)	1 260 g/m ²	± 5 %	ISO 8543
Number of tufts/m ²	96 000 knots/m ²	± 5 %	ISO 1763
Tuft density	96 knots/dm ²	± 6 %	BS 4223
Reed	320 r/mots/dm		
Shots	300 sh/m		
Standard manufactured width	250 cm		
Latex – Specification	CTF2000 TEXCOAT M.BC 5 Polymer for pile anchorage		

4.2 Verification of new carpets

4.2.1 Construction verification

The new carpet shall meet the construction specifications provided in Table 1.

Annex A provides an example of an evaluation of the initial production run of BIC4 carpeting.

4.2.2 Performance verification

Additionally, interlaboratory testing shall be conducted to verify the measured performance values for the RSB vacuum cleaner with the passive nozzle and an active vacuum cleaner. A minimum of six laboratories shall test the same vacuum cleaners on samples of the new carpet and the previous carpet unique to each laboratory. Each carpet shall be tested in accordance with IEC 62885-2:—, 5.3 and 6.2 by each laboratory and the results of the two carpets shall be compared to determine differences between the old and new production runs as well as overall variability of the new production run.

5 Pre-treatment of new and replacement carpets for testing

5.1 General

A new and replacement carpets shall be conditioned prior to conducting recordable testing upon it.

5.2 Pre-treatment of new carpets for dust removal testing

Using a dry vacuum cleaner with a nozzle appropriate for the type of vacuum cleaners to be tested on the carpet, and with a dust removal ability of $75 \% \pm 5 \%$ on Wilton carpets for passive nozzles or $78 \% \pm 5 \%$ on Wilton carpets for active nozzles, respectively, all loose fibre is removed by vacuuming the entire surface of the carpet for 5 min. Weigh the amount of fibre removed during this 5 min vacuuming period. If the amount of fibre removed is greater than 0,5 g, repeat the 5 min vacuuming and weighing procedures until less than 0,5 g is removed during 5 min. Record the weight of the carpet.

After completing the fibre removal procedure, use an in-house reference vacuum cleaner with a dust removal ability of $75 \% \pm 5 \%$ on Wilton carpets for passive nozzles or $78 \% \pm 5 \%$ on Wilton carpets for active nozzles, respectively, to conduct dust removal trials in accordance with IEC 62885-2:—, 5.3. A minimum of 10 trials shall be conducted. After that, continue conducting trials until 4 consecutive trials vary by less than 1 % (maximum minus minimum dust removal ability) for the Wilton carpet and category C carpets, and 3 % for other carpets.

It is important that the width of the nozzle used for preparing the carpet is bigger than the nozzles to be tested.

Separate carpets shall be used for active nozzles and passive nozzles. These separate carpets shall be clearly marked.

5.3 Verification of replacement carpets for dust removal testing

The in-house reference vacuum cleaner used for the pre-treatment of new carpets shall be used to verify the suitability of replacement carpets when required. If the result is greater than five percentage points in dust removal ability compared to an internally defined fixed target value, or to the original or first carpet used in the laboratory, then the new carpet may not be used.

In any case, the carpet should not be used for more than 600 cleaning cycles.

5.4 Pre-treatment of new carpets for the determination of airborne acoustical noise

A new carpet shall be conditioned prior to conducting recordable testing upon it.

Using a dry vacuum cleaner with a nozzle appropriate for the type of vacuum cleaners to be tested on the carpet, and with a dust removal ability of $75 \% \pm 5 \%$ on Wilton carpets for passive nozzles or $78 \% \pm 5 \%$ on Wilton carpets for active nozzles, respectively, all loose fibre is removed by vacuuming the entire surface of the carpet for 5 min. Weigh the amount of fibre removed during this 5 min vacuuming period. If the amount of fibre removed is greater than 0,5 g, repeat the 5 min vacuuming and weighing procedures until less than 0,5 g is removed during 5 min. Record the weight of the carpet.

NOTE Energy Label and Ecodesign Regulations of the European Commission require noise levels to be determined according to EN 60704-2-1 for household and EN 60335-2-69 for commercial vacuum cleaners. Declaration of noise level is carried out according to IEC 60704-3 for household and IEC 60335-2-69 for commercial vacuum cleaners.