



**INTERNATIONAL STANDARD ISO/IEC 13818-1:2000**  
**TECHNICAL CORRIGENDUM 1**

Published 2002-03-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION  
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

# **Information technology — Generic coding of moving pictures and associated audio information: Systems**

## **TECHNICAL CORRIGENDUM 1**

*Technologies de l'information — Codage générique des images animées et du son associé: Systèmes*

*RECTIFICATIF TECHNIQUE 1*

Technical Corrigendum 1 to International Standard ISO/IEC 13818-1:2000 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

IECNORM.COM : Click to view the full PDF of ISO/IEC 13818-1:2000/Cor 1:2002

## INTERNATIONAL STANDARD

## ITU-T RECOMMENDATION

INFORMATION TECHNOLOGY – GENERIC CODING OF MOVING PICTURES  
AND ASSOCIATED AUDIO INFORMATION: SYSTEMS

## TECHNICAL CORRIGENDUM 1

## 1) Table 2-39

Replace Table 2-39 by the following:

Table 2-39 – Program and program element descriptors

| descriptor_tag | TS  | PS  | Identification                           |
|----------------|-----|-----|------------------------------------------|
| 0              | n/a | n/a | Reserved                                 |
| 1              | n/a | n/a | Reserved                                 |
| 2              | X   | X   | video_stream_descriptor                  |
| 3              | X   | X   | audio_stream_descriptor                  |
| 4              | X   | X   | hierarchy_descriptor                     |
| 5              | X   | X   | registration_descriptor                  |
| 6              | X   | X   | data_stream_alignment_descriptor         |
| 7              | X   | X   | target_background_grid_descriptor        |
| 8              | X   | X   | Video_window_descriptor                  |
| 9              | X   | X   | CA_descriptor                            |
| 10             | X   | X   | ISO_639_language_descriptor              |
| 11             | X   | X   | System_clock_descriptor                  |
| 12             | X   | X   | Multiplex_buffer_utilization_descriptor  |
| 13             | X   | X   | Copyright_descriptor                     |
| 14             | X   |     | Maximum_bitrate_descriptor               |
| 15             | X   | X   | Private_data_indicator_descriptor        |
| 16             | X   | X   | Smoothing_buffer_descriptor              |
| 17             | X   |     | STD_descriptor                           |
| 18             | X   | X   | IBP_descriptor                           |
| 19-26          | X   |     | Defined in ISO/IEC 13818-6               |
| 27             | X   | X   | MPEG-4_video_descriptor                  |
| 28             | X   | X   | MPEG-4_audio_descriptor                  |
| 29             | X   | X   | IOD_descriptor                           |
| 30             | X   |     | SL_descriptor                            |
| 31             | X   | X   | FMC_descriptor                           |
| 32             | X   | X   | External_ES_ID_descriptor                |
| 33             | X   | X   | MuxCode_descriptor                       |
| 34             | X   | X   | FmxBufferSize_descriptor                 |
| 35             | X   |     | MultiplexBuffer_descriptor               |
| 36             | X   | X   | FlexMuxTiming_descriptor                 |
| 37-63          | n/a | n/a | ITU-T H.222.0   ISO/IEC 13818-1 Reserved |
| 64-255         | n/a | n/a | User Private                             |