# INTERNATIONAL STANDARD

# **ISO/IEC** 9594-7

Second edition 1995-09-15

# Information technology — Open Systems Interconnection — The Directory: Selected object classes

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — L'Annuaire: Classe d'objets sélectionnés



# ISO/IEC 9594-7:1995(E)

# **Contents**

l	Scope	
2	Normative references	<u>)</u>
3	Definitions	
4	Conventions	
SEC	TION 2 – SELECTED OBJECT CLASSES	
5	Definition of useful attribute sets	
6	Definition of selected object classes	
SEC	TION 3 – SELECTED NAME FORMS	
7	Definition of selected name forms	
Ann	ex A – Selected object classes and name forms in ASN.1	
Ann	ex B – Suggested name forms and DIT structures	
Ann	ex C – Amendments and corrigenda	
	ex C – Amendments and corrigenda	
	LCHORIN.	

# © ISO/IEC 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

# **Foreword**

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 9594-7 was prepared by Joint Technical Committee ISO/IEC JTC 1, Information technology, Subcommittee SC 21, Open systems interconnection, data management and open distributed processing, in collaboration with ITU-T. The identical text is published as ITU-T Recommendation X.521

Implementors should note that a defect resolution process exists and that corrections may be applied to this part of ISO/IEC 9594 in the form of technical corrigenda. A list of approved technical corrigenda for this part of ISO/IEC 9594 can be obtained from the subcommittee secretariat. Published technical corrigenda are available from your national standards organization.

This second edition technically revises and enhances ISO/IEC 9594-7:1990. It also incorporates technical corrigendum 1:1991 and technical corrigendum 2:1992. Implementations may still claim conformance to the first edition of this part of ISO/IEC 9594. However, at some point, the first edition will no longer be supported (i.e. reported defects will no longer be resolved). It is recommended that implementations conform to this second edition as soon as possible.

ISO/IEC 9594 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — The Directory*:

- Part 1: Overview of concepts, models and services
- Part 2: Models
- Part 3: Abstract service definition
- Part 4: Procedures for distributed operation
- Part 5: Protocol specifications
- Part 6: Selected attribute types
- Part 7: Selected object classes
- Part 8: Authentication framework
- Part 9: Replication

Annex A forms an integral part of this part of ISO/IEC 9594. Annexes B and C are for information only.

iii



# Introduction

This Recommendation | International Standard, together with other Recommendations | International Standards, has been produced to facilitate the interconnection of information processing systems to provide directory services. A set of such systems, together with the directory information which they hold, can be viewed as an integrated whole, called the *Directory*. The information held by the Directory, collectively known as the Directory Information Base (DIB), is typically used to facilitate communication between, with or about objects such as application entities, people, terminals, and distribution lists.

The Directory plays a significant role in Open Systems Interconnection, whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of information processing systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different ages.

This Recommendation | International Standard defines a number of attribute sets and object classes which may be found useful across a range of applications of the Directory.

This second edition technically revises and enhances, but does not replace, the first edition of this Recommendation | International Standard. Implementations may still claim conformance to the first edition.

This second edition specifies version 1 of the Directory service and protocols. The first edition also specifies version 1. Differences between the services and between the protocols defined in the two editions are accommodated using the rules of extensibility defined in this edition of X.519 ISO/IEC 9594-5.

Annex A, which is an integral part of this Recommendation I International Standard, provides an ASN.1 module containing all of the type and value definitions which appear in this document.

Annex B, which is not an integral part of this Recommendation | International Standard, provides some common naming and structure rules which may or may not be used by administrative authorities.

Annex C, which is not an integral part of this Recommendation | International Standard, lists the amendments and defect reports that have been incorporated to form this edition of this Recommendation | International Standard.

# INTERNATIONAL STANDARD

## ITU-T RECOMMENDATION

# INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION – THE DIRECTORY: SELECTED OBJECT CLASSES

SECTION 1 - GENERAL

# 1 Scope

This Recommendation | International Standard defines a number of object classes and name forms which may be found useful across a range of applications of the Directory. The definition of an object class involves listing a number of attribute types which are relevant to objects of that class. The definition of a name form involves naming the object class to which it applies and listing the attributes to be used in forming names for objects of that class. These definitions are used by the administrative authority which is responsible for the management of the directory information.

Any administrative authority can define its own object classes or subclasses and name forms for any purpose.

# **NOTES**

- Those definitions may or may not use the notation specified in ITU-T Rec. X.501 | ISO/IEC 9594-2.
- 2 It is recommended that an object class defined in this Recommendation | International Standard, or a subclass derived from one, or a name form defined in this Recommendation | International Standard, be used in preference to the generation of a new one, whenever the semantics is appropriate for the application.

Administrative authorities may support some or all the selected object classes and name forms, and may also add additional ones.

All administrative authorities shall support the object classes which the directory uses for its own purpose (the top, alias and DSA object classes).

# 2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard part. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation International Standard are encouraged to investigate the possibility of applying the most recent editions of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

# 2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.500 (1993) | ISO/IEC 9594-1:1995, Information technology Open Systems Interconnection The Directory: Overview of concepts, models and services.
- ITU-T Recommendation X.501 (1993) | ISO/IEC 9594-2:1995, Information technology Open Systems Interconnection The Directory: Models.
- ITU-T Recommendation X.511 (1993) | ISO/IEC 9594-3:1995, Information technology Open Systems Interconnection The Directory: Abstract service definition.
- ITU-T Recommendation X.518 (1993) | ISO/IEC 9594-4:1995, Information technology Open Systems Interconnection The Directory: Procedures for distributed operation.
- ITU-T Recommendation X.519 (1993) | ISO/IEC 9594-5:1995, Information technology Open Systems Interconnection The Directory: Protocol specifications.

## ISO/IEC 9594-7: 1995 (E)

- ITU-T Recommendation X.520 (1993) | ISO/IEC 9594-6:1995, Information technology Open Systems Interconnection – The Directory: Selected attribute types.
- ITU-T Recommendation X.509 (1993) | ISO/IEC 9594-8:1995, Information technology Open Systems Interconnection The Directory: Authentication framework.
- ITU-T Recommendation X.525 (1993) | ISO/IEC 9594-9:1995, Information technology Open Systems Interconnection - The Directory: Replication
- ITU-T Recommendation X.680 (1994) | ISO/IEC 8824-1:1995, Information technology Abstract Syntax Notation One (ASN.1): Specification of basic notation.
- ITU-T Recommendation X.681 (1994) | ISO/IEC 8824-2:1995, Information technology Abstract Syntax Notation One (ASN.1): Information object specification.
- ITU-T Recommendation X.682 (1994) | ISO/IEC 8824-3:1995, Information technology Abstract Syntax Notation One (ASN.1): Constraint specification.
- ITU-T Recommendation X.683 (1994) | ISO/IEC 8824-4:1995, Information technology—Abstract Syntax Notation One (ASN.1): Parametrization of ASN.1 specifications.

# 2.2 Paired Recommendations | International Standards equivalent in technical content

- CCITT Recommendation X.200 (1988), Reference Model of Open Systems Interconnection for CCITT Applications.

ISO 7498:1984, Information processing systems — Open Systems Interconnection — Basic Reference Model.

# 3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

# 3.1 OSI Reference Model definitions

The following terms are defined in CCITT Rec. X.200 | ISO 7498:

- a) application-entity;
- b) application-process.

# 3.2 Directory Model definitions

The following terms are defined in ITU-T Rec. X.501 | ISO/IEC 9594-2:

- a) attribute;
- b) attribute type;
- c) Directory Information Tree (DIT);
- d) Directory System Agent (DSA);
- e) attribute set;
- f) entry;
- g) name;
- h) object class;
- i) subclass;
- j) name form;
- k) structure rule.

### 4 **Conventions**

With minor exceptions this Directory Specification has been prepared according to the "Presentation of ITU-T | ISO/IEC common text" guidelines in the Guide for ITU-T and ISO/IEC JTC 1 Cooperation, March 1993.

The term "Directory Specification" (as in "this Directory Specification") shall be taken to mean CCITT Rec. X.521 | ISO/IEC 9594-7. The term "Directory Specifications" shall be taken to mean the X.500-Series Recommendations and all parts of ISO/IEC 9594.

This Directory Specification uses the term "1988 edition systems" to refer to systems conforming to the previous (1988) edition of the Directory Specifications, i.e. the 1988 edition of the series of CCITT X.500 Recommendations and the ISO/IEC 9594:1990 edition. Systems conforming to the current Directory Specifications are referred to as "1993 edition systems".

Object classes and name forms are defined in this Directory Specification as values of the OBJECT-CLASS and NAME-OF ONE OF FORM information object classes defined in ITU-T Rec. X.501 | ISO/IEC 9594-2.

# SECTION 2 - SELECTED OBJECT CLASSES

### 5 **Definition of useful attribute sets**

### 5.1 **Telecommunication attribute set**

This set of attributes is used to define those which are commonly used for business communications.

```
TelecommunicationAttributeSet ATTRIBUTE ::= {
      facsimileTelephoneNumber |
      international ISDNN umber |
      telephoneNumber |
      teletexTerminalIdentifier |
      telexNumber |
      preferredDeliveryMethod |
      destinationIndicator |
      registeredAddress |
      x121Address }
```

### 5.2 Postal attribute set

This set of attributes is used to define those which are directly associated with postal delivery.

```
ATTRIBUTE ::= {
Postal Attribute Set
      physical Delivery Office Name |
      postalAddress |
      postalCode |
      postOfficeBox |
      streetAddress }
```

### 5.3 Locale attribute set

This set of attributes is used to define those which are commonly used for search purposes to indicate the locale of an object.

```
LocaleAttributeSet
                     ATTRIBUTE ::= {
     localityName |
      stateOrProvinceName |
      streetAddress }
```

### 5.4 Organizational attribute set

This set of attributes is used to define the attributes that an organization or organizational unit may typically possess.

```
OrganizationalAttributeSet
                                  ATTRIBUTE ::= {
      description |
      LocaleAttributeSet |
      PostalAttributeSet |
      TelecommunicationAttributeSet |
      businessCategory |
      seeAlso |
      searchGuide |
      userPassword }
```

At least one of Locality Name or State or Province Name must be present.

### 6.3 Organization

The Organization object class is used to define organization entries in the DIT.

```
organization OBJECT-CLASS
     SUBCLASS OF
                              { top }
                               organizationName }
     MUST CONTAIN
     MAY CONTAIN
                              { OrganizationalAttributeSet }
     ID
                              id-oc-organization }
```

### 6.4 **Organizational Unit**

The Organizational Unit object class is used to define entries representing subdivisions of organizations.

```
OBJECT-CLASS::= {
organizationalUnit
     SUBCLASS OF
                              { top }
                              { organizationalUnitName }
     MUST CONTAIN
                               { OrganizationalAttributeSet }
     MAY CONTAIN
     ID
                              id-oc-organiationalUnit }
```

4

### 6.5 Person

The *Person* object class is used to define entries representing people generically.

```
OBJECT-CLASS
person
     SUBCLASS OF
                               { top }
     MUST CONTAIN
                               { commonName | surname }
     MAY CONTAIN
                               { description |
                               telephoneNumber |
                               userPassword |
                               seeAlso }
     ID
                               id-oc-person }
```

### 6.6 Organizational Person

of 15011EC 959A-T. 1995 The Organizational Person object class is used to define entries representing people employed by, or in some other important way associated with, an organization.

```
organizationalPerson
                                 OBJECT-CLASS::= {
      SUBCLASS OF
                                 { person }
                                 { LocaleAttributeSet |
      MAY CONTAIN
                                 PostalAttributeSet |
                                 TelecommunicationAttributeSet |
                                 organizationalUnitName |
                                 title }
      ID
                                id-oc-organizationalPerson }
```

### 6.7 **Organizational Role**

The Organizational Role object class is used to define entries representing an organizational role, i.e. a position or role within an organization. An organizational role is normally considered to be filled by a particular organizational person. Over its lifetime, however, an organizational role may be filled by a number of different organizational people in succession. In general, an organizational role may be filled by a person or a non-human entity.

```
OBJECT-CLASS
organizationalRole
      SUBCLASS OF
                                { top }
      MUST CONTAIN
                                { commonName }
      MAY CONTAIN
                                { description |
                                LocaleAttributeSet |
                                organizationalUnitName |
                                PostalAttributeSet |
                                preferredDeliveryMethod |
                                roleOccupant |
                                 seeAlso i
                                TelecommunicationAttributeSet }
      ID
                                id-oc-organizationalRole }
```

### Group of Names 6.8

The Group Of Names object class is used to define entries representing an unordered set of names which represent individual objects or other groups of names. The membership of a group is static, i.e. it is explicitly modified by administrative action, rather than dynamically determined each time the group is referred to.

The membership of a group can be reduced to a set of individual object's names by replacing each group with its membership. This process could be carried out recursively until all constituent group names have been eliminated, and only the names of individual objects remain.

```
groupOfNames
                    OBJECT-CLASS
                                         ::= {
     SUBCLASS OF
                               { top }
     MUST CONTAIN
                               { commonName | member }
     MAY CONTAIN
                               { description |
                               organizationName |
                               organizationalUnitName |
                               owner l
                               seeAlso |
                               businessCategory }
     ID
                               id-oc-groupOfNames }
```

### 6.9 **Group of Unique Names**

The Group Of Unique Names object class is used to define entries representing an unordered set of names whose integrity can be assured and which represent individual objects or other groups of names. The membership of a group is static, i.e. it is explicitly modified by administrative action, rather than dynamically determined each time the group is referred to.

```
groupOfUniqueNames
                               OBJECT-CLASS
                                                    ••=
     SUBCLASS OF
                               { top }
      MUST CONTAIN
                               { commonName | uniqueMember }
      MAY CONTAIN
                               { description |
                               organizationName |
                               organizationalUnitName |
                               owner l
                               seeAlso l
                               businessCategory }
     ID
                               id-oc-groupOfUniqueNames }
```

### 6.10 **Residential Person**

The Residential Person object class is used to define entries representing a person in the residential environment.

```
OF OF ISOIRE
residentialPerson
                    OBJECT-CLASS
                                         ::=
     SUBCLASS OF
                               { person }
     MUST CONTAIN
                               { localityName }
                               { LocaleAttributeSet |
     MAY CONTAIN
                               PostalAttributeSet |
                               preferredDeliveryMethod |
                               TelecommunicationAttributeSet |
                               businessCategory }
     ID
                               id-oc-residentialPerson }
```

### 6.11 **Application Process**

The Application Process object class is used to define entries representing application processes. An application process is an element within a real open system which performs the information processing for a particular application (see ISO 7498).

```
applicationProcess
                               OBJECT CLASS
     SUBCLASS OF
                               { top }
     MUST CONTAIN
                                commonName }
                                description |
     MAY CONTAIN
                               localityName |
                               organizationalUnitName |
                               seeAlso }
     ID
                               id-oc-applicationProcess }
```

### **Application Entity** 6.12

The Application Entity object class is used to define entries representing application entities. An application entity consists of those aspects of an application-process pertinent to OSI.

```
applicationEntity
                     OBJECT-CLASS
      SUBCLASS OF
      MUST CONTAIN
                                { commonName | presentationAddress }
      MAY CONTAIN
                                { description |
                                localityName |
                                organizationName |
                                organizationalUnitName |
                                seeAlso |
                                supportedApplicationContext }
      ID
                                id-oc-applicationEntity }
```

NOTE - If an application-entity is represented as a Directory object that is distinct from an application-process, the commonName attribute is used to carry the value of the Application Entity Qualifier.

# 6.13 DSA

The DSA object class is used to define entries representing DSAs. A DSA is as defined in ISO/IEC 9594-2.

```
dSA OBJECT-CLASS ::= {
    SUBCLASS OF { applicationEntity }
    MAY CONTAIN { knowledgeInformation }
    ID id-oc-dSA }
```

# 6.14 Device

The *Device* object class is used to define entries representing devices. A device is a physical unit which can communicate, such as a modem, disk drive, etc.

```
OBJECT-CLASS
device
      SUBCLASS OF
                                 { top }
      MUST CONTAIN
                                 { commonName }
      MAY CONTAIN
                                 { description |
                                 localityName |
                                 organizationName |
                                 organizationalUnitName |
                                 owner |
                                seeAlso |
                                serialNumber }
      ID
                                id-oc-device }
         NOTE - At least one of localityName, serialNumber, owner, should be included. The choice is dependent on device
type.
```

# 6.15 Strong Authentication User

The Strong Authentication User object class is used in defining entries for objects which participate in strong authentication, as defined in ISO/IEC 9594-8.

```
strongAuthenticationUser OBJECT-CLASS ::= {
SUBCLASS OF { top }
AUST CONTAIN { userCertificate }
ID id-oc-strongAuthenticationUser }
```

# 6.16 Certification Authority

The Certification Authority object class is used in defining entries for objects which act as certification authorities, as defined in ISO/IEC 9594-8.

# SECTION 3 - SELECTED NAME FORMS

# 7 Definition of selected name forms

# 7.1 Country name form

The Country name form specifies how entries of object class country may be named.

```
countryNameForm NAME-FORM ::= {
    NAMES country
    WITH ATTRIBUTES { countryName }
    id-nf-countryNameForm }
```

### 7.2 Locality name form

The Locality name form specifies how entries of object class locality may be named.

```
locNameForm NAME-FORM ::= {
     NAMES
                        locality
     WITH ATTRIBUTES { localityName }
                        id-nf-locNameForm }
```

### 7.3 State or Province name form

The State or Province name form specifies how entries of object class locality may be named.

```
sOPNameForm NAME-FORM ::= {
     NAMES
                       locality
     WITH ATTRIBUTES { stateOrProvinceName }
```

OF OF ISOILE C

```
The Organization name form specifies how entries of object class organization may be named orgNameForm NAME-FORM ::= {
    NAMES organization
    WITH ATTRIBUTES { organization
    ID
```

### 7.5 Organizational Unit name form

The Organizational Unit name form specifies how entries of object class organizational Unit may be named.

```
orgUnitNameForm NAME-FORM ::= {
                        organizationalUnit
     NAMES
     WITH ATTRIBUTES { organizationalUnitName }
                       id-nf-orgUnitNameForm
```

### 7.6 Person name form

The Person name form specifies how entries of object class person may be named.

```
personNameForm NAME-FORM := {
     WITH ATTRIBUTES [ commonName ]
                      id-nf-personNameForm }
```

### 7.7 Organizational Person name form

The Organizational Person name form specifies how entries of object class organizational Person may be named.

```
orgPersonNameForm NAME-FORM ::= {
     NAMES
                       organizationalPerson
     WITH ATTRIBUTES { commonName }
     AND OPTIONALLY { organizationalUnitName }
                       id-nf-orgPersonNameForm }
```

### 7.8 Organizational Role name form

The Organizational Role name form specifies how entries of object class organizational Role may be named.

```
orgRoleNameForm NAME-FORM ::= {
                       organizationalRole
     NAMES
     WITH ATTRIBUTES { commonName }
     ID
                       id-nf-orgRoleNameForm }
```

### 7.9 Group of Names name form

The Group of Names name form specifies how entries of object class groupOfNames may be named.

```
gONNameForm NAME-FORM ::= {
     NAMES
                      groupOfNames
     WITH ATTRIBUTES { commonName }
                      id-nf-gONNameForm }
```

### 7.10 Residential Person name form

The Residential Person name form specifies how entries of object class residential Person may be named.

```
resPersonNameForm NAME-FORM ::= {
     NAMES
                       residentialPerson
     WITH ATTRIBUTES { commonName }
     AND OPTIONALLY { streetAddress }
                        id-nf-resPersonNameForm }
```

### 7.11 **Application Process name form**

The Application Process name form specifies how entries of object class application Process may be named. the full PDF of

```
applProcessNameForm NAME-FORM ::= {
                        applicationProcess
     NAMES
     WITH ATTRIBUTES { commonName }
                       id-nf-applProcessNameForm }
```

### 7.12 **Application Entity name form**

The Application Entity name form specifies how entries of object class applicationEntity may be named.

```
applEntityNameForm NAME-FORM ::= {(
     NAMES
                        applicationEntity
     WITH ATTRIBUTES { commonName }
                        id-nf-applEntityNameForm }
```

### 7.13 DSA name form

The DSA name form specifies how entries of object class dSA may be named.

```
dSANameForm NAME-FORM ::= {
     NAMES
     WITH ATTRIBUTES { commonName }
                      id-nf-dSANameForm }
```

### 7.14 Device name form

The *Device* name form specifies how entries of object class device may be named.

```
deviceNameForm NAME-FORM ::= {
     NAMES
                       device
     WITH ATTRIBUTES { commonName }
                       id-nf-deviceNameForm }
```

# Annex A

# Selected object classes and name forms in ASN.1

(This annex forms an integral part of this Recommendation | International Standard)

This annex includes all of the ASN.1 type and value definitions contained in this Directory Specification in the form of the ASN.1 module SelectedObjectClasses.

SelectedObjectClasses {joint-iso-ccitt ds(5) module(1) selectedObjectClasses(6) 2}

```
DEFINITIONS ::=
BEGIN
-- EXPORTS All --
-- The types and values defined in this module are exported for use in the other ASN.1 modules contained
-- within the Directory Specifications, and for the use of other applications which will use them to access
-- Directory services. Other applications may use them for their own purposes, but this will not constrain
-- extensions and modifications needed to maintain or improve the Directory service.
IMPORTS
      object Class, information Framework, authentication Framework, selected Attribute Types,
      id-oc, id-nf
            FROM UsefulDefinitions {joint-iso-ccitt ds(5) module(1) usefulDefinitions(0) 2 }
      OBJECT-CLASS, ATTRIBUTE, NAME-FORM, top, alias
            FROM InformationFramework informationFramework
      businessCategory, commonName, countryName, description, destinationIndicator,
      facsimileTelephoneNumber, internationalISDNNumber, knowledgeInformation, localityName,
      member, organizationName, organizationalUnitName, owner, physicalDeliveryOfficeName,
      postOffice Box, postal Address, postal Code, preferred Delivery Method, presentation Address, \\
      registeredAddress, roleOccupant, searchGuide, seeAlso, serialNumber, stateOrProvinceName,
      streetAddress, supportedApplicationContext, surname, telephoneNumber, teletexTerminalIdentifier,
      telexNumber, title, uniqueMember, x121Address
            FROM SelectedAttributeTypes selectedAttributeTypes
      authorityRevocationList, cACertificate, certificateRevocationList, crossCertificatePair,
      userCertificate, userPassword
            FROM AuthenticationFramework authenticationFramework ;
-- Attribute sets --
TelecommunicationAttributeSet ATTRIBUTE ::= {
      facsimileTelephoneNumber |
      internationalISDNNumber |
      telephoneNumber |
      teletexTerminalIdentifier |
      telexNumber |
      preferredDeliveryMethod |
      destinationIndicator |
      registeredAddress |
      x121Address}
PostalAttributeSet ATTRIBUTE ::= {
      physicalDeliveryOfficeName |
      postalAddress |
      postalCode |
      postOfficeBox |
      streetAddress}
LocaleAttributeSet ATTRIBUTE ::= {
      localityName |
       stateOrProvinceName |
      streetAddress}
```

```
OrganizationalAttributeSet
                           ATTRIBUTE ::= {
     description |
     LocaleAttributeSet |
     PostalAttributeSet |
     TelecommunicationAttributeSet |
     businessCategory |
     seeAlso |
     searchGuide |
     userPassword}
-- Object classes --
                                                    Refull PDF of ISOILE OF SOLT. 1995
           OBJECT-CLASS
country
     SUBCLASS OF
                           { top }
     MUST CONTAIN
                           { countryName }
     MAY CONTAIN
                           { description | searchGuide }
     ID
                           id-oc-country }
           OBJECT-CLASS
locality
     SUBCLASS OF
                           { top }
     MAY CONTAIN
                           { description |
                           searchGuide |
                           LocaleAttributeSet |
                           seeAlso }
     ID
                           id-oc-locality }
                  OBJECT-CLASS
organization
                                        ••=
      SUBCLASS OF
                           { top }
      MUST CONTAIN
                           { organizationName }
                           { OrganizationalAttributeSet }
      MAY CONTAIN
                           id-oc-organization }
      ID
organizationalUnit OBJECT-CLASS
      SUBCLASS OF
                           { top }
      MUST CONTAIN
                           { organizationalUnitName }
                           { OrganizationalAttributeSet }
      MAY CONTAIN
      ID
                           id-oc-organiationalUnit }
            OBJECT CLASS
person
      SUBCLASS OF
                           { top }
      MUST CONTAIN
                           { commonName | surname }
      MAY CONTAIN
                           { description |
                           telephoneNumber |
                           userPassword |
                           seeAlso }
      ID
                           id-oc-person }
organizationalPerson
                           OBJECT-CLASS
                                               ::=
      SUBCLASS OF
                           { person }
                           { LocaleAttributeSet |
      MAY CONTAIN
                           PostalAttributeSet |
                           TelecommunicationAttributeSet |
                           organizationalUnitName |
                           title }
      ID
                           id-oc-organizationalPerson }
```

```
organizationalRole OBJECT-CLASS
                                               {
      SUBCLASS OF
                           { top }
      MUST CONTAIN
                           { commonName }
      MAY CONTAIN
                           { description |
                           LocaleAttributeSet |
                           organizationalUnitName |
                           PostalAttributeSet |
                           preferredDeliveryMethod |
                           roleOccupant |
                           seeAlso |
                           TelecommunicationAttributeSet }
      ID
                           id-oc-organizationalRole }
groupOfNames
                  OBJECT-CLASS
                                        ::=
                                               {
                                                    The full PDF of ISOILEC 959A.T. 1995
      SUBCLASS OF
                           { top }
      MUST CONTAIN
                           { commonName | member}
      MAY CONTAIN
                           { description |
                           organizationName |
                           organizationalUnitName |
                           owner l
                           seeAlso I
                           businessCategory }
      ID
                           id-oc-groupOfNames }
groupOfUniqueNames
                           OBJECT-CLASS
      SUBCLASS OF
                           { top }
      MUST CONTAIN
                           { commonName | uniqueMember}
      MAY CONTAIN
                           { description |
                           organizationName |
                           organizationalUnitName |
                           owner |
                           seeAlso l
                           businessCategory }
      ID
                           id-oc-groupOfUniqueNames }
residentialPerson OBJECT-CLASS ::=
      SUBCLASS OF
                           { person }
      MUST CONTAIN
                           { localityName }
      MAY CONTAIN
                           { LocaleAttributeSet |
                           PostalAttributeSet |
                           preferredDeliveryMethod |
                           TelecommunicationAttributeSet |
                           businessCategory}
     ID
                           id-oc-residentialPerson }
applicationProcess OBJECT-CLASS
                                               {
      SUBCLASS OF
                           { top }
      MUST CONTAIN
                           { commonName }
      MAY CONTAIN
                           { description |
                           localityName |
                           organizationalUnitName |
                           seeAlso}
     ID
                           id-oc-applicationProcess }
applicationEntity OBJECT-CLASS ::=
     SUBCLASS OF
                           { top }
     MUST CONTAIN
                           { commonName | presentationAddress }
     MAY CONTAIN
                           { description |
                          localityName |
                           organizationName |
                          organizationalUnitName |
                          seeAlso |
                          supportedApplicationContext}
     ID
                          id-oc-applicationEntity }
```

```
dSA OBJECT-CLASS
                               {
                         { applicationEntity }
     SUBCLASS OF
     MAY CONTAIN
                         { knowledgeInformation }
                               id-oc-dSA }
           OBJECT-CLASS
device
     SUBCLASS OF
                         { top }
     MUST CONTAIN
                         { commonName }
     MAY CONTAIN
                         { description |
                         localityName |
                         organizationName |
                         organizationalUnitName |
                         owner l
                         seeAlso |
                         serialNumber}
                                          ienthe full FDF of IsonEcospotations
     ID
                         id-oc-device }
strongAuthenticationUser
                         OBJECT-CLASS
     SUBCLASS OF
                         { top }
     KIND
                         auxiliary
     MUST CONTAIN
                         { userCertificate }
     ID
                         id-oc-strongAuthenticationUser }
certificationAuthority
                         OBJECT-CLASS
     SUBCLASS OF
                         { top }
     KIND
                         auxiliary
     MUST CONTAIN
                         { cACertificate |
                         certificateRevocationList |
                         authorityRevocationList }
     MAY CONTAIN
                         { crossCertificatePair }
     ID
                         id-oc-certificationAuthority }
-- Name forms --
countryNameForm NAME-FORM ::= {
     NAMES
                         country
     WITH ATTRIBUTES
                         {countryName}
                         id-nf-countryNameForm }
locNameForm NAME-FORM ::= {
     NAMES
                         locality
     WITH ATTRIBUTES
                         {localityName}
                         id-nf-locNameForm }
sOPNameForm NAME-FORM ::= {
     NAMES
                       locality
     WITH ATTRIBUTES{stateOrProvinceName}
                        id-nf-sOPNameForm }
orgNameForm NAME-FORM ::= {
     NAMES
                         organization
     WITH ATTRIBUTES {organizationName}
                         id-nf-orgNameForm }
     ID
orgUnitNameForm NAME-FORM ::= {
     NAMES
                         organizationalUnit
     WITH ATTRIBUTES
                         {organizationalUnitName}
     ID
                         id-nf-orgUnitNameForm }
personNameForm NAME-FORM ::= {
     NAMES
                         person
     WITH ATTRIBUTES {commonName}
                         id-nf-personNameForm }
```

```
orgPersonNameForm NAME-FORM ::= {
     NAMES
                          organizationalPerson
     WITH ATTRIBUTES {commonName }
     AND OPTIONALLY
                         {organizationalUnitName}
                          id-nf-orgPersonNameForm }
orgRoleNameForm: NAME-FORM ::= {
     NAMES
                          organizationalRole
      WITH ATTRIBUTES
                         {commonName}
     ID
                          id-nf-orgRoleNameForm }
gONNameForm NAME-FORM ::= {
      NAMES
                          groupOfNames
      WITH ATTRIBUTES
                         {commonName}
                                           in ) view the full PDF of ISOILEC 959A.T. 1995
                          id-nf-gONNameForm }
resPersonNameForm NAME-FORM ::= {
                          residentialPerson
     NAMES
     WITH ATTRIBUTES {commonName}
     AND OPTIONALLY
                          {streetAddress}
     ID
                          id-nf-resPersonNameForm }
applProcessNameForm NAME-FORM ::= {
     NAMES
                          applicationProcess
     WITH ATTRIBUTES {commonName}
     ID
                          id-nf-applProcessNameForm }
applEntityNameForm NAME-FORM ::= {
                          applicationEntity
     NAMES
     WITH ATTRIBUTES {commonName}
                          id-nf-applEntityNameForm }
dSANameForm NAME-FORM ::= {
     NAMES
     WITH ATTRIBUTES
                         {commonName}
                          id-nf-dSANameForm }
deviceNameForm NAME-FORM ::= {
     NAMES
                          device
     WITH ATTRIBUTES
                         {commonName}
                         id-nf-deviceNameForm }
-- Object identifier assignments
-- object identifiers assigned in other modules are shown in comments
-- Object classes
-- id-oc-top
                                            OBJECT IDENTIFIER ::=
                                                                      {id-oc 0}
-- id-oc-alias
                                            OBJECT IDENTIFIER::=
                                                                      {id-oc 0}
id-oc-country
                                                                      {id-oc 2}
                                            OBJECT IDENTIFIER ::=
id-oc-locality
                                            OBJECT IDENTIFIER ::=
                                                                      {id-oc 3}
id-oc-organization
                                            OBJECT IDENTIFIER ::=
                                                                      {id-oc 4}
id-oc-organiationalUnit
                                            OBJECT IDENTIFIER ::=
                                                                      {id-oc 5}
id-oc-person
                                            OBJECT IDENTIFIER ::=
                                                                      {id-oc 6}
id-oc-organizationalPerson
                                            OBJECT IDENTIFIER ::=
                                                                      {id-oc 7}
id-oc-organizationalRole
                                            OBJECT IDENTIFIER::=
                                                                      {id-oc 8}
id-oc-groupOfNames
                                            OBJECT IDENTIFIER::=
                                                                      {id-oc 9}
id-oc-residentialPerson
                                                                      {id-oc 10}
                                            OBJECT IDENTIFIER ::=
id-oc-applicationProcess
                                            OBJECT IDENTIFIER::=
                                                                      {id-oc 11}
id-oc-applicationEntity
                                            OBJECT IDENTIFIER ::=
                                                                      {id-oc 12}
id-oc-dSA
                                            OBJECT IDENTIFIER::=
                                                                      {id-oc 13}
id-oc-device
                                            OBJECT IDENTIFIER::=
                                                                      {id-oc 14}
id-oc-strongAuthenticationUser
                                            OBJECT IDENTIFIER::=
                                                                      {id-oc 15}
id-oc-certificationAuthority
                                            OBJECT IDENTIFIER ::=
                                                                      {id-oc 16}
id-oc-groupOfUniqueNames
                                            OBJECT IDENTIFIER ::=
                                                                      {id-oc 17}
```

# -- Name forms --

id-nf-countryNameForm id-nf-locNameForm id-nf-sOPNameForm id-nf-orgNameForm id-nf-orgUnitNameForm id-nf-personNameForm id-nf-orgPersonNameForm id-nf-orgRoleNameForm id-nf-gONNameForm id-nf-gonNameForm id-nf-applProcessNameForm id-nf-applProcessNameForm id-nf-dSANameForm id-nf-deviceNameForm	OBJECT IDENTIFIER ::=	{id-nf 0} {id-nf 1} {id-nf 2} {id-nf 3} {id-nf 4} {id-nf 5} {id-nf 6} {id-nf 7} {id-nf 8} {id-nf 10} {id-nf 11} {id-nf 12} {id-nf 13}	A.T. 1.095
ECHORM. Chic	OBJECT IDENTIFIER ::= OBJECT IDENTIFIER ::= OBJECT IDENTIFIER ::= OBJECT IDENTIFIER ::=	SOIIECOS	
ECHO.			

ITU-T Rec. X.521 (1993 E)

# Annex B

# Suggested name forms and DIT structures

(This annex does not form an integral part of this Recommendation | International Standard)

This annex suggests a DIT structure shown in Figure B.1 and related DIT structure rules using the name forms defined in clause 3. The rules cover an unconstrained DIT structure.

The integer identifiers assigned in this annex and used in Figure B.1 are arbitrary and have no global (or standardized) significance. A particular structure rule identifier only has significance within the scope of the subschema in which it applied. Each DMD is responsible for creating its own DIT structure and structure rules that may differ from this example.




Figure B.1 – Suggested DIT structure

### **B.1 Country**

Attribute countryName is used for naming.

The root is the immediate superior to entries of object class country.

```
STRUCTURE-RULE ::= {
NAME FORM
                countryNameForm
```

### **B.2** Organization

Attribute organizationName is used for naming.

The root, country or locality can be the immediate superior of entries of object class organization.

PDF of ISOIIEC 050A-T-10055 NOTE – When the organization is directly under the root, this denotes an international organization. The naming values of the organizationName attribute for international organizations must all be distinct.

```
sr2
     STRUCTURE-RULE ::= {
     NAME FORM
                        orgNameForm
     ID
                        2 }
     STRUCTURE-RULE ::= {
sr3
     NAME FORM
                        orgNameForm
     SUPERIOR RULES
                        { sr1 }
     ID
                        3 }
     STRUCTURE-RULE ::= {
     NAME FORM
                        orgNameForm
     SUPERIOR RULES
                        { sr5 | sr6 | sr7 | sr8 | sr9 }
                        4 }
```

### **B.3** Locality

Attribute localityName or stateOrProvinceName is used for naming

NOTE – For naming locality using stateOrProvinceName, see B.12.

The root, country, locality, organization or organizationalUnit can be the immediate superior of entries of object class locality.

```
STRUCTURE-RULE ::= {
     NAME FORM
                        locNameForm(
                        5 }
sr6
     STRUCTURE-RULE ::= { \
     NAME FORM
                        locNameForm
     SUPERIOR RULES
                        { sr1 }
sr7
     STRUCTURE-RULE ::= {
     NAME FORM
                        locNameForm
     SUPERIOR RULES
                        { sr5 | sr6 | sr7 | sr8 | sr9 }
     ID
                        7 }
     STRUCTURE-RULE ::= {
sr8
     NAME FORM
                        locNameForm
     SUPERIOR RULES
                        \{ sr2 \mid sr3 \mid sr4 \}
     ID
                        8 }
     STRUCTURE-RULE ::= {
     NAME FORM
                        locNameForm
     SUPERIOR RULES
                        { sr10 | sr11 | sr12 }
                        9}
```

### **B.4 Organizational Unit**

Attribute organizationalUnitName is used for naming.

organization, organizationalUnit or locality can be the immediate superior of entries of object class organizational Unit.

```
ISO/IEC 9594-7: 1995 (E)
```

```
sr10 STRUCTURE-RULE ::= {
     NAME FORM
                        orgUnitNameForm
     SUPERIOR RULES { sr2 | sr3 | sr4 }
                        10 }
sr11 STRUCTURE-RULE ::= {
                        orgUnitNameForm
     NAME FORM
     SUPERIOR RULES
                        { sr10 | sr11 | sr12 }
                        11 }
sr12 STRUCTURE-RULE ::= {
                        orgUnitNameForm
     NAME FORM
     SUPERIOR RULES
                        { sr5 | sr6 | sr7 | sr8 | sr9 }
     ID
                        12 }
```

### **B.5 Organizational Person**

Attribute commonName and optionally organizational UnitName is used for naming.

the full PDF of ISOILECOSOIL organization or organizationalUnit can be the immediate superior of entries of object class organizational Person.

```
STRUCTURE-RULE ::= {
     NAME FORM
                       orgPersonNameForm
     SUPERIOR RULES
                       { sr2 | sr3 | sr4 }
                       13}
sr14 STRUCTURE-RULE ::= {
                       orgPersonNameForm
     NAME FORM
                       { sr10 | sr11 | sr12 }
     SUPERIOR RULES
                        14}
```

### **B.6 Organizational Role**

Attribute CommonName is used for naming.

organization or organizationalUnit can be the immediate superior of entries of object class organizationalRole.

```
STRUCTURE-RULE ::= {
     NAME FORM
                        orgRoleNameForm
     SUPERIOR RULES
                       { sr2 | sr3 | sr4 }
                        15 }
sr16 STRUCTURE-RULE ::= {
                       orgRoleNameForm
     NAME FORM
     SUPERIOR RULES
                       { sr10 | sr11 | sr12 }
     ID
                        16 }
```

### **B.7** Group of Names

Attribute commonName is used for naming.

locality, organization or organizationalUnit can be the immediate superior of entries of object class groupOf Names.

```
STRUCTURE-RULE ::= {
sr17
                        gonNameForm
     NAME FORM
     SUPERIOR RULES
                        { sr5 | sr6 | sr7 | sr8 | sr9 }
     ID
                        17 }
sr18 STRUCTURE-RULE ::= {
                        gonNameForm
     NAME FORM
                        { sr2 | sr3 | sr4 }
     SUPERIOR RULES
     ID
                        18}
     STRUCTURE-RULE ::= {
sr19
     NAME FORM
                        gonNameForm
     SUPERIOR RULES
                        { sr10 | sr11 | sr12 }
     ID
                        19}
```