



International
Standard

ISO/IEC/IEEE
8802-A

**Information technology —
Telecommunications and
information exchange between
systems — Local and metropolitan
area networks —**

**Part A:
Overview and architecture**

**AMENDMENT 3: YANG data model for
EtherTypes**

*Technologies de l'information — Télécommunications et
échange d'information entre systèmes — Réseaux locaux et
métropolitains —*

Partie A: Présentation et architecture

AMENDEMENT 3

**First edition
2015-12-15
AMENDMENT 3
2025-02**



COPYRIGHT PROTECTED DOCUMENT

© IEEE 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from IEEE at the address below.

Institute of Electrical and Electronics Engineers, Inc
3 Park Avenue, New York
NY 10016-5997, USA

Email: stds.ipr@ieee.org
Website: www.ieee.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

ISO/IEC/IEEE 8802-A:2015/Amd.3 was prepared by the LAN/MAN of the IEEE Computer Society (as IEEE Std 802f-2023) and drafted in accordance with its editorial rules. It was adopted, under the “fast-track procedure” defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

A list of all parts in the ISO/IEC/IEEE 8802 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

IECNORM.COM : Click to view the full PDF of ISO/IEC/IEEE 8802-A:2015/Amd 3:2025

IEEE Std 802f™-2023
(Amendment to IEEE Std 802®-2014
as amended by IEEE Std 802c™-2017 and
IEEE Std 802d™-2017)

IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture

Amendment 3: YANG Data Model for EtherTypes

Developed by the
LAN/MAN Standards Committee
of the
IEEE Computer Society

Approved 21 September 2023
IEEE SA Standards Board

IECNORM.COM : Click to view the full PDF of ISO/IEC/IEEE 802-A:2015/Amd 3:2025

Abstract: The YANG module containing the EtherType information, including a compact human-readable name and description, for a subset of EtherTypes taken from the IEEE Registration Authority EtherType public listing is specified in this amendment. This amendment also addresses errors and omissions in IEEE Std 802 description of existing functionality.

Keywords: BANs, body area networks, EtherTypes, IEEE 802®, IEEE 802f™, IEEE 802 architecture, IEEE 802 reference model, LANs, local area networks, MANs, metropolitan area networks, object identifiers, PANs, personal area networks, RANs, regional area networks, protocol development, protocol types, YANG

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2023 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 8 December 2023. Printed in the United States of America.

IEEE and IEEE 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 979-8-8557-0279-8 STD26593
Print: ISBN 979-8-8557-0280-4 STDPD26593

IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE Standards documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>), appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents are developed within IEEE Societies and subcommittees of IEEE Standards Association (IEEE SA) Board of Governors. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not necessarily members of IEEE or IEEE SA and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE makes no warranties or representations concerning its standards, and expressly disclaims all warranties, express or implied, concerning this standard, including but not limited to the warranties of merchantability, fitness for a particular purpose and non-infringement. IEEE Standards documents do not guarantee safety, security, health, or environmental protection, or guarantee against interference with or from other devices or networks. In addition, IEEE does not warrant or represent that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon their own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE NEED TO PROCURE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus balloting process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that the presenter's views should be considered the personal views of that individual rather than the formal position of IEEE, IEEE SA, the Standards Committee, or the Working Group. Statements made by volunteers may not represent the formal position of their employer(s) or affiliation(s).

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations, consulting information, or advice pertaining to IEEE Standards documents.**

Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and subcommittees of the IEEE SA Board of Governors are not able to provide an instant response to comments, or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile & Interests area of the [IEEE SA myProject system](#).¹

Comments on standards should be submitted using the [Contact Us](#) form.²

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Data privacy

Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and data ownership in the context of assessing and using the standards in compliance with applicable laws and regulations.

¹ Available at: <https://development.standards.ieee.org/myproject-web/public/view.html#landing>.

² Available at: <https://standards.ieee.org/content/ieee-standards/en/about/contact/index.html>.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, neither IEEE nor its licensors waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; <https://www.copyright.com/>. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#).³ For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website.

Errata

Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#).⁴ Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to periodically check for errata.

³ Available at: <https://ieeexplore.ieee.org/browse/standards/collection/ieee>.

⁴ Available at: <https://standards.ieee.org/standard/index.html>.

Patents

IEEE standards are developed in compliance with the [IEEE SA Patent Policy](#).⁵

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

IMPORTANT NOTICE

Technologies, application of technologies, and recommended procedures in various industries evolve over time. The IEEE standards development process allows participants to review developments in industries, technologies, and practices, and to determine what, if any, updates should be made to the IEEE standard. During this evolution, the technologies and recommendations in IEEE standards may be implemented in ways not foreseen during the standard's development. IEEE standards development activities consider research and information presented to the standards development group in developing any safety recommendations. Other information about safety practices, changes in technology or technology implementation, or impact by peripheral systems also may be pertinent to safety considerations during implementation of the standard. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

⁵ Available at: <https://standards.ieee.org/about/sasb/patcom/materials.html>.

Participants

At the time this amendment was submitted to the IEEE SA for approval, the IEEE 802.1 Working Group had the following membership:

Glenn Parsons, *Chair*
Jessy Rouyer, *Vice-Chair*
Janos Farkas, *Chair, Time-Sensitive Networking Task Group*
Craig Gunther, *Vice-Chair, Time Sensitive Nwtworking Task Group*
Marc Holness, *IEEE 802f Technical Editor*

Katsuyuki Akizuki
Konstantinos Alexandris
Venkat Arunarthi
Ralf Assmann
Huajie Bao
Rudy Belliardi
Jeremias Blendin
Christian Boiger
Paul Bottorff
Radhakrishna Canchi
Feng Chen
Abhijit Choudhury
Paul Congdon
Rodney Cummings
Josef Dorr
Hesham Elbakoury
Anna Engelmann
Thomas Enzinger
Donald Fedyk
Norman Finn
Geoffrey Garner
Craig Gunther

Marina Gutierrez
Stephen Haddock
Mark Hantel
Daniel Hopf
Woojung Huh
Satoko Itaya
Yoshihiro Ito
Michael Karl
Stephan Kehrer
Marcel Kiessling
Gavin Lai
Yizhou Li
Joao Lopes
Lily Lv
Christophe Mangin
Scott Mansfield
Olaf Mater
David McCall
Larry McMillan
Martin Mittelberger
Hiroki Nakano
Takumi Nomura
Dragan Obradovic

Donald R. Pannell
Dieter Proell
Atsushi Sato
Frank Schewe
Michael Seaman
Maik Seewald
Ramesh Sivakolundu
Johannes Specht
Nemanja Stamenic
Marius Stanica
Gunter Steindl
Karim Traore
Max Turner
Balazs Varga
Ganesh Venkatesan
Tongtong Wang
Karl Weber
Leon Wessels
Ludwig Winkel
Jordon Woods
Takahiro Yamaura
Nader Zein

The following members of the individual balloting committee voted on this amendment. Balloters may have voted for approval, disapproval, or abstention.

| | | |
|--------------------|--------------------|---------------------|
| Thomas Alexander | Piotr Karocki | R. K. Rannow |
| Butch Anton | Stephan Kehrer | Maximilian Riegel |
| Philip E. Beecher | Stuart Kerry | Benjamin Rolfe |
| Christian Boiger | Yongbum Kim | Jessy Rouyer |
| William Byrd | Jeff Kofinoff | Frank Schewe |
| Paul Cardinal | David Kornbau | Reinhard Schrage |
| Steven Carlson | David Law | Cole Scott |
| Pin Chang | Hyeong Ho Lee | Michael Seaman |
| Aditya Chaudhuri | James Lepp | Veselin Skendzic |
| Paul Congdon | Joao Lopes | Guenter Steindl |
| Rodney Cummings | Greg Luri | Walter Struppler |
| Janos Farkas | Michael Lynch | Mitsutoshi Sugawara |
| Donald Fedyk | Christophe Mangin | Bo Sun |
| Avraham Freedman | Scott Mansfield | Max Turner |
| James Gilb | Roger Marks | John Vergis |
| Craig Gunther | Jonathon McLendon | James Weaver |
| Marek Hajduczenia | Rajesh Murthy | Stephen Webb |
| Chong Han | Satoshi Obara | Karl Weber |
| Xiang He | Glenn Parsons | Matthias Wendt |
| Marco Hernandez | Bansi Patel | Scott Willy |
| Werner Hoelzl | Dev Paul | Andreas Wolf |
| Russell Housley | Arumugam Paventhan | Yu Yuan |
| Yasuhiro Hyakutake | Rick Pimpinella | Oren Yuen |
| Pranav Jha | Clinton Powell | George Zimmerman |
| Lokesh Kabra | Venkatesha Prasad | Qiyue Zou |
| | Dieter Proell | |

When the IEEE SA Standards Board approved this amendment on 21 September 2023, it had the following membership:

David J. Law, Chair
Ted Burse, Vice Chair
Gary Hoffman, Past Chair
Konstantinos Karachalios, Secretary

| | | |
|-----------------------|----------------------|-------------------|
| Sara R. Biyabani | Joseph S. Levy | Paul Nikolich |
| Doug Edwards | Howard Li | Annette D. Reilly |
| Ramy Ahmed Fathy | Gui Lin | Robby Robson |
| Guido R. Hiertz | Johnny Daozhuang Lin | Lei Wang |
| Yousef Kimiagar | Kevin W. Lu | F. Keith Waters |
| Joseph L. Koepfinger* | Daleep C. Mohla | Karl Weber |
| Thomas Koshy | Andrew Myles | Philip B. Winston |
| John D. Kulick | | Don Wright |

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 802f-2023, IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture—Amendment 3: YANG Data Model for EtherTypes.

This amendment specifies a YANG module that contains the EtherType information, including a compact human-readable name and description, for a subset of EtherTypes taken from the IEEE Registration Authority EtherType public listing. This amendment also addresses errors and omissions in IEEE Std 802 description of existing functionality.

IECNORM.COM : Click to view the full PDF of ISO/IEC/IEEE 8802-A:2015/Amd 3:2025

Contents

| | | |
|----|--|----|
| 2. | Normative references | 12 |
| 5. | Reference models (RMs) | 13 |
| | 5.3.2.1 Bridges and bridged IEEE 802 networks..... | 13 |
| | 5.3.2.3 Resolving topologies with multiple paths..... | 13 |
| | 5.3.2.4 Transparent bridging..... | 13 |
| 7. | IEEE 802 network management | 14 |
| | 7.2.2 Management architecture..... | 14 |
| | 7.2.3 Managed object definitions..... | 14 |
| 8. | MAC addresses | 15 |
| | 8.2.2 Assignment of universal addresses..... | 15 |
| | 8.3 Interworking with 48-bit and 64-bit MAC addresses | 15 |
| 9. | Protocol identifiers and context-dependent identifiers | 16 |
| | 9.2 EtherTypes | 16 |
| | 9.2.1 Format, function, and administration..... | 16 |
| | 9.2.1a Public EtherType assignments subset..... | 16 |
| | Annex A (informative) Bibliography | 18 |
| | Annex D (informative) List of IEEE standards | 19 |
| | Annex F (informative) EtherType listing subset | 20 |
| | Annex G (informative) Wake-on-LAN | 34 |

IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture

Amendment 3: YANG Data Model for Ethertypes

(This amendment is based on IEEE Std 802®-2014, as previously amended by IEEE Std 802d™-2017 and IEEE Std 802c™-2017.)

Editing instructions are shown in *bold italic*. Four editing instructions are used: change, delete, insert, and replace. *Change* is used to make corrections in existing text or tables. The editing instruction specifies the location of the change and describes what is being changed either by using ~~strike through~~ (to remove old material) and underscore (to add new material). *Delete* removes existing material. *Insert* adds new material without disturbing the existing material. Insertions may require renumbering. If so, renumbering instructions are given in the editing instruction. *Replace* is used to make large changes in existing text, subclauses, tables, or figures by removing existing material and replacing it with new material. Editorial notes will not be carried over into future editions because the changes will be incorporated into the base standard.⁶

⁶Notes in text, tables, and figures are given for information only, and do not contain requirements needed to implement the standard.

ISO/IEC/IEEE 8802-A:2015/Amd.3:2025(en)

IEEE Std 802f-2023
IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture
Amendment 3: YANG Data Model for EtherTypes

2. Normative references

Delete the following normative reference in Clause 2 as follows:

~~IEEE Std 802.1D™, IEEE Standard for Local and metropolitan area networks—Media Access Control (MAC) Bridges.^{1,2}~~

Insert the following normative reference in the appropriate collating sequence:

IEEE Std 802.1Q™, IEEE Standard for Local and metropolitan area networks—Virtual Bridged Local Area Networks.^{7, 8}

⁷The IEEE standards referred to in Clause 2 are trademarks owned by the Institute of Electrical and Electronics Engineers, Incorporated.

⁸IEEE publications are available from The Institute of Electrical and Electronics Engineers. (<https://standards.ieee.org>).

5. Reference models (RMs)

5.3.2.1 Bridges and bridged IEEE 802 networks

Change the text of the first paragraph in 5.3.2.1 as follows:

Bridges are stations that interconnect multiple access domains. IEEE Std 802.1D⁹ provides the basic specification for bridge interworking among IEEE 802 networks. A bridged IEEE 802 network consists of one or more bridges together with the complete set of access domains that they interconnect. A bridged IEEE 802 network provides end stations belonging to any of its access domains with the connectivity of a network that contains the whole set of attached end stations. IEEE Std 802.1Q ~~adds additional capabilities to the bridge specification in IEEE Std 802.1D including virtual local area networks (VLANs), priorities, and provider bridging, as described in 5.3.2.5~~ includes provisions for MAC Bridging, virtual local area networks (VLANs), priorities and provider bridging.

Change the text in the last paragraph in 5.3.2.1 as follows:

The term *switch* is often used to refer to some classes of bridge. However, there is no consistent meaning applied to the distinction between the terms *bridge* and *switch*, and IEEE Std 802.1D⁹ does not make any such distinction. Hence, this standard only uses the term *bridge*.

5.3.2.3 Resolving topologies with multiple paths

Change the text in the first paragraph in 5.3.2.3 as follows:

A key aspect of ~~IEEE Std 802.1D and~~ IEEE Std 802.1Q is the specification of the rapid spanning tree protocol (RSTP), which is used by bridges to configure their interconnections in order to prevent looping data paths in the bridged IEEE 802 network. If the basic interconnection topology of bridges and networks contains multiple possible paths between certain points, use of the RSTP blocks some paths in order to produce a simply connected active topology for the flow of MAC user traffic between end stations. For each point of attachment of a bridge to a network, the RSTP selects whether MAC user traffic is to be received and transmitted by the bridge at that point of attachment.

5.3.2.4 Transparent bridging

Change the text in 5.3.2.4 as follows:

~~IEEE Std 802.1D and~~ IEEE Std 802.1Q ~~specify~~ specifies transparent bridging operation, so called because the MAC bridging function does not require the MAC user frames transmitted and received to carry any additional information relating to the operation of the bridging functions; end-station operation is unchanged by the presence of bridges.

⁹ Information on normative references can be found in Clause 2.

7. IEEE 802 network management

7.2.2 Management architecture

Change the last paragraph in 7.2.2 as follows:

The Simple Network Management Protocol (SNMP), as described in IETF RFC 3411 [B5], [and Network Configuration Protocol \(NETCONF\), as described in RFC 6241 \[B15\], are examples of](#) ~~provides a~~ general-purpose management protocols that can be used for the management of IEEE 802 network equipment.

7.2.3 Managed object definitions

Change text in 7.2.3 as follows:

In order for an IEEE 802 standard to specify management facilities, it is necessary for it to specify managed objects that model the operations that can be performed on the communications resources specified in the standard. The components of a managed object definition are as follows:

- a) A definition of the functionality provided by the managed object, and the relationship between this functionality and the resource to which it relates.
- b) A definition of the syntax that is used to convey management operations, and their arguments and results, in a management protocol.
- c) An address that allows the management protocol to specifically communicate with the managed object in question. In IEEE 802 this is done with an object identifier (OID), as described in Clause 10, [or a Uniform Resource Name \(URN\), as described in Clause 11.](#)

The functionality of a managed object can be described in a manner that is independent of the protocol that is used; this abstract definition can then be used in conjunction with a definition of the syntactic elements required in order to produce a complete definition of the object for use with specific management protocols.

SNMP is used in many cases together with the structure of management information known as SMIV2 (IETF RFC 2578, IETF RFC 2579 [B3], and IETF RFC 2580 [B4]), which uses a set of macros based on a subset of ASN.1 for defining managed objects. [YANG \(IETF RFC 7950\) is a data modeling language used to model configuration data, state data, remote procedure calls, and notifications for network management protocols.](#)

The choice of notational tools for defining managed objects depends on ~~which of~~ the available management protocols the standard supports.

8. MAC addresses

8.2.2 Assignment of universal addresses

Change the last paragraph before Figure 10 in 8.2.2. as follows:

A universal address consists of two parts: the leading bits (24, 28, or 36) are assigned by the IEEE RA with the U/L bit set to zero and the remaining bits by that assignee. An example of an EUI-48 is shown in Figure 10. For MA-M and MA-S, the final 4 bits of the assigned number are in a nibble that is not adjacent to the other bits in the assigned number when displayed with LSB on the left and most significant bit (MSB) on the right. For example, when using an MA-S to create an EUI-48, the MA-S value is contained in octets 0, 1, 2, 3 and the **least most** significant **nibble four bits** of octet 4, and the value assigned by the assignee is contained in the **most least** significant **nibble four bits** of octet 4 and **in** octet 5.

Change the NOTE in 8.2.4 as follows:

NOTE—While some implementations have used a single EUI-48 or EUI-64 to identify all of the system's points of attachment to IEEE 802 networks, this approach does not inherently meet the requirements of IEEE 802.1DTM **MAC bridging**.

8.3 Interworking with 48-bit and 64-bit MAC addresses

Change the text in 8.3 as follows:

In response to concerns that the EUI-48 space could be exhausted by the breadth of products requiring unique identifiers, 64-bit MAC addresses were introduced. Initially, new IEEE standards projects that did not require backward compatibility with EUI-48 were requested to use 64-bit MAC addresses. This led to some IEEE 802 standards adopting 64-bit MAC addressing, which cannot be bridged onto IEEE 802 networks that use 48-bit MAC addressing. The reason is that the bridging function in ~~IEEE Std 802.1D and IEEE Std 802.1Q~~ assumes that 48-bit MAC addresses are unique among all the connected networks. Truncating ~~a~~ 64-bit MAC address into ~~a~~ 48-bit field can lead to two stations having the same 48-bit value. Instead, traffic between 64-bit and 48-bit MAC addressed networks needs to be routed at a layer above the DLL.

9. Protocol identifiers and context-dependent identifiers

9.2 EtherTypes

9.2.1 Format, function, and administration

Change the footnote in the first paragraph of 9.2.1 (the paragraph is shown for convenience of the user) as follows:

EtherType protocol identification values are assigned by the IEEE RA¹⁰ and are used to identify the protocol that is to be invoked to process the user data in the frame. An EtherType is a sequence of 2 octets, interpreted as a 16-bit numeric value with the first octet containing the most significant 8 bits and the second octet containing the least significant 8 bits. Values in the 0–1535 range are not available for use in order to retain legacy compatibility with Length field based protocols, e.g., IEEE Std 802.3.

Change the third paragraph in 9.2.1 as follows:

Examples of EtherTypes are ~~0x0800 and 0x86DD~~ 0x08-00 and 0x86-DD, which are used to identify IPv4 and IPv6, respectively.

Insert the following subclause 9.2.1a, and renumber the existing subclauses accordingly.

9.2.1a Public EtherType assignments subset

The IEEE Registration Authority (RA) provides a public listing of EtherType assignments.¹¹ Many of these are for private or proprietary purposes. However, others are incorporated into well-known standards. In some cases, the IEEE RA Public Listing for an EtherType identifies an assignee without explicitly identifying the standards in which the use of that EtherType is specified. For ready reference by users and developers of such standards, Annex F identifies some well-known EtherTypes and the protocols they identify. This subset is derived by combining the EtherTypes listed in the ietf-ethertypes YANG module specified in IETF RFC 8519 [B11] with the subset of EtherTypes defined by IEEE 802 Standards (e.g., IEEE 802.1Q, 802.3, etc.) and as provided by participants that developed this standard. Information on products released after that date can be found on the IEEE SA Registration Authority web site: <https://standards.ieee.org/products-programs/regauth/ethertype/> and <https://regauth.standards.ieee.org/standards-ra-web/pub/view.html#registries>. The subset in Table F.1 and in F.3 is provided solely for the convenience of users of this standard and does not constitute an endorsement by IEEE of the listed protocols.

The EtherType public listing includes the following fields, specified by the EtherType assignee:

- **Assignment** — The hexadecimal representation of the EtherType.
- **Assignment Type** — The type is EtherType.¹²
- **Company Name** — The registrant of the Assignment.
- **Company Address** — The address of the registrant.
- **Protocol** — A brief protocol description, as provided by the registrant.

This standard includes the following fields in Table F.1 for use by the YANG module:

¹⁰More information on EtherTypes can be found at <http://standards.ieee.org/develop/regauth/> or on the IEEE RA web site, <https://standards.ieee.org/products-programs/regauth/ethertype> and <https://regauth.standards.ieee.org/standards-ra-web/pub/view.html#registries>.

¹¹The EtherType public listing is the public view of the EtherType registry managed by the Registration Authority (see <https://regauth.standards.ieee.org/>).

¹²EtherType is the only assignment type for the records in the EtherType public listing.

ISO/IEC/IEEE 8802-A:2015/Amd.3:2025(en)

IEEE Std 802f-2023
IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture
Amendment 3: YANG Data Model for EtherTypes

- a) **Friendly Name** — A short alphanumeric name for the Assignment that is unique within the YANG module in F.2 and is used to enumerate the entry.
- b) **Short Description** — A short description of the assigned protocol per its typical usage.
- c) **Reference** — A reference to a standard associated with the EtherType assignment.

A YANG model representation can be found in F.3.2.

IECNORM.COM : Click to view the full PDF of ISO/IEC/IEEE 8802-A:2015/Amd 3:2025

Annex A

(informative)

Bibliography

Insert the following bibliographical references into Annex A in alphanumeric order:

[B11] IETF RFC 8519, YANG Data Model for Network Access Control Lists (ACLs), March 2019.

[B15] IETF RFC 6241, Network Configuration Protocol (NETCONF), June 2011.

IECNORM.COM : Click to view the full PDF of ISO/IEC/IEEE 8802-A:2015/Amd 3:2025

Annex D

(informative)

List of IEEE 802 standards

Delete the following standard as follows:

~~IEEE Std 802.1D™, IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges.~~

IECNORM.COM : Click to view the full PDF of ISO/IEC/IEEE 8802-A:2015/Amd.3:2025

Insert new Annex F as follow:

Annex F

(informative)

EtherType listing subset

F.1 Introduction

This annex lists the subset of EtherType assignments described in 9.2.1 in tabular form (Table F.1) and in the form of a YANG module (F.2). This subset is provided solely for the convenience of the users of this standard and does not constitute an endorsement by IEEE of the listed protocols.

F.2 Tabular format

A subset of EtherType assignments by the IEEE RA is given in Table F.1. Each Friendly Name in Table F.1 is unique and is used as an identifier in the YANG module. The Short Description identifies the protocol, protocol message, or protocol field that uses the assignment as specified in the Reference, or the EtherType assignment itself as named in the Reference. Where the Reference specifies more than one name or use (distinguished for example by sub-type) these are included in the Short Description field.

NOTE—The fields “Friendly Names” and “Short Descriptions” in Table F.1 may include trademarks that are owned by their respective trademark owners. The information in these fields is provided solely for the convenience of users of this standard and does not constitute an endorsement by IEEE of those products or the companies producing those products.

Table F.1 — EtherType listing subset^a

| EtherType Assignment (HEX) | Friendly Name | Short Description | Reference |
|----------------------------|---------------|---|-----------------------------|
| 08-00 | ipv4 | Internet Protocol version 4 (IPv4) | IETF RFC 894 |
| 08-06 | arp | Address Resolution Protocol (ARP) | IETF RFC 826, IETF RFC 7042 |
| 08-42 | wol | Wake-on-LAN | IEEE Std 802 |
| 22-E2 | mshp | MAC Status Protocol (MSP) | IEEE Std 802.1Q |
| 22-E7 | cnm | Congestion Notification Message (CNM) | IEEE Std 802.1Q |
| 22-E9 | cn-tag | Congestion Notification Tag (CN-TAG) | IEEE Std 802.1Q |
| 22-EA | msrp | Multiple Stream Reservation Protocol (MSRP) | IEEE Std 802.1Q |

ISO/IEC/IEEE 8802-A:2015/Amd.3:2025(en)

IEEE Std 802f-2023
IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture
Amendment 3: YANG Data Model for EtherTypes

Table F.1 — EtherType listing subset^a (continued)

| EtherType Assignment (HEX) | Friendly Name | Short Description | Reference |
|----------------------------|-----------------|--|---|
| 22-F3 | trill | Transparent Interconnection of Lots of Links | IETF RFC 6325 |
| 60-03 | decnet | DECnet DNA Routing | DECnet DIGITAL Network Architecture—Ethernet Data Link Architectural Specification v1.0.0 |
| 80-35 | rarp | Reverse Address Resolution Protocol | IETF RFC 903 |
| 80-9B | appletalk | Appletalk (Ethertalk) | Inside Appletalk, Second Edition |
| 80-F3 | aarp | Appletalk Address Resolution Protocol | Inside Appletalk, Second Edition |
| 81-00 | c-tag | Customer VLAN Tag (C-TAG) | IEEE Std 802.1Q |
| 81-37 | ipx | Internetwork Packet Exchange (IPX) | Internetwork Packet Exchange—Novell, Inc. |
| 82-04 | qnx | QNX Qnet | QNX—Quantum Software Systems, Ltd. |
| 86-DD | ipv6 | Internet Protocol Version 6 (IPv6) | IETF RFC 2464 |
| 88-08 | efc | Multipoint Control Protocol (MPCP) | IEEE Std 802.3 |
| 88-09 | esp | Ethernet Slow Protocol | IEEE Std 802.3 |
| 88-19 | cobranet | CobraNet | CobraNet Programmer's Reference, Version 2.5 |
| 88-47 | mpls-unicast | Multiprotocol Label Switching (MPLS) unicast traffic | IETF RFC 3031 |
| 88-48 | mpls-multicast | Multiprotocol Label Switching (MPLS) multicast | IETF RFC 3031 |
| 88-63 | pppoe-discovery | Point-to-Point Protocol over Ethernet (PPPoE) Discovery Stage | IETF RFC 2516 |
| 88-64 | pppoe-session | Point-to-Point Protocol over Ethernet (PPPoE) Session Stage | IETF RFC 2516 |
| 88-6D | intel-ans | Intel Advanced Networking Services Probe Packets | Intel® Advanced Network Services (Intel® ANS) Advanced Settings for Teams |
| 88-70 | llc-encaps | LLC Encapsulation | IEEE Std 802.1AC |
| 88-7B | homeplug | Homeplug | INT51X1 datasheet |
| 88-8E | eapol | Port Access Entity (PAE) EtherType, Extensible Authentication Protocol over LANs (EAPOL) | IEEE Std 802.1X |

ISO/IEC/IEEE 8802-A:2015/Amd.3:2025(en)

IEEE Std 802F-2023
IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture
Amendment 3: YANG Data Model for EtherTypes

Table F.1 — EtherType listing subset^a (continued)

| EtherType Assignment (HEX) | Friendly Name | Short Description | Reference |
|----------------------------|--------------------|---|--|
| 88-92 | profinet | PROFINET | IEC 61158-6-10 |
| 88-9A | hyperscsi | Small Computer System Interface (SCSI) over Ethernet. | An Ethernet Based Data Storage Protocol for Home Network |
| 88-A2 | aoe | Advanced Technology Attachment (ATA) over Ethernet. | AoE (ATA over Ethernet) |
| 88-A4 | ethercat | Ethernet for Control Automation Technology (EtherCAT) | IEC 61158-4-12 |
| 88-A8 | s-tag | Service VLAN Tag (S-TAG) or Backbone VLAN Tag (B-TAG) | IEEE Std 802.1Q |
| 88-AB | ethernet-powerlink | Ethernet Powerlink | IEC 61158-4-13 |
| 88-B5 | exp1 | Local experimental EtherType 1 | IEEE Std 802 |
| 88-B6 | exp2 | Local experimental EtherType 2 | IEEE Std 802 |
| 88-B7 | oui-ext | OUI Extended EtherType | IEEE Std 802 |
| 88-B8 | goose | IEC 61850 Generic Object Oriented Substation Event (GOOSE) | IEC 61850-8-1 |
| 88-B9 | gse | IEC 61850 Generic Substation Events (GSE) management services | IEC 61850-8-1 |
| 88-BA | sv | IEC 61850 Sampled Value Transmission (SV) | IEC 61850-8-2 |
| 88-C7 | pre-auth | RSNA Pre-Authentication | IEEE Std 802.11 |
| 88-CC | lldp | Link Layer Discovery Protocol (LLDP) | IEEE Std 802.1AB |
| 88-CD | sercos | Sercos Interface | IEC 61158-4-19 |
| 88-DC | wsmp | WAVE Short Message Protocol (WSMP) | IEEE Std 1609 |
| 88-E1 | homeplug-av-mme | HomePlug AV Mobile Management Entity (MME) | HomePlug AV Specification |
| 88-E3 | mrp | Media Redundancy Protocol | IEC 62439-2 |
| 88-E5 | macsec | MACsec EtherType | IEEE Std 802.1AE |
| 88-E7 | i-tag | Backbone Service Instance Tag | IEEE Std 802.1Q |
| 88-F5 | mvrp | Multiple VLAN Registration Protocol (MVRP) | IEEE Std 802.1Q |
| 88-F6 | mmrp | Multiple MAC Registration Protocol (MMRP) | IEEE Std 802.1Q |
| 88-F7 | ptp | Precision Time Protocol | IEEE Std 1588 |

ISO/IEC/IEEE 8802-A:2015/Amd.3:2025(en)

IEEE Std 802f-2023
IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture
Amendment 3: YANG Data Model for EtherTypes

Table F.1 — EtherType listing subset^a (continued)

| EtherType Assignment (HEX) | Friendly Name | Short Description | Reference |
|----------------------------|---------------|---|--|
| 89-02 | cfm | IEEE 802.1Q Connectivity Fault Management (CFM) PDU Encapsulation EtherType | IEEE Std 802.1Q |
| 89-06 | fcoe | Fibre Channel over Ethernet (FCoE) | T11 FC-BB-5 |
| 89-0D | wlan-mgmt | IEEE 802.11 Management Protocol | IEEE Std 802.11 |
| 89-10 | encap | Backbone Service Encapsulated Addresses | IEEE Std 802.1Q |
| 89-14 | fip | FCoE Initialization Protocol | T11 FC-BB-5 |
| 89-15 | roce | Remote Direct Memory Access (RDMA) over Converged Ethernet (RoCEv1) | InfiniBand™ Architecture Specification |
| 89-17 | mis | Media Independent Service (MIS) Protocol | IEEE Std 802.21 |
| 89-1D | tte | Time-Triggered Ethernet (TTE) Protocol Control Frame | SAE AS6802 |
| 89-29 | mirp | Multiple I-SID Registration Protocol (MIRP) | IEEE Std 802.1Q |
| 89-2F | hsr | High-availability Seamless Redundancy (HSR) | IEC 62439-3 |
| 89-3F | e-tag | Bridge Port Extension Tag (E-TAG) | IEEE Std 802.1BR |
| 89-40 | ecp | Edge Control Protocol | IEEE Std 802.1Q |
| 89-4B | f-tag | Flow Filtering Tag (F-TAG) | IEEE Std 802.1Q |
| 89-52 | drdp | Distributed Relay Control Protocol (DRCP) | IEEE Std 802.1AX |
| 89-A2 | cim | Congestion Isolation Message (CIM) | IEEE Std 802.1Q |
| C9-D1 | llc-legacy | LLC Encapsulation (obsolete) | IEEE Std 802.1AC |
| E2-3B | mpp | MAC Privacy protection Protocol | IEEE Std 802.1AE |
| F1-C1 | r-tag | Frame Replication and Elimination for Reliability (FRER) Redundancy Tag (R-TAG) | IEEE Std 802.1CB |

^aHexadecimal values in the Assignment field are provided from the public listing, while the information in the other fields (i.e., Friendly Name, Short Description, and Reference) is specified herein.

F.3 YANG module for EtherType subset

F.3.1 YANG Framework

The YANG module representation of the EtherType subset (as defined in Table F.1) is provided in this annex.

Changes to the `ieee802-ethertypes.yang` module, adding or revising entries, are made by amending or revising this standard and will add a new revision statement to the module. YANG augmentation should not be used to extend the module.

NOTE—The `ietf-ethertypes.yang` module (as defined in `rfc8519`) is currently used by the `ietf-packet-fields.yang` module (as defined in `rfc8519`) and the `ietf-detnet.yang` module. Moving forward it is anticipated that the YANG module (`ieee802-ethertype.yang`) defined in F.3.2 will supersede `ietf-ethertypes.yang`, which would result in `ietf-ethertypes.yang` being deprecated.

F.3.2 Definition for `ieee802-ethertype` YANG module^{13,14}

```
module ieee802-ethertype {

  namespace "urn:ieee:std:802.1Q:yang:ieee802-ethertype";
  prefix "ieee-ethertype";

  organization
    "IEEE 802.1 Working Group";

  contact
    "WG-URL: http://ieee802.org/1/
    WG-EMail: stds-802-1@ieee.org

    Contact: IEEE 802.1 Working Group Chair
    Postal: C/O IEEE 802.1 Working Group
            IEEE Standards Association
            445 Hoes Lane
            Piscataway
            NJ 08854
            USA

    E-mail: stds-802-1-chairs@ieee.org";

  description
    "This module contains a subset of commonly used 802 network EtherTypes.

    Copyright (C) IEEE (2023).

    This version of this YANG module is part of the IEEE Std 802;
    see the standard itself for full legal notices.";

  revision "2023-04-17" {
    description
      "Initial revision.";
    reference
      "IEEE Std 802f, Overview and Architecture -
      YANG Data Model for EtherTypes";
```

¹³Copyright release for YANG: Users of this standard may freely reproduce the YANG modules contained in this standard so that they can be used for their intended purpose.

¹⁴An ASCII version of the YANG module is attached to the PDF of this standard and can also be obtained from the IEEE 802.1 Website at <https://1.ieee802.org/yang-modules/>.

ISO/IEC/IEEE 8802-A:2015/Amd.3:2025(en)

IEEE Std 802f-2023
IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture
Amendment 3: YANG Data Model for EtherTypes

```
}  
  
typedef ethernet {  
  type enumeration {  
    enum ipv4 {  
      value 2048;  
      description  
        "08-00 Internet Protocol version 4 (IPv4)";  
      reference  
        "Organization: Xerox, US  
        Reference: IETF RFC 894";  
    }  
    enum arp {  
      value 2054;  
      description  
        "08-06 Address Resolution Protocol (ARP)";  
      reference  
        "Organization: Symbolics, Inc.  
        Reference: IETF RFC 826, IETF RFC 7042";  
    }  
    enum wol {  
      value 2114;  
      description  
        "08-42 Wake-on-LAN";  
      reference  
        "Organization: None  
        Reference: IEEE Std 802";  
    }  
    enum msp {  
      value 8930;  
      description  
        "22-E2 MAC Status Protocol (MSP)";  
      reference  
        "Organization: IEEE 802.1 Working Group  
        Reference: IEEE Std 802.1Q";  
    }  
    enum cnm {  
      value 8935;  
      description  
        "22-E7 Congestion Notification Message (CNM)";  
      reference  
        "Organization: IEEE 802.1 Working Group  
        Reference: IEEE Std 802.1Q";  
    }  
    enum cn-tag {  
      value 8937;  
      description  
        "22-E9 Congestion Notification Tag (CN-TAG)";  
      reference  
        "Organization: IEEE 802.1 Working Group  
        Reference: IEEE Std 802.1Q";  
    }  
    enum msrp {  
      value 8938;  
      description  
        "22-EA Multiple Stream Reservation Protocol (MSRP)";  
      reference  
        "Organization: IEEE 802.1 Working Group  
        Reference: IEEE Std 802.1Q";  
    }  
    enum trill {  
      value 8947;  
      description  
        "22-F3 Transparent Interconnection of Lots of Links";
```

ISO/IEC/IEEE 8802-A:2015/Amd.3:2025(en)

IEEE Std 802f-2023
IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture
Amendment 3: YANG Data Model for EtherTypes

```
reference
  "Organization: IETF TRILL Working Group
  Reference: IETF RFC 6325";
}
enum decnet {
  value 24579;
  description
    "60-03 DECnet DNA Routing";
  reference
    "Organization: DEC
    Reference: DECnet DIGITAL Network Architecture - Ethernet
    Data Link Architectural Specification v1.0.0";
}
enum rarp {
  value 32821;
  description
    "80-35 Reverse Address Resolution Protocol";
  reference
    "Organization: Private
    Reference: IETF RFC 903";
}
enum appletalk {
  value 32923;
  description
    "80-9B Appletalk (Ethertalk)";
  reference
    "Organization: Private
    Reference: Inside Appletalk, Second Edition";
}
enum aarp {
  value 33011;
  description
    "80-F3 Appletalk Address Resolution Protocol";
  reference
    "Organization: Private
    Reference: Inside Appletalk, Second Edition";
}
enum c-tag {
  value 33024;
  description
    "81-00 Customer VLAN Tag (C-TAG)";
  reference
    "Organization: IEEE 802.1 Working Group
    Reference: IEEE Std 802.1Q";
}
enum ipx {
  value 33079;
  description
    "81-37 Internetwork Packet Exchange (IPX)";
  reference
    "Organization: Novell, Inc.
    Reference: Internetwork Packet Exchange - Novell, Inc.";
}
enum qnx {
  value 33284;
  description
    "82-04 QNX Qnet";
  reference
    "Organization: Quantum Software Systems, Ltd.
    Reference: QNX - Quantum Software Systems, Ltd.";
}
enum ipv6 {
  value 34525;
  description
```

ISO/IEC/IEEE 8802-A:2015/Amd.3:2025(en)

IEEE Std 802f-2023
IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture
Amendment 3: YANG Data Model for EtherTypes

```
"86-DD Internet Protocol Version 6 (IPv6)";
reference
  "Organization: USC/ISI
  Reference: IETF RFC 2464";
}
enum efc {
  value 34824;
  description
    "88-08 Multipoint Control Protocol (MPCP)";
  reference
    "Organization: IEEE 802.3 Working Group
    Reference: IEEE Std 802.3";
}
enum esp {
  value 34825;
  description
    "88-09 Ethernet Slow Protocol";
  reference
    "Organization: IEEE 802.3 Working Group
    Reference: IEEE Std 802.3";
}
enum cobranet {
  value 34841;
  description
    "88-19 CobraNet";
  reference
    "Organization: Peak Audio
    Reference: CobraNet Programmer's Reference, Version 2.5";
}
enum mpls-unicast {
  value 34887;
  description
    "88-47 Multiprotocol Label Switching (MPLS) unicast
    traffic";
  reference
    "Organization: Cisco Systems
    Reference: IETF RFC 3031";
}
enum mpls-multicast {
  value 34888;
  description
    "88-48 Multiprotocol Label Switching (MPLS) multicast";
  reference
    "Organization: Cisco Systems
    Reference: IETF RFC 3031";
}
enum pppoe-discovery {
  value 34915;
  description
    "88-63 Point-to-Point Protocol over Ethernet (PPPoE)
    Discovery Stage";
  reference
    "Organization: UUNET Technologies, Inc.
    Reference: IETF RFC 2516";
}
enum pppoe-session {
  value 34916;
  description
    "88-64 Point-to-Point Protocol over Ethernet (PPPoE)
    Session Stage";
  reference
    "Organization: UUNET Technologies, Inc.
    Reference: IETF RFC 2516";
}
```

ISO/IEC/IEEE 8802-A:2015/Amd.3:2025(en)

IEEE Std 802f-2023
IEEE Standard for Local and Metropolitan Area Networks: Overview and Architecture
Amendment 3: YANG Data Model for EtherTypes

```
enum intel-ans {
  value 34925;
  description
    "88-6D Intel Advanced Networking Services Probe Packets";
  reference
    "Organization: Intel Corporation
    Reference: Intel(R) Advanced Network Services (Intel(R) ANS)
    Advanced Settings for Teams";
}
enum llc-encaps {
  value 34928;
  description
    "88-70 LLC Encapsulation";
  reference
    "Organization: IEEE 802.1 Working Group
    Reference: IEEE Std 802.1AC";
}
enum homeplug {
  value 34939;
  description
    "88-7B Homeplug";
  reference
    "Organization: Intellon Corporation
    Reference: INT51X1 datasheet";
}
enum eapol {
  value 34958;
  description
    "88-8E Port Access Entity (PAE) EtherType, Extensible
    Authentication Protocol over LANs (EAPOL)";
  reference
    "Organization: IEEE 802.1 Working Group
    Reference: IEEE Std 802.1X";
}
enum profinet {
  value 34962;
  description
    "88-92 PROFINET";
  reference
    "Organization: PROFIBUS International
    Reference: IEC 61158-6-10";
}
enum hyperscsi {
  value 34970;
  description
    "88-9A Small Computer System Interface (SCSI) over
    Ethernet.";
  reference
    "Organization: Data Storage Institute
    Reference: An Ethernet Based Data Storage Protocol for Home
    Network";
}
enum aoe {
  value 34978;
  description
    "88-A2 Advanced Technology Attachment (ATA) over Ethernet.";
  reference
    "Organization: Coraid Inc
    Reference: AoE (ATA over Ethernet)";
}
enum ethercat {
  value 34980;
  description
    "88-A4 Ethernet for Control Automation Technology
```