INTERNATIONAL STANDARD

ISO 10987-3

> First edition 2017-08

Earth-moving machinery Sustainability Part 3: Used machines Engins de terrassam

Engins de terrassement — Durabilité — In as d'oce is d'oce Partie 3: Engins d'occasion

STANDARDSISO COM. Click to view the full Park of 150 hope 1.3:2017

COPYT

TO TO THE T



© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents				
For	eword		iv	
Intr	oductio	on	v	
1	Scop	pe	1	
2	Norr	Normative references		
3	Tern	Terms and definitions		
4	4.1 4.2	d machine evaluation requirements General General requirements Environmental protection requirements Safety requirements ification of machine requirements	2	
5	Veri	ification of machine requirements	4	
6	War	Warranty		
7	Iden 7.1 7.2	ntification and information Identification plate Documentation	4 	
Ann	ex A (in	nformative) Example of inspection form	6	
	STAN	hy Cick to view the financial of the control of the		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee 150/TC 127, Earth-moving machinery.

A list of all parts in the ISO 10987 series, published under the general title, *Earth-moving machinery* — *Sustainability*, can be found on the ISO website.

iv

Introduction

Sustainability has become a concern in relation to earth-moving machinery, as for so many other products. Customers buying the machines are requesting information that can be used to promote sustainability for their work projects. With the increased interest in sustainability, many organizations are preparing sustainability guidelines and manufacturers are providing general sustainability information.

Sustainability covers a wide range of areas related to social, environmental and economic considerations for the development, manufacturing, useful life and end-of-life phases for earth-moving machines.

In addition to large and increasing numbers of new earth-moving machines, many thousands (perhaps hundreds of thousands) of used earth-moving machines are resold worldwide each year. The safety, emissions, noise, energy consumption, working performance and other characteristics of used machines can have problems which could cause potential risks to personal safety and the environment and which cannot be identified by buyers of used machines.

The development of an International Standards can help establish international, scientific, rational, feasible and economic specifications for used earth-moving machines and ensure that used machines meet established technical specifications when resold.

The main purpose and significance of developing this document are the following:

- a) to offer a technical guide for evaluating used earth-moving machines to
 - boost the normative, healthy and orderly development of the used-machine market for earthmoving machines,
 - improve and protect the rights of both sellers and buyers,
 - reduce the customers' purchase and operation costs, and
 - bring the customers more added value;
- b) improve the quality of used machines by
 - increasing the value of those machines,
 - enhancing the sustainable use of earth-moving machines in their lifetime,
 - promoting the application of remanufactured products, and
 - promoting the reasonable utilization of social resources.

STANDARDS SO. COM. Click to view the full PDF of SO 10881.3:2011

Earth-moving machinery — Sustainability —

Part 3:

Used machines

1 Scope

This document gives requirements and relevant information for evaluating used earth-moving machines.

It provides the means to evaluate a used machine, relative to the information provided by the manufacturer in the operator's manual, in order to verify that the used machine is functional as intended by the manufacturer.

This document is applicable to earth-moving machines as defined in 180 6165 that are used and are planned to be resold.

NOTE The used machine might not meet all current standards and regulations (e.g. roading and hazardous environments).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6165, Earth-moving machinery — Basic types — Identification and terms and definitions

ISO 10987, Earth-moving machinery — Sustainability — Terminology, sustainability factors and reporting

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 6165, ISO 10987 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at http://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1

used machine

earth-moving machine that enters the market for resale after it has been used

3.2

warrantv

commitment of the guaranteed period for the quality and service of used machines (3.1)

Note 1 to entry: The period of warranty begins on the delivery date after the signing of the contract.

3.3

abnormal noise

unusual sound which can indicate that part of the machine is no longer functioning properly

4 Used machine evaluation requirements

4.1 General

The requirements in this clause are provided to allow the owner, seller or their representative to evaluate used machines relative to the information provided by the manufacturer in the machine operator's manual to verify that the used machine is functioning as intended by the manufacturer.

An inspection form for used machines in four sections (see example in <u>Annex A</u>) may be used to provide information on the machine under inspection.

- a) The upper section of the first page provides specific identification of the used machine.
- b) The middle section of the first page provides a checklist to document the results of a used machine inspection. A check in the box by each inspection item indicates that the used machine is functioning properly as intended by the manufacturer as stated in the operator's manual.
- c) The lower section of the first page has information about the inspection person
- d) The section on the second page provides a detailed inspection list based on this document's requirements.

4.2 General requirements

The owner, seller or their representative shall evaluate the used machine and verify the following.

- a) The labels and symbols for the machine are in accordance with the operator's manual and are readable. The labels include the lubrication diagram, if the manufacturer supplied one on the machine when new.
- b) Control devices function as specified in the control information in the machine operator's manual.
- c) The machine is able to start correctly.
- d) Equipment and attachments are in acceptable condition and function as specified in the operator's manual.
- e) All hydraulic cylinders and rotary mechanisms operate correctly when the engine is running at idle.
- f) The moving parts function as intended without abnormal noise.
- g) The powertrain system functions and changes speeds smoothly without abnormal smoke or abnormal noise.
- h) The engine functions without leakage from the lubrication, cooling, intake, exhaust and fuel delivery systems. Slight leakage is acceptable.
- i) Tanks donot have leakage or substantial permanent deformation.
- j) Drivetrain system delivers power and shifts gears smoothly without abnormal noise.
- k) Hydraulic systems (such as hydraulic pumps, multiple-function valves, hydraulic motors, etc.) run without leakage or abnormal noise. Hydraulic hoses and tubes are fastened correctly without damage. Hydraulic cylinders do not have leakage, damage or bending.
- l) Steering system works correctly without jerking or excessive deadband.
- m) Fluid level indicators for fuel and hydraulic tanks, if provided, function correctly. Pressure devices in the tanks, such as vent or safety valve, function properly.
- n) All instrument panel functions (for example, hour meters, lights and signal devices) function as intended.

o) Lighting, signalling and marking lights, and reflex-reflector devices are fitted and functional.

4.3 Environmental protection requirements

The owner, seller or their representative shall evaluate the used machine and verify the following.

- a) The primary features of the machine impacting sound compliance (for example, exhaust system, sound reduction padding, windows and engine covers) have been installed and are in an acceptable working condition.
- b) The exhaust emission certification label, if originally fitted on the engine for the used machine, is legible.
- c) If equipped with air-conditioning, the refrigerant label is legible.

4.4 Safety requirements

The owner, seller or their representative shall evaluate the used machine safety-related items and verify that the following requirements have been met.

- a) Safety signs on the used machine are in place as specified in the operator's manual and are legible.
- b) For used machines equipped with an operator's cab, the doors and windows function smoothly. The lock of the door works and is reliable. The cab does not leak. Glazing material on the windows is made of safety glass or other material that provides similar safety performance with the appropriate labelling on the glass (for example, see ECE R43 and ANSI Z26.1).
- c) The main structural parts (for example, equipment, undercarriage and rotary platform) are in acceptable condition. Identify any cracks or obvious deformation in the used machine inspection report.
- d) Walkways, stairs, handrails and handholds are in place and in acceptable condition. When the window panel is used as an emergency exit, it has an appropriate marking (for example, see IEC 61310-1:1995, Figure 8).
- e) Used machines with rubber tyres have tyre and rim load performance adapted to the machine's purpose and application. The rims are in acceptable condition. Rims have clear identification (for example, see ISO 4250-3).
- f) When used machines are equipped with TOPS, ROPS or FOPS, the label is located on the structure and the structure is in acceptable condition. No signs of permanent deformation, cracks or corrosion that reduce the material cross section of structural members shall be present.
- g) Used machines fitted with ROPS or TOPS have an operator restraint system that meets the operator's manual specifications. Seat belt fabric shall be in acceptable conditions and shall not have cuts or signs of excessive wear.
- h) Used machines with provision for a seated operator are fitted with an adjustable seat that supports the operator in a position that allows the operator to control the machine under the intended operating conditions.
- i) Used machine brakes comply with the brake test defined in the operator's manual, if specified. Brakes and brake components are in acceptable condition.
- j) The steering system of wheeled machines functions properly (for example, without excessive steering force or delays or free play in the steering control).
- k) The hydraulic hoses show no abnormal signs of aging, crack, damage, loosening, etc. Pipes and hoses located inside the cab or within 1 m of the operator are guarded as provided by the manufacturer. Note any damage in the inspection report.

ISO 10987-3:2017(E)

- l) Electric wires do not show abnormal aging or damage. Plugs and sockets are not loose.
- m) Audible warning devices function correctly (travel warning alarm, reverse warning alarm, horn).
- n) Guards are in place and in acceptable condition.
- o) All safety locks (for example, articulation lock, lift arms), where initially fitted, are in place and in acceptable condition.
- p) Fenders are in place and in acceptable condition.
- q) Batteries are firmly attached in a ventilated space.
- r) An electric socket, intended for the connection of a lighting device for service and maintenance use, functions correctly, if provided on the machine.
- s) Access panels (for example, engine cover, access doors) that are provided with a hold open device are in place and in acceptable condition.
- t) All safety improvement programs have been completed.

5 Verification of machine requirements

One or a combination of the following shall be used to verify that the requirements have been met for used machines:

- visual examination;
- measurement;
- functional evaluation.

6 Warranty

If a used-machine warranty is provided, it shall be in accordance with the trading contract.

NOTE 1 Regulatory requirements can specify the warranty period for used machines in a country or region.

NOTE 2 The warranty period for a complete used machine and for specific components on that same used machine can be different. For example, the machine (excluding the wearing parts) can have a three-month or 500 h warranty (whichever comes earlier) and the main components (for example, engine(s), pumps, motors, valves and hydraulic cylinders) can have a six-month or 1 000 h warranty (whichever comes earlier).

7 Identification and information

7.1 Identification plate

Used machines shall have an identification plate that has the machine PIN or serial number and may include the following information in a legible and indelible condition through its whole life:

- a) name and address of the manufacturer;
- b) machine model;
- c) year of manufacture; if the year of manufacture is not on the machine, it should be available from the seller.

The mass should be available in the machine operator's manual.

7.2 Documentation

Used machines shall have an operator's manual in acceptable condition.

A photo of the used machine should be provided.

Used machines should have the following documents or information:

- completed inspection form for used machines. See 4.1 and Annex A;
- b) parts manual, if available;
- standards 50, com. Click to riem the full role of the contract declaration for major accidents, which include roll-over, fire, submersion in water, severe damage
- d) maintenance record, if available;

5

Annex A (informative)

Example of inspection form

STANDARDS SO.COM. Click to View the full POF of 150 1098 1.3:20 17