

NFPA 1451

Standard for a Fire Service Vehicle Operations Training Program

2002 Edition



NFPA, 1 Batterymarch Park, PO Box 9101, Quincy, MA 02269-9101
An International Codes and Standards Organization

NFPA License Agreement

This document is copyrighted by the National Fire Protection Association (NFPA), 1 Batterymarch Park, Quincy, MA 02269-9101 USA.
All rights reserved.

NFPA grants you a license as follows: The right to download an electronic file of this NFPA document for temporary storage on one computer for purposes of viewing and/or printing one copy of the NFPA document for individual use. Neither the electronic file nor the hard copy print may be reproduced in any way. In addition, the electronic file may not be distributed elsewhere over computer networks or otherwise. The hard copy print may only be used personally or distributed to other employees for their internal use within your organization.

Copyright ©
National Fire Protection Association, Inc.
One Batterymarch Park
Quincy, Massachusetts 02269

IMPORTANT NOTICE ABOUT THIS DOCUMENT

NFPA codes, standards, recommended practices, and guides, of which the document contained herein is one, are developed through a consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on fire and other safety issues. While the NFPA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its codes and standards.

The NFPA disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document. The NFPA also makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this document available, the NFPA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the NFPA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The NFPA has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the NFPA list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or other statement of compliance with the requirements of this document shall not be attributable to the NFPA and is solely the responsibility of the certifier or maker of the statement.

NOTICES

All questions or other communications relating to this document and all requests for information on NFPA procedures governing its codes and standards development process, including information on the procedures for requesting Formal Interpretations, for proposing Tentative Interim Amendments, and for proposing revisions to NFPA documents during regular revision cycles, should be sent to NFPA headquarters, addressed to the attention of the Secretary, Standards Council, National Fire Protection Association, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101.

Users of this document should be aware that this document may be amended from time to time through the issuance of Tentative Interim Amendments, and that an official NFPA document at any point in time consists of the current edition of the document together with any Tentative Interim Amendments then in effect. In order to determine whether this document is the current edition and whether it has been amended through the issuance of Tentative Interim Amendments, consult appropriate NFPA publications such as the *National Fire Codes*[®] Subscription Service, visit the NFPA website at www.nfpa.org, or contact the NFPA at the address listed above.

A statement, written or oral, that is not processed in accordance with Section 5 of the Regulations Governing Committee Projects shall not be considered the official position of NFPA or any of its Committees and shall not be considered to be, nor be relied upon as, a Formal Interpretation.

The NFPA does not take any position with respect to the validity of any patent rights asserted in connection with any items which are mentioned in or are the subject of this document, and the NFPA disclaims liability for the infringement of any patent resulting from the use of or reliance on this document. Users of this document are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Users of this document should consult applicable federal, state, and local laws and regulations. NFPA does not, by the publication of this document, intend to urge action that is not in compliance with applicable laws, and this document may not be construed as doing so.

Licensing Policy

This document is copyrighted by the National Fire Protection Association (NFPA). By making this document available for use and adoption by public authorities and others, the NFPA does not waive any rights in copyright to this document.

1. Adoption by Reference—Public authorities and others are urged to reference this document in laws, ordinances, regulations, administrative orders, or similar instruments. Any deletions, additions, and changes desired by the adopting authority must be noted separately. Those using this method are requested to notify the NFPA (Attention: Secretary, Standards Council) in writing of such use. The term "adoption by reference" means the citing of title and publishing information only.

2. Adoption by Transcription—**A.** Public authorities with lawmaking or rule-making powers only, upon written notice to the NFPA (Attention: Secretary, Standards Council), will be granted a royalty-free license to print and republish this document in whole or in part, with changes and additions, if any, noted separately, in laws, ordinances, regulations, administrative orders, or similar instruments having the force of law, provided that: (1) due notice of NFPA's copyright is contained in each law and in each copy thereof; and (2) that such printing and republication is limited to numbers sufficient to satisfy the jurisdiction's lawmaking or rule-making process. **B.** Once this NFPA Code or Standard has been adopted into law, all printings of this document by public authorities with lawmaking or rule-making powers or any other persons desiring to reproduce this document or its contents as adopted by the jurisdiction in whole or in part, in any form, upon written request to NFPA (Attention: Secretary, Standards Council), will be granted a nonexclusive license to print, republish, and vend this document in whole or in part, with changes and additions, if any, noted separately, provided that due notice of NFPA's copyright is contained in each copy. Such license shall be granted only upon agreement to pay NFPA a royalty. This royalty is required to provide funds for the research and development necessary to continue the work of NFPA and its volunteers in continually updating and revising NFPA standards. Under certain circumstances, public authorities with lawmaking or rule-making powers may apply for and may receive a special royalty where the public interest will be served thereby.

3. Scope of License Grant—The terms and conditions set forth above do not extend to the index of this document.

(For further explanation, see the Policy Concerning the Adoption, Printing, and Publication of NFPA Documents, which is available upon request from the NFPA.)

Copyright © 2002, National Fire Protection Association, All Rights Reserved

NFPA 1451

Standard for a

Fire Service Vehicle Operations Training Program

2002 Edition

This edition of NFPA 1451, *Standard for a Fire Service Vehicle Operations Training Program*, was prepared by the Technical Committee on Fire Service Training and acted on by NFPA at its November Association Technical Meeting held November 10–14, 2001, in Dallas, TX. It was issued by the Standards Council on January 11, 2002, with an effective date of January 31, 2002, and supersedes all previous editions.

This edition of NFPA 1451 was approved as an American National Standard on January 31, 2002.

Origin and Development of NFPA 1451

In response to a request by the National Transportation Safety Board (NTSB) in 1991, the Technical Committee on Fire Service Training started work on a new standard for a training program for fire service vehicle operations. The NTSB specifically requested NFPA to “. . . emphasize that the safe arrival of the apparatus at the scene of the emergency is the first priority.”

The committee also wanted to produce an NFPA standard to meet the intent of NFPA 1500, *Standard on Fire Department Occupational and Health Program*, where it states in the chapter on Vehicles, Drivers, and Equipment: “Fire department vehicles shall be operated only by members who have successfully completed an approved driver training program.”

An *NFPA Journal* article, “1995 Fire Fighter Fatalities,” added further importance to the subject when it reported that “. . . 23.9 percent of those who died last year, died in motor vehicle accidents.”

The committee’s intent was to create a document outlining a training program that produces drivers who are able to prevent vehicle accidents.

The first edition of NFPA 1451 was issued in 1997. Subsequently, the committee appointed a task group to review the 1997 edition content and make recommendations to the committee concerning its functionality. As a result of that review, a general updating was suggested.

Some of the general updating includes revisions representing an evolution of knowledge about vehicle operations. The application of the standard was expanded to include private industrial and contract fire departments and industrial fire brigades that respond off site. New terminology in this edition includes the use of the word “crash” to replace the word “accident.” The term “accident” was perceived by some to mean an unavoidable or chance occurrence beyond the influence of training. Crashes can indeed be avoided and prevented by training.

The numbering of the chapters and the paragraphs of this edition differs from the previous edition as a result of changes associated with the 2000 edition of the *NFPA Manual of Style*.

In Memoriam, September 11, 2001

We pay tribute to the 343 members of FDNY who gave their lives to save civilian victims on September 11, 2001, at the World Trade Center. They are true American heroes in death, but they were also American heroes in life. We will keep them in our memory and in our hearts. They are the embodiment of courage, bravery, and dedication. May they rest in peace.

Technical Committee on Fire Service Training

William E. Peterson, *Chair*

Plano Fire Department, TX [E]

Rep. International Fire Marshals Association

Roger W. Bassett, R. W. Bassett & Associates, IL [SE]

John Martin Best, Reedy Creek Improvement District, FL [E]

Donald T. Brady, Symtron Systems Inc., NJ [M]

Gene P. Carlson, VFIS-Glatfelter Insurance Group, PA [I]
Rep. VFIS

Jack L. Cottet, Utica National Insurance Company, NY [I]

Nicholas J. Cricenti, Jr., SFC Engineering Partnership, Inc., NH [SE]

William E. Glover, High Temperature Linings (HTL), VA [U]

David C. Grupp, Kemper Insurance Companies, IL [I]

George Hall, US Air Force-HQ AFCEA, FL [U]

John W. Hoglund, University of Maryland, MD [E]

Larry D. Hughes, North Carolina Department of Insurance, NC [E]

James G. Kellam, Jr., Virginia Beach Fire Department, VA [U]

Rep. International Society of Fire Service Instructors

Kent W. Koelz, Palm Beach Fire/Rescue Department, FL [E]

Cortez Lawrence, Auburn Public Safety Department, AL [E]

Roger M. LeBoeuf, Elliott, LeBoeuf & Associates, VA [SE]

Robert A. Lincoln, Jr., Nassau County Fire Service Academy, NY [U]

John B. Lockwood, Bowie, MD [SE]

Francis T. May, Fire Facilities Inc., IL [M]

John Mike Myers, City of Las Vegas Fire Department, NV [E]

Thomas C. Quillin, Tallahassee Fire Department, FL [U]

Rodney D. Reid, Severns, Reid & Associates, Inc., IL [SE]

Michael T. Richardson, Bullard, KY [M]

Daniel N. Rossos, City of Portland Fire Bureau, OR [E]

James B. Straseske, Illinois Fire Service Institute, IL [U]

Phil Welch, Gaston College, NC [U]

Samuel L. Wilkin, Broward County Fire Rescue, FL [SE]

Alternates

Carl Goodson, Fire Protection Publications, OK [M]

(Alt. to IFSTA Rep.)

Steven J. Williamson, Symtron Systems Inc., NJ [M]

(Alt. to D. T. Brady)

Nonvoting

Edward W. Bent, Sacramento, CA

Jerry W. Laughlin, NFPA Staff Liaison

Committee Scope: This Committee shall have primary responsibility for documents on all fire service training techniques, operations, and procedures to develop maximum efficiency and proper utilization of available personnel. Such activities can include training guides for fire prevention, fire suppression, and other missions for which the fire service has responsibility.

This list represents the membership at the time the Committee was balloted on the final text of this edition. Since that time, changes in the membership may have occurred. A key to classifications is found at the back of the document.

NOTE: Membership on a committee shall not in and of itself constitute an endorsement of the Association or any document developed by the committee on which the member serves.

Contents

Chapter 1 Administration	1451- 4	6.3 Member Assistance Program	1451- 7
1.1 Scope	1451- 4	Chapter 7 Emergency Response	1451- 7
1.2 Purpose	1451- 4	7.1 General	1451- 7
1.3 Application	1451- 4	7.2 Emergency Response Considerations	1451- 8
1.4 Equivalency	1451- 4	Chapter 8 Crash and Injury Prevention	1451- 8
Chapter 2 Referenced Publications	1451- 4	8.1 General	1451- 8
2.1 General	1451- 4	8.2 Fire Service Vehicle Drivers/Operators’ Responsibility	1451- 8
2.2 NFPA Publications	1451- 4	8.3 Responsibility of Persons Riding in or on Fire Service Vehicles	1451- 9
2.3 Other Publications	1451- 4	Chapter 9 Crash Review	1451- 9
Chapter 3 Definitions	1451- 4	9.1 General	1451- 9
3.1 General	1451- 4	9.2 Crash and Injury Reports and Records	1451- 9
3.2 NFPA Official Definitions	1451- 4	Chapter 10 Vehicle and Apparatus Care	1451- 9
3.3 General Definitions	1451- 4	10.1 Fire Department and Aircraft Rescue/Fire-Fighting Vehicles and Apparatus	1451- 9
Chapter 4 General Rules and Considerations	1451- 5	10.2 Inspection, Maintenance, and Repair of Vehicles	1451- 9
4.1 General	1451- 5	10.3 Vehicle Records	1451-10
4.2 Operations Training Program	1451- 5	Annex A Explanatory Material	1451-10
4.3 Coordinated Administrative Policies	1451- 5	Annex B Informational References	1451-15
Chapter 5 Training and Education	1451- 6	Index	1451-16
5.1 General	1451- 6		
5.2 Training Frequency	1451- 6		
5.3 Basic Training and Education Requirements	1451- 6		
5.4 Instructor Qualifications	1451- 6		
5.5 Training Program Safety	1451- 6		
5.6 Training Records	1451- 7		
Chapter 6 Laws and Liabilities	1451- 7		
6.1 General	1451- 7		
6.2 Financial Protection	1451- 7		

NFPA 1451**Standard for a****Fire Service Vehicle Operations Training Program****2002 Edition**

NOTICE: An asterisk (*) following the number or letter designating a paragraph indicates that explanatory material on the paragraph can be found in Annex A.

A reference in brackets [] following a section or paragraph indicates material that has been extracted from another NFPA document. As an aid to the user, Annex B lists the complete title and edition of the source documents for both mandatory and nonmandatory extracts. Editorial changes to extracted material consist of revising references to an appropriate division in this document or the inclusion of the document number with the division number when the reference is to the original document. Requests for interpretations or revisions of extracted text shall be sent to the appropriate technical committee.

Information on referenced publications can be found in Chapter 2 and Annex B.

Chapter 1 Administration**1.1 Scope.**

1.1.1 This standard shall contain the minimum requirements for a fire service vehicle operations training program.

1.1.2 This standard shall outline the development of a written training program, including the organizational procedures for training, vehicle maintenance, and identifying equipment deficiencies; and for design, financing, and other areas.

1.1.3 The knowledge and skills required of safety, training, maintenance, and administrative officers charged with developing and implementing the operations training program shall also be outlined within this standard.

1.2 Purpose.

1.2.1 The purpose of this standard shall be to specify the minimum requirements for a fire service vehicle operations training program, including procedures for those members that drive or occupy fire service vehicles.

1.2.2* The achievement of the objectives of this performance standard shall be intended to help prevent crashes, injuries, and fatalities involving fire service vehicles.

1.3 Application.

1.3.1 These requirements shall apply to organizations providing fire suppression, fire and rescue training, and other emergency services, including public fire brigades and departments, private industrial and contract fire departments, emergency medical vehicles, and industrial fire brigades that respond off site.

1.3.2 This standard shall apply to any fire service vehicle used by any member of the fire department or industrial fire brigade when responding off site.

1.3.3 This document shall not apply to aircraft or watercraft.

1.4 Equivalency. Nothing in this standard is intended to prevent the use of systems, methods, or devices of equivalent or superior quality, strength, fire resistance, effectiveness, durability, and safety over those prescribed by this standard. Technical documentation shall be submitted to the authority having jurisdiction to demonstrate equivalency. The system, method, or device shall be approved for the intended purpose by the authority having jurisdiction.

Chapter 2 Referenced Publications

2.1 General. The documents or portions thereof listed in this chapter are referenced within this standard and shall be considered part of the requirements of this document.

2.2 NFPA Publications. National Fire Protection Association, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101.

NFPA 414, *Standard for Aircraft Rescue and Fire-Fighting Vehicles*, 2001 edition.

NFPA 1002, *Standard for Fire Apparatus Driver/Operator Professional Qualifications*, 1998 edition.

NFPA 1003, *Standard for Airport Fire Fighter Professional Qualifications*, 2000 edition.

NFPA 1041, *Standard for Fire Service Instructor Professional Qualifications*, 2002 edition.

NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, 2002 edition.

NFPA 1521, *Standard for Fire Department Safety Officers*, 1997 edition.

NFPA 1901, *Standard for Automotive Fire Apparatus*, 1999 edition.

NFPA 1914, *Standard for Testing Fire Department Aerial Devices*, 1997 edition.

2.3 Other Publications.

2.3.1 U.S. Government Publications. U.S. Government Printing Office, Washington, DC 20402.

Title 49, *Code of Federal Regulations*, Part 383, 1999.

U.S. General Service Administration KKK-A-1822-D, "Star of Life Ambulance Specifications," November 1994.

Chapter 3 Definitions

3.1 General. The definitions contained in this chapter shall apply to the terms used in this standard. Where terms are not included, common usage of the terms shall apply.

3.2 NFPA Official Definitions.

3.2.1* Approved. Acceptable to the authority having jurisdiction.

3.2.2* Authority Having Jurisdiction (AHJ). The organization, office, or individual responsible for approving equipment, materials, an installation, or a procedure.

3.2.3 Shall. Indicates a mandatory requirement.

3.2.4 Should. Indicates a recommendation or that which is advised but not required.

3.3 General Definitions.

3.3.1 Fire Apparatus. A fire department emergency vehicle used for rescue, fire suppression, or other specialized function.

3.3.2 Fire Apparatus Driver/Operator. A fire department member who is authorized by the authority having jurisdiction to drive, operate, or both drive and operate fire department vehicles.

3.3.3 Fire Department. An organization providing rescue, fire suppression, emergency medical service, hazardous materials operations, special operations, and related activities.

3.3.4 Fire Service Vehicle. Any vehicle operated by a fire department.

3.3.5* Hazard. Any arrangement of materials and heat sources that presents the potential for harm, such as personal injury or ignition of combustibles. [921:1.3]

3.3.6 Industrial Fire Brigade. An organized group of employees within an industrial occupancy who are knowledgeable, trained, and skilled in at least basic fire fighting operations, and whose full-time occupation might or might not be the provision of fire suppression and related activities for their employer. [600:1.5.23]

3.3.7 Instructor. An individual deemed qualified by the authority having jurisdiction to deliver training in the operation of fire service vehicles.

3.3.8* Member. A person involved in performing the duties and responsibilities of a fire department, under the auspices of the organization. [1500:3.3]

3.3.9 Member Assistance Program (MAP). A generic term used to describe the various methods used in the fire department for the control of alcohol and other substance abuse, stress, and personal problems that adversely affect member performance. [1500:3.3]

3.3.10 Qualified Person. A person who, by possession of a recognized degree, certificate, professional standing, or skill, and who, by knowledge, training, and experience, has demonstrated the ability to deal with problems related to the subject matter, the work, or the project. [1500:3.3]

3.3.11 Risk. A measure of the probability and severity of adverse effects that result from exposure to a hazard.

Chapter 4 General Rules and Considerations

4.1 General.

4.1.1 All fire service vehicles shall meet the minimum safety standards outlined in NFPA 414, *Standard for Aircraft Rescue and Fire-Fighting Vehicles*, and NFPA 1901, *Standard for Automotive Fire Apparatus*, for fire apparatus; U.S. General Service Administration KKK-A-1822-D, "Star of Life Ambulance Specifications," for ambulance specifications; and U.S. Department of Transportation (DOT) regulations as applicable on the date of construction.

4.1.2 The intent of this standard shall be to meet all requirements of NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, regarding the training and education of fire department drivers and the operation of fire department vehicles.

4.1.3 The intent of this standard shall be to meet all of the applicable requirements of NFPA 1002, *Standard for Fire Apparatus Driver/Operator Professional Qualifications*, and NFPA 1003, *Standard for Airport Fire Fighter Professional Qualifications*, regard-

ing the training and education of fire apparatus drivers/operators.

4.1.4* The fire apparatus driver/operator shall be subject to periodic medical evaluations, as required by NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, to determine whether the driver/operator is medically fit to perform the duties of an operator of fire department vehicles.

4.1.5 The fire department shall institute a program of post-crash drug and alcohol testing for the drivers of vehicles involved in crashes.

4.2 Operations Training Program.

4.2.1* The fire department shall adopt an official written risk management plan dealing with fire service vehicles.

4.2.1.1 The fire service vehicle risk management plan shall cover administration, facilities, training, vehicle operations, protective clothing and equipment, operations at emergency incidents, operations at nonemergency incidents, and other related activities.

4.2.1.2* The risk management plan shall include at least the following components:

- (1) *Risk Identification.* Potential problems
- (2) *Risk Evaluation.* Likelihood of the occurrence of a given problem and severity of its consequences
- (3) *Risk Control Techniques.* Solutions for the elimination or mitigation of potential problems and the implementation of the best solution
- (4) *Risk Management Monitoring.* Evaluation of the effectiveness of risk control techniques

4.2.2 The fire department shall incorporate the provisions of this standard into the vehicle operations training program.

4.2.3 The fire department shall evaluate the effectiveness of its vehicle operations training program at least once every three years.

4.2.4 An audit report of the findings shall be submitted to the fire chief and to the members of the occupational safety and health committee.

4.2.5* The operations training program shall address all types of fire service vehicles from a broad perspective, including risk determination, design, training, maintenance, and record keeping.

4.3 Coordinated Administrative Policies.

4.3.1 The fire department shall establish and enforce rules, regulations, and standard operating procedures to reach the objectives of this standard.

4.3.2* The fire department shall establish written policies for variations from standard operations.

4.3.3 The fire department shall establish written standard operating procedures for safely driving, riding within, and operating fire department vehicles during an emergency response.

4.3.4 Procedures for emergency response shall emphasize the safe arrival of fire department vehicles and occupants at the emergency scene as the first priority.

4.3.5 The fire department shall establish written standard operating procedures for driving and operating fire department vehicles during a nonemergency response.

4.3.6 Fire department members shall be trained to operate specific vehicles or classes of vehicles before being authorized to drive or operate such vehicles.

4.3.6.1 Members shall not be expected to or permitted to drive or operate any vehicles for which they have not received training.

4.3.6.2 Fire department members shall be reauthorized annually for all vehicles they are expected to operate.

4.3.7* The authority having jurisdiction shall ensure that all vehicle drivers/operators possess a valid vehicle operator's license as required by the particular state.

Chapter 5 Training and Education

5.1 General.

5.1.1 The fire department shall establish and maintain a driver training and education program with the goal of preventing vehicular crashes, deaths, and injuries to members, employees, and the public.

5.1.2 The fire department shall provide, to all fire department members, driver training and education that are commensurate with the duties and functions members are expected to perform, in order to ensure that they are able to perform their assigned duties in a manner that does not pose a hazard to themselves, other members, or the general public.

5.1.3 Members shall be provided with driver training and education appropriate for their duties and responsibilities before being permitted to operate fire department vehicles or apparatus.

5.2 Training Frequency.

5.2.1* Driver training shall be provided for all members as often as necessary to meet the applicable requirements of this chapter, but not less than twice each year.

5.2.2 Annual driver training shall include hands-on exercises, excluding virtual reality driver training simulator (DTS), using actual fire apparatus.

5.2.3 Whenever changes in driving procedures or technology are introduced in the work environment, training and education shall be provided for all affected members.

5.2.4 Whenever new or unfamiliar vehicles are placed into service, training and education relating to those vehicles shall be provided for all affected members.

5.2.5 New vehicle training shall identify vehicle limitations, manufacturers' operating recommendations, and any differences between new vehicles and vehicles previously operated by the affected members.

5.3 Basic Training and Education Requirements.

5.3.1* All fire department members shall be trained in and shall exercise the applicable principles of defensive driving techniques under both emergency and nonemergency conditions.

5.3.2* All fire department members who drive fire service vehicles shall meet the objectives specified in Chapter 2 of NFPA 1002, *Standard for Fire Apparatus Driver/Operator Professional Qualifications*.

5.3.3* Fire apparatus driver/operators shall meet the requirements of NFPA 1002, *Standard for Fire Apparatus Driver/Operator Professional Qualifications*, Chapters 3 through 7, and NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, Section 4.2, prior to being assigned as a fire apparatus driver/operator.

5.3.4* Fire apparatus drivers/operators shall be familiar with the requirements of 49 CFR 383, 1999 Federal Commercial Motor Vehicle Act, and its relevance to state requirements for obtaining a commercial driver's license (CDL) and to the requirements of the authority having jurisdiction.

5.3.5* Fire department apparatus drivers/operators shall be trained to perform the routine tests, inspections, and servicing functions specified in Section 10.2.

5.3.6 Fire department members who are authorized to respond or proceed to the scene of emergencies under non-emergency procedures, but for the purpose of official business, shall be required to complete a training class that shall, at a minimum, state the department's procedures, limits, and applicable local, state, and federal regulations regarding non-emergency response to incidents.

5.3.7* The fire department driver training program shall include information on the potential hazards of off-road driving and shall develop written standard operating procedures listing conditions that justify driving on other than paved or hard surface roads.

5.3.8 Fire departments shall train operators for inclement weather driving conditions with emphasis on handling of apparatus, particularly where auxiliary braking devices are to be used.

5.3.9 Where applicable, the fire department driver training program shall include information on the potential hazards of retarders, such as engines, transmissions, driveline retarders, and antilock braking system (ABS) brakes, and shall develop written standard operating procedures pertaining to the use of such devices.

5.3.10* The training program shall include a review and critique of fire service vehicle crash scenarios, both local and national, to serve as an objective learning experience.

5.4 Instructor Qualifications.

5.4.1* The authority having jurisdiction shall be responsible for ensuring that only qualified persons are assigned as instructors in the driver training program.

5.4.2* Fire department training instructors shall, at a minimum, meet the qualifications for Instructor I as specified in NFPA 1041, *Standard for Fire Service Instructor Professional Qualifications*.

5.5 Training Program Safety.

5.5.1 The fire department safety officer shall monitor the driver training program to ensure the enforcement of departmental safety rules.

5.5.2 The fire department safety officer or designee shall review all driver training activities, including the lesson plan and field training area, prior to the exercise.

5.5.3 The fire department safety officer or designee shall monitor the use of all safety equipment during training exercises.

5.5.4 The fire department safety officer or designee shall notify the lead instructor of any situations that could be unsafe.

5.5.5 The fire department safety officer or designee shall have the authority to stop operations immediately where an event or condition poses an imminent threat of crash or injury.

5.5.6 All field exercises shall be conducted under the supervision of a qualified driving instructor meeting the requirements set forth in Section 5.4.

5.5.7 One instructor shall be assigned to each vehicle during the field exercises.

5.5.8* The field exercise training area shall be designed for the maximum safety of all participating personnel, apparatus, and bystanders.

5.5.8.1 Safety procedures shall be established to address the following:

- (1) Segregation of apparatus on the training course during multiple vehicle use
- (2) Backing practices and standard hand signals
- (3) Control of personnel and apparatus in the driver training area
- (4) Number of supervisory personnel present during training and testing activities
- (5) Pre-trip safety inspections prior to moving vehicles

5.5.8.2 Vehicles not participating in the training session shall be restricted from the training area.

5.5.8.3 All field exercises shall be conducted in an area that is secure.

5.5.8.4 Only those personnel involved in the exercise shall be permitted in the field exercise area, and all other participants and observers shall be restricted to a designated safe area.

5.6* Training Records. Individual driver training records that indicate dates, subjects covered, satisfactory completion, and any certificates achieved shall be maintained.

5.6.1 Individual driver training records shall include a list of vehicles that the driver is qualified to operate.

5.6.2* The individual driver's activity operating each vehicle shall be documented.

Chapter 6 Laws and Liabilities

6.1 General.

6.1.1* Fire department vehicle drivers/operators shall have a knowledge of applicable federal, state, provincial, and local regulations governing the operation of fire service vehicles.

6.1.2* Fire department vehicle drivers/operators shall become familiar with all applicable DOT regulations.

6.1.3* While certain state, provincial, and local laws governing the response of emergency vehicles shall be permitted to be waived, the fire department shall maintain a written policy informing all fire department vehicle drivers/operators of the permitted limits.

6.1.4 Members who are under the influence of alcohol or drugs shall not drive or operate fire department vehicles under any circumstances.

6.2 Financial Protection.

6.2.1* The authority having jurisdiction shall have in place financial protection to ensure against potential losses from crashes that can occur during training or actual operations, or both.

6.2.2* All fire service vehicle drivers/operators shall be informed in writing of the conditions and limitations of their personal and civil liability and to what degree the authority having jurisdiction extends protection for personal liability for crashes involving fire service vehicles.

6.3 Member Assistance Program. A member assistance program shall be available to render assistance and treatment to all fire department vehicle drivers/operators as required in NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*.

Chapter 7 Emergency Response

7.1 General.

7.1.1* The authority having jurisdiction shall have written policies governing speed and the limitations to be observed during inclement weather and various road and traffic conditions.

7.1.2 At no time shall driving regulations be less restrictive than state motor vehicle laws.

7.1.3* Drivers/operators of fire department vehicles shall bring the vehicle to a complete stop and shall not proceed until it is confirmed that it is safe to do so for any of the following situations:

- (1) Any "stop" signal (i.e., sign, light, or traffic officer)
- (2) Blind intersections
- (3) Intersections where all lanes of traffic cannot be seen by the operator
- (4) A stopped school bus with flashing warning lights

7.1.4* Responding emergency vehicles shall stop at all unguarded railroad crossings to ensure that a safe crossing can be made.

7.1.4.1 The driver shall obey all railroad crossing signals even when responding to emergencies.

7.1.4.2 Fire apparatus shall not be driven around railroad crossing gates.

7.1.5* The driver/operator shall maintain a distance in front of the vehicle that is at least equal to the minimum travel distance necessary to stop the vehicle without contacting another object.

7.1.6* Fire department vehicles and apparatus following each other in queue shall maintain an adequate distance to avoid rear-end collisions.

7.1.7* Overtaking and passing other vehicles during emergency response shall be accomplished with extreme caution.

7.1.8 While en route to move-ups or to fill an empty station, apparatus shall be operated in a nonemergency mode, and the driver/operator shall obey all traffic laws.

7.1.9* The fire department shall identify the types of responses that will be made in a nonemergency mode.

7.2 Emergency Response Considerations.

7.2.1 The authority having jurisdiction shall establish emergency response procedures to minimize travel times, optimize response safety, and minimize the chances of emergency vehicles meeting at traffic intersections.

7.2.2 When multiple fire service vehicles are responding to an emergency incident from different locations, the vehicle operators shall coordinate their intended response routes to prevent the response vehicles from colliding at road intersections.

Chapter 8 Crash and Injury Prevention

8.1 General.

8.1.1 Unsafe conditions shall be corrected immediately by the identifying personnel or shall be reported immediately to personnel with the capability and responsibility of correcting or assessing the condition.

8.1.1.1 The department shall have in place a procedure for implementing the corrective action.

8.1.1.2 Documentation shall be established to record the following:

- (1) Date and time that the risk was discovered
- (2) A brief description of the risk found
- (3) Any action taken at the time the risk was discovered
- (4) Date and time that the corrective action was taken

8.1.1.3 Copies of all risk-related correspondence and documentation shall be forwarded to the department's safety officer.

8.1.2* Whenever possible, fire service vehicles shall not be operated in reverse.

8.1.3 The fire department shall develop written standard operating procedures requiring drivers/operators to discontinue the use of manual brake limiting valves, frequently labeled "wet/dry road switch," and requiring that the valve/switch remain in the "dry road" position, where provided on fire department vehicles.

8.1.4 Where members are operating at an emergency incident that places them in potential conflict with motor vehicle traffic, they shall wear personal protective equipment as outlined in 6.4.7 of NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*.

8.1.4.1 Fire service vehicles shall be utilized as a shield from oncoming traffic wherever possible.

8.1.4.2 Where acting as a shield, fire service vehicle warning lights shall remain on, and fluorescent and retroreflective warning devices such as traffic cones, illuminated warning devices such as highway flares, or other warning devices shall be used to warn oncoming traffic of the emergency operations and the hazards to members operating at the incident.

8.1.5* Helmets and eye protection shall be provided for the use of members riding in cabs or tiller seats that are not enclosed on at least three sides and at the top.

8.1.6 Hose-loading procedures shall be specified in written standard operating procedures that include at least the safety conditions stated in 8.1.6.1 and 8.1.6.2.

8.1.6.1 All members involved in the hose-loading procedures shall have been trained in these procedures.

8.1.6.2 Hose-loading operations shall be permitted to be performed on moving fire apparatus only where all of the following conditions are met.

8.1.6.2.1 A member, other than those members loading hose, shall be assigned as a safety observer. The safety observer shall have an unobstructed view of the hose-loading operation and shall be in visual and voice contact with the apparatus driver/operator.

8.1.6.2.2 Non-fire department vehicular traffic shall be excluded from the area or shall be under the control of authorized traffic control persons.

8.1.6.2.3 The fire apparatus shall be driven only in a forward direction at a speed of 8 kph (5 mph) or less.

8.1.6.2.4 No member shall be allowed to stand on the tail step, side steps, running boards, or any other location on the apparatus while the apparatus is in motion.

8.1.6.2.5 Members shall be permitted to be in the hose bed but shall not be permitted to stand while the apparatus is in motion.

8.1.6.2.6 Prior to the beginning of each hose-loading operation, the situation shall be evaluated to ensure compliance with all provisions of the standard operating procedure.

8.1.6.2.7 Where compliance with the standard operating procedure is not possible, or where there is any question as to the safety of the operation for the specific situation, the hose shall not be loaded onto the moving fire apparatus.

8.1.7* Hearing protection shall be utilized wherever noise levels exceed those specified in NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*.

8.2 Fire Service Vehicle Drivers/Operators' Responsibility.

8.2.1 Fire service vehicles shall be operated only by members who have successfully completed an approved driver training program or by student drivers who are under the direct supervision of a qualified driver.

8.2.2* Drivers/operators of fire service vehicles shall be directly responsible for the safe and prudent operation of the vehicle under all conditions.

8.2.3* Where the driver/operator is under the direct supervision of an officer, that officer shall assume responsibility for the actions of the driver/operator.

8.2.4 During nonemergency travel, drivers/operators of fire service vehicles shall obey all traffic control signals and signs and all the laws and rules of the road in the jurisdiction for the operation of motor vehicles.

8.2.5* During nonemergency travel, emergency warning lights shall not be used.

8.2.6* All fire service vehicle drivers/operators shall adhere to fire department rules, regulations, orders, and standard operating procedures of the authority having jurisdiction, even where operating in a jurisdiction other than their own.

8.2.7 Drivers/operators shall not move fire department vehicles until all persons on the vehicle are seated and secured with seat belts in approved riding positions, other than as specifically allowed in 8.3.3.

8.3 Responsibility of Persons Riding in or on Fire Service Vehicles.

8.3.1* All persons riding in or on fire service vehicles or apparatus shall be seated in approved riding positions and shall be secured to the vehicle by seat belts whenever the vehicle is in motion.

8.3.1.1 Riding on tail steps, side steps, running boards, or in any other exposed position shall be specifically prohibited.

8.3.1.2 Standing while the vehicle is in motion shall be specifically prohibited.

8.3.2* The number of members riding on a piece of apparatus shall be limited by the number of seats and seat belts that are provided in approved locations.

8.3.3* Members actively performing necessary emergency medical care while the vehicle is in motion shall be secured to the vehicle by a seat belt, or by a safety harness designed for occupant restraint, to the extent consistent with the efficient provision of such emergency care.

8.3.4 All persons in the vehicle, other than those covered in 8.3.3, shall be seated and belted in approved riding positions while the fire service vehicle is in motion.

8.3.5 Members riding in fire service vehicles shall remain seated and secured until the vehicle comes to a complete stop.

8.3.6 While the vehicle is in motion, the donning or doffing of equipment and personal protective clothing that requires removal of any restraining belt or other device shall be prohibited.

Chapter 9 Crash Review

9.1 General.

9.1.1 The authority having jurisdiction shall be responsible for developing and implementing a crash investigation procedure.

9.1.2* All crashes, injuries, fatalities, and violations of rules, regulations, laws, and orders involving fire service vehicles shall be investigated, the root causes shall be determined, and full documentation shall be provided.

9.1.3 The authority having jurisdiction shall take whatever corrective action is necessary to avoid repetitive occurrences of incidents identified in 9.1.2.

9.1.4* The training program shall include a review and critique of crash scenarios, both local and national, to serve as an objective learning experience.

9.2 Crash and Injury Reports and Records.

9.2.1 The authority having jurisdiction shall establish a data collection system and shall maintain permanent records of all on-duty crashes and injuries involving fire service vehicles in accordance with NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*.

9.2.2 The safety officer shall manage the collection and analysis of this information as specified in NFPA 1521, *Standard for Fire Department Safety Officer*.

9.2.3* The data collection system also shall maintain individual employee records of all on-duty crashes and injuries involving motor vehicles, service vehicles, and fire apparatus.

9.2.3.1 Such individual employee records shall include but shall not be limited to the following:

- (1) On-duty motor vehicle crash history
- (2) Preventable versus nonpreventable crashes
- (3) Remedial training recommended/received as a result of previous crashes
- (4) Safety/crash review committee recommendations
- (5) All investigative/review committee reports of crashes
- (6) Transcripts of state driver's license records

9.2.4 Reports shall be issued to the fire chief on a recurring basis to summarize the status, disposition, and subsequent corrective actions relative to on-duty crashes and injuries involving fire department-owned or -leased vehicles, fire apparatus or heavy equipment, and personal vehicles that are used to transport members.

9.2.5 Records shall be maintained on all crash and injury prevention recommendations made and actions taken to correct unsafe conditions or practices involving the usage or operation of fire department vehicles or apparatus as specified in NFPA 1521, *Standard for Fire Department Safety Officer*.

Chapter 10 Vehicle and Apparatus Care

10.1 Fire Department and Aircraft Rescue/Fire-Fighting Vehicles and Apparatus.

10.1.1 The fire department shall consider the safety and health of vehicle occupants as primary concerns in the specification, design, construction, acquisition, operation, maintenance, inspection, and repair of all fire department vehicles.

10.1.2 All new fire apparatus shall be specified and ordered in accordance with the fire apparatus standards specified in Section 4.1.

10.1.3 Where tools, equipment, or self-contained breathing apparatus (SCBA) are stored within enclosed seating areas of fire department vehicles, such items shall be secured by either a positive mechanical means that holds the item in its stowed position or in a compartment with a positive latching door.

10.1.4 The means of holding the item in place or the compartment shall be designed to minimize injury, during travel, to persons in the enclosed area of the vehicle resulting from loose equipment that moves in the event of a crash, a rapid deceleration, or a rapid acceleration.

10.2 Inspection, Maintenance, and Repair of Vehicles.

10.2.1* A member assigned by the authority having jurisdiction shall be responsible for the readiness of the vehicle prior to operation of the vehicle.

10.2.2* To identify and correct unsafe conditions, fire apparatus shall be inspected at least weekly and within 24 hours after being used in emergency response.

10.2.2.1 If repairs are required, the apparatus shall be placed out of service until repairs are completed.

10.2.2.2 The apparatus shall be reinspected prior to being placed in emergency service.

10.2.3* A preventive maintenance program shall be established, and records shall be maintained as specified in Section 10.3.

10.2.3.1 Maintenance, inspections, and repairs shall be performed by qualified persons in accordance with the manufacturer's instructions.

10.2.3.2 Operating and maintenance instructions and manuals shall be provided and maintained for those performing routine tests, inspections, and servicing functions.

10.2.4 The authority having jurisdiction shall establish a procedure to remove unsafe vehicles from service.

10.2.4.1* This procedure shall include a list of defects considered unsafe by the authority having jurisdiction and the individual with the responsibility and authority to remove a unit from service.

10.2.4.2 Any fire service vehicle found to be unsafe shall be taken out of service immediately until repaired.

10.2.5 All aerial devices shall be inspected and service tested in accordance with the applicable requirements of NFPA 1914, *Standard for Testing Fire Department Aerial Devices*.

10.3 Vehicle Records.

10.3.1 A complete inspection, maintenance, and repair record of every vehicle used by the authority having jurisdiction shall be maintained by a responsible person or persons.

10.3.2 The record shall include the date and description of all maintenance, repairs, and state, provincial, or local inspections performed on the vehicle.

Annex A Explanatory Material

Annex A is not a part of the requirements of this NFPA document but is included for informational purposes only. This annex contains explanatory material, numbered to correspond with the applicable text paragraphs.

A.1.2.2 Compliance should help to reduce the cost of replacement, repairs, and out-of-service time of vehicles. Compliance can also reduce insurance premiums and civil liability and can enhance public relations.

A.3.2.1 Approved. The National Fire Protection Association does not approve, inspect, or certify any installations, procedures, equipment, or materials; nor does it approve or evaluate testing laboratories. In determining the acceptability of installations, procedures, equipment, or materials, the authority having jurisdiction may base acceptance on compliance with NFPA or other appropriate standards. In the absence of such standards, said authority may require evidence of proper installation, procedure, or use. The authority having jurisdiction may also refer to the listings or labeling practices of an organization that is concerned with product evaluations and is thus in a position to determine compliance with appropriate standards for the current production of listed items.

A.3.2.2 Authority Having Jurisdiction (AHJ). The phrase "authority having jurisdiction," or its acronym AHJ, is used in NFPA documents in a broad manner, since jurisdictions and approval agencies vary, as do their responsibilities. Where public safety is primary, the authority having jurisdiction may be a federal, state, local, or other regional department or individual such as a fire chief; fire marshal; chief of a fire prevention bureau, labor department, or health department; building official; electrical inspector; or others having statutory authority. For insurance purposes, an insurance inspection de-

partment, rating bureau, or other insurance company representative may be the authority having jurisdiction. In many circumstances, the property owner or his or her designated agent assumes the role of the authority having jurisdiction; at government installations, the commanding officer or departmental official may be the authority having jurisdiction.

A.3.3.5 Hazard. Hazards include the characteristics of facilities, equipment systems, property, hardware, or other objects and the actions and inactions of people who create such hazards.

A.3.3.8 Member. A fire department member can be a full-time or part-time employee or a paid or unpaid volunteer, can occupy any position or rank within the fire department, and might or might not engage in emergency operations.

A.4.1.4 Although the frequency of the medical evaluation is not specified, it is recommended that the medical evaluation be made at least annually.

A.4.2.1 Section 2.2 of NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, requires that the fire department adopt an official written risk management plan that addresses all fire department policies and procedures, including those pertaining to vehicle operations.

A.4.2.1.2 Essentially, a risk management plan serves as documentation that risks have been identified and evaluated and that a reasonable control plan has been implemented and followed. The following are some factors to consider for each step of the process.

- (1) *Risk Identification.* For every aspect of the operation of the fire department, a list of potential problems should be compiled. The following are examples of sources of information that can be useful in this process:
 - (a) A list of risks to which the members are or can be exposed
 - (b) Records of previous crashes, illnesses, and injuries, both locally and nationally
 - (c) Information from sources such as facility and apparatus surveys and inspections
- (2) *Risk Evaluation.* Each item specified in the risk identification process should be evaluated using the following two questions. These questions can help to set priorities in the control plan:
 - (a) What is the potential frequency of occurrence?
 - (b) What is the potential severity and expense of its occurrence? Some sources of information that can be useful include the following:
 - i. Safety audits and inspection reports
 - ii. Prior crash, illness, and injury statistics
 - iii. Application of national data to the local circumstances
 - iv. Professional judgment in evaluating risks unique to the jurisdiction
- (3) *Risk Control Techniques.* Once risks are identified and evaluated, a control for each should be implemented and documented. The two primary methods of controlling risk, in order of preference, are as follows:
 - (a) Wherever possible, the risk or the activity that presents the risk should be totally eliminated or avoided. For example, if falling on the ice is the risk, members should not be permitted outside when icy conditions are present.

- (b) Where it is not possible or practical to avoid or eliminate the risk, steps should be taken to control it. For the example in A.4.2.1.2(3)(a), some methods of control would include sand or salt procedures and the use of proper footwear. Other methods of control to consider are the following:
 - i. Safety program development, adoption, and enforcement
 - ii. Standard operating procedures development, dissemination, and enforcement
 - iii. Training
 - iv. Inspections
- (4) *Risk Management Monitoring and Follow-Up*. As with any program, it is important to evaluate whether the plan is working. Periodic evaluations should be made and, if the program elements are not working satisfactorily, modifications should be made.

A.4.2.5 Departments with unique vehicles such as, but not limited to, the following should ensure that all risks are reviewed:

- (1) Amphibious
- (2) Bulldozers
- (3) Buses
- (4) Cranes
- (5) Graders
- (6) Mobile water supply apparatus
- (7) Off-road vehicles
- (8) Tractors
- (9) Tractor trailers
- (10) Rescues
- (11) Staff and command
- (12) Utility vehicles

A.4.3.2 These variations include but are not limited to responding in congested areas, driving in adverse weather conditions, natural disasters, civil unrest or disorders, and other appropriate conditions.

A.4.3.7 It is recommended that all fire departments encourage all vehicle drivers/operators to obtain the appropriate CDL operator's license as required by the federal government for commercial vehicle drivers.

A.5.2.1 Driver training can include the use of virtual reality driver training simulators (DTS) that simulate fire department response conditions, provided the requirement of 5.2.2 is strictly enforced.

A.5.3.1 Defensive driving means doing all that can be done to prevent a crash from occurring. The defensive driver adjusts his or her driving to fit the weather conditions and the actions of other drivers and pedestrians. Where a dangerous situation is identified, the defensive driver takes preventive action. The defensive driver does not assume that the crash will be prevented by another driver.

Driver trainees should think about what can happen when approaching a potentially dangerous situation. For example, where children are playing by the side of the road, the defensive driver should be prepared if a child runs into the street. A ball rolling onto the roadway is often followed by a child.

It is important to see and be seen. Driver trainees should avoid driving in the blind spots of other vehicles and should scan the sides and rear of the vehicle continually to prevent tunnel vision.

The keys to defensive driving include the following:

- (1) Aiming high in steering
- (2) Getting the big picture
- (3) Maintaining eye movement
- (4) Leaving an "out"
- (5) Making sure others see you

A.5.3.2 It is the committee's intent that this standard be applied to all fire service vehicles. Drivers of vehicles not specifically addressed in Chapters 3 through 7 of NFPA 1002, *Standard for Fire Apparatus Driver/Operator Professional Qualifications* (e.g., staff or command vehicles, rescue or utility vehicles, buses) are expected to meet the requirements of Chapter 2 of NFPA 1002. Agencies operating unique or special vehicles (e.g., tractors, bulldozers, cranes, graders) should develop job performance requirements and training programs for those vehicles.

A.5.3.3 It is not the committee's intent to restrict training opportunities for fire department vehicle trainees under the provisions of this paragraph. It is, however, the committee's intent that all drivers/operators who have been approved by the authority having jurisdiction comply with this requirement.

A.5.3.4 In 1986, the United States Congress passed the Commercial Motor Vehicle Safety Act. This act requires that states adopt uniform minimum licensing and testing standards for drivers of commercial vehicles. Although waivers have been granted for the operation of some emergency vehicles equipped with audible and visual signals while operated by a member of a volunteer or paid fire or rescue organization, the committee feels that those members should be knowledgeable of their state requirements.

A.5.3.5 Hazards associated with preventive maintenance procedures should be included in training sessions. Some examples of these hazards include hydrogen gas explosions and sulfuric acid burns from improperly testing or "jumping" batteries, flammability and toxicity of fumes associated with fuels, and scalding from improperly opening radiators.

A.5.3.7 Drivers who could be required to drive or operate emergency response vehicles under off-road driving conditions should be familiar with the dangers unique to these conditions.

A.5.3.10 A common training method used in the fire service is a critique of fire suppression activities. Whenever a vehicular crash occurs, the incident should be investigated thoroughly and critiqued to ensure that preventive measures are used in the future. Crash reports should be used as training tools, and care should be taken not to embarrass those involved in the crash.

A.5.4.1 While requirements and regulations can vary by jurisdiction, the following should be considered when selecting an instructor:

- (1) Possession of a valid license for the type and class of vehicle
- (2) Approval of the official with overall responsibility for the authority having jurisdiction's training program
- (3) Prior demonstration of the ability to operate the type and class of vehicle properly and safely
- (4) Selection of a professional instructor employed by a private sector driver training program

A.5.4.2 A particular training class or session can be conducted by an individual who has special expertise or abilities in the

subject area, whether or not the instructor is a member of the fire department or a qualified fire service instructor.

A.5.5.8 Field testing should be conducted in an isolated area away from public vehicular or pedestrian traffic.

The serpentine exercise can be used as practice for or in the evaluation of a driver's ability to steer the apparatus in close clearances without stopping. The exercise should be conducted with the apparatus moving first backward and then forward. The course or path of travel for this exercise can be established by placing a minimum of three markers in a line, each spaced between 9 m and 12 m (30 ft and 38 ft). The spacing of the markers should be based on the wheel base of the vehicle used. Adequate space should be provided on each side of the markers so the apparatus can move freely. The driver should drive the apparatus along the left side of the markers in a straight line and stop just beyond the last marker. The driver then should back the apparatus between the markers by passing to the left of marker No. 1, to the right of marker No. 2, and to the left of marker No. 3. At this point, the driver should stop the vehicle and then drive forward between the markers by passing to the right of marker No. 3, to the left of marker No. 2, and to the right of marker No. 1. Note that for large vehicles, such as aircraft rescue and fire-fighting (ARFF) apparatus, this course might need to be modified.

A.5.6 See NFPA 1401, *Recommended Practice for Fire Service Training Reports and Records*, for further information and guidance.

A.5.6.2 A log of the driver's experience should be maintained to include whether the activity is nonemergency, training, or emergency driving experience.

A.6.1.1 Most motor vehicle laws and regulations are governed by the appropriate state or province; however, there could be certain local ordinances regarding the operation of motor vehicles with which the fire department driver should be familiar. Weight and height restrictions on certain highways, local parking plazas, bridges, and overpasses should be observed.

A.6.1.2 In addition to state and local regulations on most vehicles, the U.S. Department of Transportation establishes specifications and operating requirements by weight and application for buses, trucks, and trailers.

A.6.1.3 These waivers pertain to restrictions such as responding and returning speed limits, driving in adverse weather conditions, direction signs, and traffic signals.

A.6.2.1 The fire department should have, as a minimum, the following insurance protection:

- (1) Worker's compensation/employer's liability coverage meeting the state's legal requirements
- (2) Automobile liability coverage on all owned, nonowned, or hired vehicles covering both injury and property damage
- (3) Commercial liability coverage for both bodily injury and property damage caused by or arising out of the department's operations

Such protection can be either through the purchase of traditional commercial insurance, a self-funded program, or a combination of both.

A.6.2.2 Acts of gross negligence can void any tort protection afforded by the authority having jurisdiction.

A.7.1.1 Each jurisdiction or fire department could have its own rules governing the speed of fire service vehicles when responding to emergencies. Some jurisdictions permit fire ap-

paratus vehicles to exceed posted speed limits, while others limit emergency vehicles to the posted speed limit. All drivers should have a thorough knowledge of the rules governing speed for fire service vehicles in their own jurisdictions and the jurisdictions of their mutual aid partners.

A.7.1.3 Crashes at intersections can contribute to both civilian and fire department personnel deaths and injuries while fire department vehicles are responding to or returning from an emergency incident. Coming to a complete stop where there are any intersection hazards and proceeding only when the driver can do so safely can reduce crashes and risk of injury or death. It is recommended that intersection control devices be installed that allow emergency vehicles to control traffic lights at intersections.

A.7.1.4 It is recommended that where railroad crossings are unguarded or where visibility is limited for any reason, including geography or weather, the fire apparatus should come to a complete stop before entering the crossing and should not proceed to cross until a crew member on foot outside the vehicle has signaled that it is safe to cross.

Where the vehicle driver is responding alone or where, due to patient care, the crew member is unable to assist, the vehicle driver should idle the engine; turn off all radios, fans, wipers, and other noise-producing equipment in the cab; lower the windows; and listen for a train's horn before entering a grade crossing.

A.7.1.5 Operating space is that area around the vehicle that enables the driver to stop or turn in order to avoid another vehicle or object. The necessary following distance varies depending on the type of pavement and whether the roadway is wet or dry, the speed of the vehicle, the condition of the braking system, and the reaction time of the driver. Rear-end collisions often occur because of inadequate operating space.

Table A.7.1.5(a) through Table A.7.1.5(c) were developed for educational rather than legal or engineering purposes. They provide recommended following distances based on vehicle speed, driver reaction time, and vehicle weight.

A.7.1.6 A rule of thumb established by some training organizations standardizes the traveling distance for vehicles and apparatus traveling in queue as a 5-second interval for nonresponding and 8-second interval for responding apparatus and vehicles. This margin would provide adequate safe separation during speed-up and braking maneuvers.

A.7.1.7 When it is necessary to pass other vehicles, the pass should be made to the left side of the other vehicle. Passing on the right side of other vehicles should be avoided.

A.7.1.9 Many fire department responses can be done in a nonemergency mode. Such responses can include the following:

- (1) Lock-outs
- (2) Dumpster fires (no exposures)
- (3) Investigation of unknown odors
- (4) Assisting police
- (5) Standby for bomb scare

A.8.1.2 In general, when drivers position fire apparatus, the vehicles should be positioned so that they are not required to back up. Where vehicles need to be backed up, at least one person (spotter) should be positioned at the rear of the vehicle to assist the driver. In the event an apparatus needs to be backed up without assistance, the driver should come to a

Table A.7.1.5(a) Recommended Following Distances for Light Two-Axle Trucks

km/hr	Speed			Driver Reaction Distance		Vehicle Braking Distance		Total Stopping Distance	
	mi/hr	m/sec	ft/sec	m	ft	m	ft	m	ft
16	10	5	15	3	11	2	7	6	18
24	15	7	22	5	17	5	17	10	34
32	20	9	29	7	22	9	30	16	52
40	25	11	37	9	28	14	46	23	74
48	30	13	44	10	33	20	67	31	100
56	35	16	51	12	39	28	92	40	131
64	40	18	59	13	44	38	125	52	169
72	45	20	66	15	50	50	165	66	215
80	50	22	73	17	55	69	225	85	280
89	55	25	81	19	61	84	275	102	336
96	60	27	88	20	66	110	360	130	426

Table A.7.1.5(b) Recommended Following Distances for Heavy Two-Axle Trucks

km/hr	Speed			Driver Reaction Distance		Vehicle Braking Distance		Total Stopping Distance	
	mi/hr	m/sec	ft/sec	m	ft	m	ft	m	ft
16	10	5	15	3	11	2	10	6	21
24	15	7	22	5	17	7	22	12	39
32	20	9	29	7	22	12	40	19	62
40	25	11	37	9	28	20	64	28	92
48	30	13	44	10	33	28	92	38	125
56	35	16	51	12	39	38	125	50	164
64	40	18	59	13	44	50	165	64	209
72	45	20	66	15	50	64	210	79	260
80	50	22	73	17	55	78	255	99	310
89	55	25	81	19	61	99	310	113	371
96	60	27	88	20	66	113	370	133	436

Table A.7.1.5(c) Recommended Following Distances for Three-Axle Trucks and Combinations

km/hr	Speed			Driver Reaction Distance		Vehicle Braking Distance		Total Stopping Distance	
	mi/hr	m/sec	ft/sec	m	ft	m	ft	m	ft
16	10	5	15	3	11	4	13	7	24
24	15	7	22	5	17	9	29	14	46
32	20	9	29	7	22	15	50	22	72
40	25	11	37	9	28	24	80	33	108
48	30	13	44	10	33	35	115	45	148
56	35	16	51	12	39	49	160	61	199
64	40	18	59	13	44	63	205	76	249
72	45	20	66	15	50	79	260	99	310
80	50	22	73	17	55	98	320	114	375
89	55	25	81	19	61	119	390	138	451
96	60	27	88	20	66	142	465	162	531

complete stop, secure the apparatus, and walk completely around the unit to identify any potential obstacles or problems. All fire apparatus should be equipped with a backup alarm.

A.8.1.5 Helmets and eye protection (e.g., goggles, safety glasses, or face shields) should be worn by all members riding in positions that do not provide for the protection of an enclosed cab. Helmets are also recommended for members