

REV.
D

AS39029™/1

RATIONALE

REVISION IS REQUIRED TO UPDATE THE TOOL PART NUMBERS IN TABLE 4.

NOTICE

THE COMPLETE REQUIREMENTS FOR PROCURING THE PRODUCT DESCRIBED HEREIN SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF AS39029.




FIGURE 1 - AS39029/1 PIN CONTACT WITH SIZE 20 WIRE BARREL (BIN 101)


TABLE 1 - FIGURE 1 METRIC EQUIVALENTS

INCH	MILLIMETER	INCH	MILLIMETER
.003	0.076	.200	5.08
.005	0.127	.210	5.33

SAENORM.COM · Click to view the full PDF of AS39029_1d

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

For more information on this standard, visit
<https://www.sae.org/standards/content/AS39029/1D>



CUSTODIAN: AE-8C1

PROCUREMENT SPECIFICATION: AS39029




AEROSPACE STANDARD


CONTACTS, ELECTRICAL CONNECTOR, PIN,
CRIMP REMOVABLE (FOR AS81714 TERMINAL
JUNCTION SYSTEM)

AS39029™/1
SHEET 1 OF 6

REV.
D




SIZE 12 WIRE BARREL (BIN 103)




WIRE BARREL SIZE 22 (BIN 100)

FIGURE 1 - AS39029/1 PIN CONTACT WITH SIZE 20 WIRE BARREL (BIN 101) (CONTINUED)

	AEROSPACE STANDARD	AS39029™/1 SHEET 2 OF 6	REV. D
	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM)		



WIRE BARREL SIZE 16 (BIN 102)



WIRE BARREL SIZE 22D (BIN 507)

FIGURE 1 - AS39029/1 PIN CONTACT WITH SIZE 20 WIRE BARREL (BIN 101) (CONTINUED)

	AEROSPACE STANDARD	AS39029™/1 SHEET 3 OF 6	REV. D
	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM)		

TABLE 2 - CONTACT DIMENSIONS

BIN CODE	A DIA	B DIA	C DIA	E DIA	G DIA	H DIA	L (REF)	M	N	X	Y RAD	Z	
100	.051 (1.30)	.037 (0.94)	.103 (2.62)	.063 (1.60)	.046 (1.17)	.022 (0.56)	.418 (10.62)	.215 (5.46)	.186 (4.72)	.033 (0.84)	.025 (0.64)	.063 (1.60)	
	.048 (1.22)	.035 (0.89)	.100 (2.54)	.061 (1.55)	.042 (1.07)	.018 (0.46)		.211 (5.36)	.157 (3.99)	.029 (0.74)	.015 (0.38)	.057 (1.45)	
	.078 (1.98)	.050 (1.27)	.103 (2.62)	.063 (1.60)	.064 (1.63)	.032 (0.81)		.215 (5.46)	.186 (4.72)	.033 (0.84)	.025 (0.64)	.063 (1.60)	
101	.076 (1.93)	.048 (1.22)	.100 (2.54)	.061 (1.55)	.060 (1.52)	.026 (0.66)	.418 (10.62)	.211 (5.36)	.157 (3.99)	.029 (0.74)	.015 (0.38)	.057 (1.45)	
	.105 (2.67)	.068 (1.73)	.133 (3.38)	.078 (1.98)	.090 (2.29)	.042 (1.07)		.501 (12.73)	.298 (7.57)	.281 (7.14)	.048 (1.22)	.035 (0.89)	.079 (2.01)
	.101 (2.57)	.066 (1.68)	.130 (3.30)	.076 (1.93)	.080 (2.03)	.036 (0.91)			.294 (7.47)	.250 (6.35)	.044 (1.12)	.025 (0.64)	.073 (1.85)
.153 (3.87)	.102 (2.59)	.190 (4.83)	.095 (2.41)	.125 (3.18)	.042 (1.07)	.501 (12.73)	.298 (7.57)		.281 (7.14)	.048 (1.22)	.045 (1.14)	.079 (2.01)	
.147 (3.73)	.098 (2.49)	.187 (4.75)	.093 (2.36)	.115 (2.92)	.036 (0.91)		.294 (7.47)	.250 (6.35)	.044 (1.12)	.035 (0.89)	.073 (1.85)		
.048 (1.22)	.0355 (0.90)	.062 (1.57)	.041 (1.04)	N/A	.022 (0.56)		.456 (11.58)	.253 (6.43)	.157 (3.99)	.033 (0.84)	.025 (0.64)	N/A	
.046 (1.17)	.0335 (0.85)	.060 (1.52)	.039 (0.99)		.018 (0.46)	.249 (6.32)		.141 (3.58)	.029 (0.74)	.015 (0.38)			

TABLE 3 - MARKING AND DESIGN CHARACTERISTICS

BIN CODE	COLOR BANDS			MATING END SIZE	WIRE BARREL SIZE	TYPE	CLASS
	1ST	2ND	3RD				
100	BROWN	BLACK	BLACK	16	22	A	B
101	BROWN	BLACK	BROWN	16	20		
102	BROWN	BLACK	RED	14	16		
103	BROWN	BLACK	ORANGE	12	12		
507	GREEN	BLACK	VIOLET	20	22D		

1/ BIN CODE 102 SHALL MEET ALL THE REQUIREMENTS OF SIZE 16-16 IN AS39029.