

NFPA 473
Standard for
Competencies for
EMS Personnel
Responding to
Hazardous Materials
Incidents

1997 Edition



National Fire Protection Association, 1 Batterymarch Park, PO Box 9101, Quincy, MA 02269-9101
An International Codes and Standards Organization

Copyright ©
National Fire Protection Association, Inc.
One Batterymarch Park
Quincy, Massachusetts 02269

IMPORTANT NOTICE ABOUT THIS DOCUMENT

NFPA codes, standards, recommended practices, and guides, of which the document contained herein is one, are developed through a consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on fire and other safety issues. While the NFPA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its codes and standards.

The NFPA disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document. The NFPA also makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this document available, the NFPA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the NFPA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The NFPA has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the NFPA list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or other statement of compliance with the requirements of this document shall not be attributable to the NFPA and is solely the responsibility of the certifier or maker of the statement.

NOTICES

All questions or other communications relating to this document and all requests for information on NFPA procedures governing its codes and standards development process, including information on the procedures for requesting Formal Interpretations, for proposing Tentative Interim Amendments, and for proposing revisions to NFPA documents during regular revision cycles, should be sent to NFPA headquarters, addressed to the attention of the Secretary, Standards Council, National Fire Protection Association, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101.

Users of this document should be aware that this document may be amended from time to time through the issuance of Tentative Interim Amendments, and that an official NFPA document at any point in time consists of the current edition of the document together with any Tentative Interim Amendments then in effect. In order to determine whether this document is the current edition and whether it has been amended through the issuance of Tentative Interim Amendments, consult appropriate NFPA publications such as the *National Fire Codes*® Subscription Service, visit the NFPA website at www.nfpa.org, or contact the NFPA at the address listed above.

A statement, written or oral, that is not processed in accordance with Section 5 of the Regulations Governing Committee Projects shall not be considered the official position of NFPA or any of its Committees and shall not be considered to be, nor be relied upon as, a Formal Interpretation.

The NFPA does not take any position with respect to the validity of any patent rights asserted in connection with any items which are mentioned in or are the subject of this document, and the NFPA disclaims liability for the infringement of any patent resulting from the use of or reliance on this document. Users of this document are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Users of this document should consult applicable federal, state, and local laws and regulations. NFPA does not, by the publication of this document, intend to urge action that is not in compliance with applicable laws, and this document may not be construed as doing so.

Licensing Policy

This document is copyrighted by the National Fire Protection Association (NFPA). By making this document available for use and adoption by public authorities and others, the NFPA does not waive any rights in copyright to this document.

1. Adoption by Reference—Public authorities and others are urged to reference this document in laws, ordinances, regulations, administrative orders, or similar instruments. Any deletions, additions, and changes desired by the adopting authority must be noted separately. Those using this method are requested to notify the NFPA (Attention: Secretary, Standards Council) in writing of such use. The term "adoption by reference" means the citing of title and publishing information only.

2. Adoption by Transcription—**A.** Public authorities with lawmaking or rule-making powers only, upon written notice to the NFPA (Attention: Secretary, Standards Council), will be granted a royalty-free license to print and republish this document in whole or in part, with changes and additions, if any, noted separately, in laws, ordinances, regulations, administrative orders, or similar instruments having the force of law, provided that: (1) due notice of NFPA's copyright is contained in each law and in each copy thereof; and (2) that such printing and republication is limited to numbers sufficient to satisfy the jurisdiction's lawmaking or rule-making process. **B.** Once this NFPA Code or Standard has been adopted into law, all printings of this document by public authorities with lawmaking or rule-making powers or any other persons desiring to reproduce this document or its contents as adopted by the jurisdiction in whole or in part, in any form, upon written request to NFPA (Attention: Secretary, Standards Council), will be granted a nonexclusive license to print, republish, and vend this document in whole or in part, with changes and additions, if any, noted separately, provided that due notice of NFPA's copyright is contained in each copy. Such license shall be granted only upon agreement to pay NFPA a royalty. This royalty is required to provide funds for the research and development necessary to continue the work of NFPA and its volunteers in continually updating and revising NFPA standards. Under certain circumstances, public authorities with lawmaking or rule-making powers may apply for and may receive a special royalty where the public interest will be served thereby.

3. Scope of License Grant—The terms and conditions set forth above do not extend to the index of this document.

(For further explanation, see the Policy Concerning the Adoption, Printing, and Publication of NFPA Documents, which is available upon request from the NFPA.)

Copyright © 1997 NFPA, All Rights Reserved

NFPA 473

Standard for

**Competencies for EMS Personnel
Responding to Hazardous Materials Incidents**

1997 Edition

This edition of NFPA 473, *Standard for Competencies for EMS Personnel Responding to Hazardous Materials Incidents*, was prepared by the Technical Committee on Hazardous Materials Response Personnel and acted on by the National Fire Protection Association, Inc., at its Fall Meeting held November 18–20, 1996, in Nashville, TN. It was issued by the Standards Council on January 17, 1997, with an effective date of February 7, 1997, and supersedes all previous editions.

Changes other than editorial are indicated by a vertical rule in the margin of the pages on which they appear. These lines are included as an aid to the user in identifying changes from the previous edition.

This edition of NFPA 473 was approved as an American National Standard on February 7, 1997.

Origin and Development of NFPA 473

Following the development of NFPA 471 and NFPA 472, the Hazardous Materials Response Personnel Committee undertook the development of this standard relating to the professional competencies of emergency medical personnel who may be required to respond to hazardous materials incidents. The roles and responsibilities of EMS personnel at hazardous materials incidents had not been identified in the majority of emergency response systems. In this 1997 edition, the committee reviewed the document for consistency and clarity of the competencies.

Technical Committee on Hazardous Materials Response Personnel

Peter A. McMahon, *Chair*
Principal Financial Group, NY [U]
Rep. Grand Island Fire Dept.

Charles J. Wright, *Secretary*
Union Pacific Railroad Co., NE [SE]

Gerald L. Grey, *Vice Chair*
San Francisco Fire Dept., CA [U]
Rep. The Alliance for Fire & Emergency Mgmt.

Donald Beckering, Hennepin Technical College, MN [U]

Glenn P. Benarick, Fairfax County Fire & Rescue, VA [E]

Bud Berry, 3M, MN [M]

Rep. American Society of Safety Engr

Gene P. Carlson, Oklahoma State University, OK [U]

Rep. Int'l Fire Service Training Assn.

Don L. Crowson, Arlington Fire Dept., TX [U]

Thomas F. Dalton, Consulting Services Inc., NJ [U]

Rep. Spill Control Assn. of America

James L. Daneker, Los Angeles City Fire Dept., CA [C]

Jeffery C. Davis, Assn. of American Railroads, CO [RT.]

Manuel A. Ehrlich, Jr., BASF Corp., NJ [M]

Rep. Chemical Mfrs. Assn.

James A. Engman, Ansul Inc., WI [M]

John M. Eversole, Chicago Fire Dept., IL [E]

Rep. Int'l Assn. of Fire Chiefs

Remmit P. R. Gaade, Toronto Fire Dept., Ontario, Canada [E]

Joseph P. Gallagher, New York City Fire Dept., NY [E]

Gerald L. Grey, San Francisco Fire Dept., CA [U]

Rep. The Alliance for Fire and Emergency Mgmt.

H. Dieter Heinz, Heinz Laboratories Int'l, CA [E]

Rep. California State Firefighters' Assn.

John T. Higgins, Dow Corning Corp., MI [U]

Rep. NFPA Industrial Fire Protection Section

Charles L. Keller, Assn. of American Railroads, DC [E]

Louis J. Klein, Volunteer Firemens Insurance Services, PA [I]

Jan D. Kuczma, U.S. Fire Administration, MD [SE]

M. Jo McMullen, Summit County Hazardous Materials Response Team, OH [SE]

Mary Beth Michos, Prince William County Dept. of Fire/Rescue, VA [E]

Gregory G. Noll, Hildebrand & Noll Assoc., Inc., PA [SE]

Irving Owens, Rhode Island State Fire Marshal, RI [E]

Rep. Fire Marshals Assn. of North America

Daniel Gary Snell, Houston Fire Dept., TX [U]

William H. Stringfield, William H. Stringfield & Assoc., Inc., FL [SE]

Bruno Mark Wilson, Salem, OR [SE]

Charlie S. Woodard, Ft. Worth Fire Dept., TX [E]

Alternates

William Lee Bullock, Fairfax County Fire & Rescue Dept., VA [E]

(Alt. to G. P. Benarick)

Michael E. Burns, Michael E. Burns & Assoc., MD [M]

(Alt. to B. Berry)

Michael L. Donahue, Hildebrand and Noll Assoc., Inc., MD [SE]

(Alt. to G. Noll)

Leslie D. English, MacMillan Bloedel Packaging Inc., AL [U]

(Alt. to J. T. Higgins)

Brian S. Geraci, Montgomery County Dept. of Fire & Rescue Services, MD [E]

(Alt. to M. B. Michos)

Wilmuth E. Hubbs, Rhone-Poulenc, NC [M]

(Alt. to M. A. Ehrlich, Jr.)

Philip H. McArdle, New York City Fire Dept., NY

(Alt. to J. P. Gallagher)

Danny G. Simpson, Assn. of American Railroads, CO [RT]

(Alt. to J. C. Davis)

Paul R. Spurlin, Wayne Township Fire Dept., IN [E]

(Alt. to I. Owens)

Robert C. Weiderhold, Nat'l Fire Academy, MD [SE]

(Alt. to J. D. Kuczma)

Nonvoting

Samuel Alecio, Sao Paulo Fire Dept., Brazil

L. Charles Smeby, Jr., NFPA Staff Liaison

This list represents the membership at the time the Committee was balloted on the text of this edition. Since that time, changes in the membership may have occurred. A key to classifications is found at the front of the book.

NOTE: Membership on a committee shall not in and of itself constitute an endorsement of the Association or any document developed by the committee on which the member serves.

Committee Scope: This Committee shall have primary responsibility for documents on the requirements for the professional competence, training, procedures, and equipment for emergency responders to hazardous materials incidents.

Contents

Chapter 1 Administration	473- 4	3-3 Competencies — Planning the Response ..	473- 9
1-1 Scope	473- 4	3-4 Competencies — Implementing the Planned	
1-2 Purpose	473- 4	Response	473- 9
1-3 Definitions	473- 4	3-5 Competencies — Terminating the	
		Incident	473-10
Chapter 2 Competencies for EMS/HM		Chapter 4 Referenced Publications	473-10
Level I Responders	473- 6	Appendix A Explanatory Material	473-10
2-1 General	473- 6	Appendix B Training	473-11
2-2 Competencies — Analyzing the Hazardous		Appendix C Recommended Support Resources ...	473-12
Materials Incident	473- 6	Appendix D Medical Treatment Considerations ...	473-13
2-3 Competencies — Planning the Response ..	473- 6	Appendix E Patient Decontamination	473-13
2-4 Competencies — Implementing the Planned		Appendix F Referenced Publications	473-13
Response	473- 7	Index	473-14
2-5 Competencies — Terminating the			
Incident	473- 7		
Chapter 3 Competencies for EMS/HM			
Level II Responders	473- 8		
3-1 General	473- 8		
3-2 Competencies — Analyzing the Hazardous			
Materials Incident	473- 8		

NFPA 473

Standard for

Competencies for EMS Personnel Responding to Hazardous Materials Incidents

1997 Edition

NOTICE: An asterisk (*) following the number or letter designating a paragraph indicates that explanatory material on the paragraph can be found in Appendix A.

Information on referenced publications can be found in Chapter 4 and Appendix F.

Chapter 1 Administration

1-1 Scope. This standard identifies the levels of competence required of emergency medical services (EMS) personnel who respond to hazardous materials incidents. It specifically covers the requirements for basic life support and advanced life support personnel in the prehospital setting.

1-2* Purpose. The purpose of this standard is to specify minimum requirements of competence and to enhance the safety and protection of response personnel and all components of the emergency medical services system. It is not the intent of this standard to restrict any jurisdiction from exceeding these minimum requirements. (*See Appendix B.*)

1-3 Definitions.**Advanced Life Support (ALS).**

Emergency Medical Technician-Paramedic (EMT-P). An individual who has successfully completed a course of instruction that meets or exceeds the requirements of the U.S. Department of Transportation National Standard EMT-Paramedic Curriculum and who holds an EMT-P certification from the authority having jurisdiction.

Emergency Medical Technician-Intermediate (EMT-I). (This category can include EMT-Cardiac.) An individual who has completed a course of instruction that includes selected modules of the U.S. Department of Transportation National Standard EMT-Paramedic Curriculum and who holds an intermediate level EMT-I or EMT-C certification from the authority having jurisdiction.

Authority Having Jurisdiction.* The organization, office, or individual responsible for approving equipment, an installation, or a procedure.

Basic Life Support (BLS).

*Emergency Medical Technician-Ambulance (EMT-A).** An individual who has completed a specified EMT-A course developed by the U.S. Department of Transportation and who holds an EMT-A certification from the authority having jurisdiction.

*Emergency Care First Responder (ECFR).** An individual who has successfully completed the specified Emergency Care First Responder course developed by the U.S. Department of Transportation and who holds an ECFR certification from the authority having jurisdiction.

Cold Zone. The control zone of a hazardous materials incident that contains the command post and such other support functions as are deemed necessary to control the incident. This zone is also referred to as the clean zone or support zone in other documents.

Competence. The possession of knowledge, skills, and judgment needed to perform indicated objectives satisfactorily.

Components of EMS System. The parts of a comprehensive plan to treat an individual in need of emergency medical care following an illness or injury. These components include the following:

- (a) First responders
- (b) Emergency dispatching
- (c) EMS agency response
- (d) Hospital emergency departments
- (e) Specialized care facilities

Confinement. Those procedures taken to keep a material, once released, in a defined or local area.

Contaminant. A hazardous material that physically remains on or in people, animals, the environment, or equipment, thereby creating a continuing risk of direct injury or a risk of exposure.

Control. The procedures, techniques, and methods used in the mitigation of a hazardous materials incident, including containment, extinguishment, and confinement.

Control Zones. Areas at a hazardous materials incident that are designated based on safety and the degree of hazard. Many terms are used to describe the zones involved in a hazardous materials incident. For purposes of this standard, these zones shall be defined as the hot, warm, and cold zones.

Decontamination (Contamination Reduction). The physical and/or chemical process of reducing and preventing the spread of contamination from persons and equipment involved in a hazardous materials incident.

Decontamination Area. The area, usually located within the warm zone, where decontamination takes place.

Demonstrate. To show by actual performance. This performance can be supplemented by simulation, explanation, illustration, or a combination of these.

Describe. To explain verbally or in writing using standard terms recognized in the hazardous materials response community.

Gross Decontamination. The initial phase of the decontamination process during which the amount of surface contaminant is significantly reduced. This phase can include mechanical removal and initial rinsing.

Hazard/Hazardous. Capable of posing an unreasonable risk to health, safety, or the environment; capable of doing harm.

Hazardous Materials.* A substance (solid, liquid, or gas) capable of creating harm to people, property, and the environment.

Class/Division. The general category of hazard assigned to a hazardous material under the DOT regulations. The division is a subdivision of a hazard class.

Class 1 (Explosives)

- Division 1.1 — Explosives with a mass explosion hazard
- Division 1.2 — Explosives with a projection hazard
- Division 1.3 — Explosives with predominantly a fire hazard
- Division 1.4 — Explosives with no significant blast hazard
- Division 1.5 — Very insensitive explosives
- Division 1.6 — Extremely insensitive explosives

Class 2

- Division 2.1 — Flammable gas

Division 2.2 — Nonflammable, nonpoisonous compressed gas

Division 2.3 — Poison gas

Division 2.4 — Corrosive gas (Canadian designation)

Class 3 (Flammable Liquid)

Division 3.1 — Flammable liquids, flashpoint <0°F

Division 3.2 — Flammable liquids, flashpoint 0°F and above but <73°F

Division 3.3 — Flammable liquids, flashpoint 73°F and up to 141°F

Combustible Liquid

Class 4

Division 4.1 — Flammable solid

Division 4.2 — Spontaneously combustible material

Division 4.3 — Dangerous when wet material

Class 5

Division 5.1 — Oxidizer

Division 5.2 — Organic peroxide

Class 6

Division 6.1 — Poisonous material

Division 6.2 — Infectious material

Class 7 (Radioactive material)

Class 8 (Corrosive material)

Class 9 (Miscellaneous hazardous material)

ORM-D material

Hazardous Materials Response Team. The hazardous materials response team is an organized group of trained response personnel, operating under an emergency response plan and appropriate standard operating procedures, who handle and control actual or potential leaks or spills of hazardous materials requiring possible close approach to the material. The team members respond to releases or potential releases of hazardous materials for the purpose of control or stabilization of the incident.

High Temperature-Protective Clothing. Protective clothing designed to protect the wearer from short-term high temperature exposures. This type of clothing is usually of limited use in dealing with chemical commodities.

Hot Zone. The area immediately surrounding a hazardous materials incident, which extends far enough to prevent adverse effects from hazardous materials releases to personnel outside the zone. This zone is also referred to as the exclusion zone or restricted zone in other documents.

Identify. To select or indicate verbally or in writing using standard terms to establish the identity of; the fact of being the same as the one described.

Incident. An emergency involving the release or potential release of a hazardous material, with or without fire.

Incident Commander. The person responsible for all decisions relating to the management of the incident. The incident commander is in charge of the incident site. This term is equivalent to the on-scene incident commander.

Incident Management System. An organized system of roles, responsibilities, and standard operating procedures used to manage emergency operations, as described in NFPA 1561, *Standard on Fire Department Incident Management System*. Such systems are often referred to as "Incident Command Systems."

Local Area. A geographic area that includes the defined response area and receiving facilities for an EMS agency.

Local Emergency Planning Committee (LEPC). (As mandated by SARA Title III.) Includes elected state and local offi-

cials, police, fire, civil defense, public health professionals, environmental, hospital, and transportation officials as well as representatives of facilities, community groups, and the media.

Medical Control. The physician providing direction for patient care activities in the prehospital setting.

Medical Surveillance. The ongoing process of medical evaluation of hazardous materials response team members and public safety personnel who respond to a hazardous materials incident.

Objective. A goal that is achieved through the attainment of a skill, knowledge, or both, that can be observed or measured.

Personal Protective Equipment. The equipment provided to shield or isolate a person from the chemical, physical, and thermal hazards that can be encountered at a hazardous materials incident. Personal protective equipment includes both personal protective clothing and respiratory protection. Adequate personal protective equipment should protect the respiratory system, skin, eyes, face, hands, feet, head, body, and hearing.

Protective Clothing. Equipment designed to protect the wearer from the heat and/or hazardous materials that might contact the skin or eyes. Protective clothing is divided into the following three types:

- (a) Chemical-protective clothing
 1. Liquid splash-protective clothing
 2. Vapor-protective clothing
- (b) High temperature-protective clothing
- (c) Structural fire fighting protective clothing

Protocol. A series of sequential steps describing the precise patient treatment.

Region. A geographic area that includes the local and neighboring jurisdiction for an EMS agency.

Respiratory Protection. Equipment designed to protect the wearer from the inhalation of contaminants. Respiratory protection is divided into the following three types:

- (a) Positive pressure self-contained breathing apparatus
- (b) Positive pressure air line respirators
- (c) Air purifying respirators

Safely. To perform the objective without injury to self or others, property, or the environment.

Secondary Contamination.* The transfer of contaminants to personnel or equipment outside the hot zone.

Shall. Indicates a mandatory requirement.

Should. Indicates a recommendation or that which is advised but not required.

Termination. That portion of incident management in which personnel are involved in documenting safety procedures, site operations, hazards faced, and lessons learned from the incident. Termination is divided into three phases: debriefing the incident, post-incident analysis, and critiquing the incident.

Understanding. The process of gaining or developing the meaning of various types of materials or knowledge.

Warm Zone. The area where personnel and equipment decontamination and hot zone support takes place. It includes control points for access corridor and thus assists in reducing

the spread of contamination. This is also referred to as the decontamination, contamination reduction, or limited access zone in other documents.

Chapter 2 Competencies for EMS/HM Level I Responders

2-1 General.

2-1.1 Introduction. All EMS personnel at EMS/HM Level I, in addition to their BLS or ALS certification, shall be trained to meet at least the first responder awareness level as defined in NFPA 472, *Standard for Professional Competence of Responders to Hazardous Materials Incidents*, and all competencies of this chapter.

2-1.2* Definition. EMS personnel at EMS/HM Level I are those persons who, in the course of their normal duties, might be called on to perform patient care activities in the cold zone at a hazardous materials incident. EMS/HM Level I responders shall provide care only to those individuals who no longer pose a significant risk of secondary contamination.

2-1.3 Goal. The goal of the competencies at EMS/HM Level I shall be to provide the individual with the knowledge and skills necessary to safely deliver emergency medical care in the cold zone. Therefore the EMS/HM Level I responder shall be able to:

(a) Analyze a hazardous materials emergency to determine what risks are present to the provider and the patient by completing the following tasks:

1. Determine the hazards present to the Level I responder and the patient in a hazardous materials incident
2. Assess the patient to determine the risk of secondary contamination

(b) Plan a response to provide the appropriate level of emergency medical care to persons involved in hazardous materials incidents by completing the following tasks:

1. Describe the role of the Level I responder in a hazardous materials incident
2. Plan a response to provide the appropriate level of emergency medical care in a hazardous materials incident
3. Determine if the personal protective equipment provided is appropriate
4. Determine if the equipment and supplies provided are adequate

(c) Implement the planned response by completing the following tasks:

1. Perform the necessary preparations for receiving the hazardous materials patient and preventing secondary contamination
2. Treat the hazardous materials patient
3. Transport the patient as appropriate

(d) Terminate the incident

2-2 Competencies — Analyzing the Hazardous Materials Incident.

2-2.1 Given an emergency involving hazardous materials, the Level I responder shall determine the hazards to the responder and the patient in that situation. The Level I responder shall be able to:

(a) Assess the nature and severity of the incident (size-up) as they pertain to EMS responsibilities at a hazardous materials incident with evaluation of available resources and a request for any needed assistance

(b) Evaluate the environmental factors as they affect patient care

(c) Identify the information resources available and how to access the following:

1. Poison Control Center
2. Medical control
3. Material safety data sheets
4. Reference guidebooks
5. Hazardous materials data bases
6. Technical information centers (CHEMTREC, NRC, etc.)
7. Technical specialists
8. Agency for Toxic Substances and Disease Registry (ATSDR)

(d) Given a pesticide label, identify and explain the significance of the following:

1. Name of pesticide
2. Signal word
3. EPA registration number
4. Precautionary statement
5. Hazard statement
6. Active ingredient

2-2.2 Given a hazardous materials incident with a patient(s), the Level I responder shall determine the risk of secondary contamination. The Level I responder shall be able to:

(a) Explain the basic toxicological principles relative to assessment and treatment of victims exposed to hazardous materials, including the following:

1. Acute and delayed toxicity
2. Routes of exposure to toxic materials
3. Local and systemic effects
4. Dose response as it relates to risk assessment
5. *Synergistic effects
6. Health hazard as determined by assessing toxicity, exposure, and dose

(b) Describe how the chemical contamination of patients alters the principles of triage in hazardous materials incidents

(c) Explain the need for patient decontamination procedures at hazardous materials incidents

(d) Describe how the potential for secondary contamination determines the extent of patient decontamination required

(e) Describe the way that personnel, personal protective clothing, apparatus, tools, and equipment become contaminated and the importance and limitations of decontamination procedures

(f) Explain the decontamination procedures as defined by the authority having jurisdiction for patients, personnel, personal protective equipment, and apparatus at hazardous materials incidents

2-3 Competencies — Planning the Response.

2-3.1 Given a plan of action by the incident commander, the Level I responder shall describe their role in a hazardous

materials incident as identified in the local emergency response plan or organization's standard operating procedures, including the following:

(a) Describe the emergency medical component for the hazardous materials incident response plan as developed by the authority having jurisdiction

(b) State the Level I responder's role within the hazardous materials response plan as developed by the authority having jurisdiction

(c) State the Level I responder's role within the hazardous materials incident management system

2-3.2 Given a hazardous materials incident, the Level I responder shall be able to plan a response to provide the appropriate level of emergency medical care, including the standard operating procedures for the medical management of persons exposed to hazardous materials, as specified by the authority having jurisdiction.

2-3.3 Given the name of the hazardous material and the type, duration, and extent of exposure and decontamination process, the Level I responder shall determine if available personal protective clothing and equipment are appropriate to implement the planned response. The Level I responder shall be able to:

(a) Describe the application, use, and limitations of the following:

1. Street clothing and work uniforms
2. Structural fire fighting protective clothing
3. Respiratory protective equipment
4. Chemical-protective clothing

2-3.4 Given a simulated hazardous materials incident, the Level I responder shall determine if available equipment and supplies are appropriate to implement the planned response. The Level I responder shall be able to describe the equipment and supplies available to the Level I responder for the care and transportation of the hazardous materials incident patient.

2-4 Competencies — Implementing the Planned Response.

2-4.1 Given a plan for providing patient care at a hazardous materials incident, the Level I responder shall be able to perform the preparations necessary to receive the patient for treatment and transport. The Level I responder shall be able to:

(a) List the information that needs to be communicated to the Medical Control/Receiving facility regarding the hazardous materials incident, including the following:

1. Type and nature of the incident
2. Chemical involved and its physical state
3. Number of potential patients

(b) Describe the procedure for preparing the vehicle and equipment for the patient

(c) Demonstrate the proper donning, doffing, usage, and limitations of all personal protective equipment provided to the Level I responder by the authority having jurisdiction for use in their hazardous materials response activities

(d) Describe the concept of patient transfer from the incident site to the decontamination area and then to the treatment area

2-4.2 Given a patient from a hazardous materials incident, the Level I responder shall provide patient care consistent with the planned response and the organization's standard operating procedures. The Level I responder shall be able to:

(a) Describe how chemical contamination alters the assessment and care of the hazardous materials patient

(b) List the common signs and symptoms and describe the EMS treatment protocols for the following:

1. Corrosives (e.g., acid, alkali)
2. Pulmonary irritants (e.g., ammonia, chlorine)
3. Pesticides (e.g., organophosphates, carbamates)
4. Chemical asphyxiants (e.g., cyanide, carbon monoxide)
5. Hydrocarbon solvents (e.g., xylene, methylene chloride)

(c) Explain the potential risk with invasive procedures for hazardous materials patients

(d) Demonstrate the ability to perform the following EMS functions within the incident management system during incidents involving multiple hazardous materials patients:

1. *EMS control
2. Triage
3. Treatment
4. Disposition and transportation

2-4.3 Given a patient from a hazardous materials incident, the Level I responder shall transport the patient as specified in the local emergency response plan and the organization's standard operating procedures. The Level I responder shall be able to:

(a) Identify the capabilities of the medical facilities available in the local area to receive hazardous materials patients

(b) Identify the acceptable vehicles available to transport hazardous materials patients from the treatment area to a receiving facility

(c) List the pertinent information that needs to be communicated to the receiving facility, including the following:

1. Estimated time of arrival
2. Age/sex
3. Patient condition/chief complaint
4. Associated injuries
5. Routes, extent, and duration of chemical exposure
6. Pertinent medical history
7. Signs and symptoms
8. Vital signs
9. Treatment, including decontamination and patient response
10. Pertinent chemical characteristics

(d) Describe the actions necessary for the coordinated delivery of hazardous materials incidents patients to a receiving facility

(e) Explain the special hazards associated with air transportation of patients exposed to hazardous materials

2-5 Competencies — Terminating the Incident.

2-5.1 Upon termination of the hazardous materials incident, the Level I responder shall complete the reporting, documentation, and EMS termination activities as required by the local

emergency response plan or the organization's standard operating procedures. The Level I responder shall be able to:

(a) List the information to be gathered regarding the exposure of the patient and the EMS provider and describe the proper reporting procedures, including the following:

1. Product information
2. Routes, extent, and duration of exposure
3. Actions taken to limit exposure and contamination
4. Treatment rendered
5. Patient condition and disposition

(b) Identify situations that can necessitate critical incident stress debriefing intervention

(c) Describe the EMS provider's role in the post-incident critique

Chapter 3 Competencies for EMS/HM Level II Responders

3-1 General.

3-1.1 Introduction. All personnel at EMS/HM Level II shall be certified to the EMT-A level or higher and shall meet all competencies for EMS/HM Level I in addition to all the competencies of this chapter.

3-1.2 Definition. Personnel at EMS/HM Level II are those persons who, in the course of their normal activities, might be called upon to perform patient care activities in the warm zone at hazardous materials incidents. EMS/HM Level II responder personnel might be required to provide care to those individuals who still pose a significant risk of secondary contamination. In addition, personnel at this level shall be able to coordinate EMS activities at a hazardous materials incident and provide medical support for hazardous materials response personnel.

3-1.3 Goal. The goal of the competencies at EMS/HM Level II shall be to provide the Level II responder with the knowledge and skills necessary to perform and/or coordinate patient care activities and medical support of hazardous materials response personnel in the warm zone. Therefore the Level II responder shall be able to:

(a) Analyze a hazardous materials incident to determine the magnitude of the problem in terms of outcomes by completing the following tasks:

1. Determine the hazards present to the Level II responder and the patient in a hazardous materials incident
2. Assess the patient to determine the patient care needs and the risk of secondary contamination

(b) Plan a response to provide the appropriate level of emergency medical care to persons involved in hazardous materials incidents and to provide medical support to hazardous materials response personnel by completing the following tasks:

1. Describe the role of the Level II responder in a hazardous materials incident
2. Plan a response to provide the appropriate level of emergency medical care in a hazardous materials incident
3. Determine if the personal protective equipment provided to EMS personnel is appropriate

(c) Implement the planned response by completing the following tasks:

1. Perform the necessary preparations for receiving the patient

2. Perform necessary treatment to the hazardous materials patient

3. Coordinate and manage the EMS component of the hazardous materials incident

4. Perform medical support of hazardous materials incident response personnel

(d) Terminate the incident

3-2 Competencies — Analyzing the Hazardous Materials Incident.

3-2.1 Given an emergency involving hazardous materials, the Level II responder shall determine the hazards to the responders and the patient in that situation. The Level II Responder shall be able to:

(a) Define the following chemical and physical properties and describe their importance in the risk assessment process:

1. Boiling point
2. Flammable (explosive) limits
3. Flash point
4. Ignition temperature
5. Specific gravity
6. Vapor density
7. Vapor pressure
8. Water solubility

(b) Define the following terms:

1. Alpha radiation
2. Beta radiation
3. Gamma radiation

(c) Define the following toxicological terms and explain their use in the risk assessment process:

1. Threshold limit value (TLV-TWA)
2. Lethal concentration and doses (LD_{50/100})
3. Parts per million/billion (ppm/ppb)
4. Immediately dangerous to life and health (IDLH)
5. Permissible exposure limit (PEL)
6. Short-term exposure limit (TLV-STEL)
7. Ceiling level (TLV-C)

(d) Given a specific hazardous material and using the information sources available to the Level II responder, demonstrate extracting appropriate information about the physical characteristics and chemical properties, hazards, and suggested medical response considerations for that material

3-2.2 Given a hazardous materials incident with a patient(s), the Level II responder shall assess the patient and conditions to determine the risk of secondary contamination. The Level II responder shall be able to:

(a) Identify sources of technical information for the performance of patient decontamination

(b) Identify the factors that influence the decision of when and where to treat the patient and the extent of patient care, including the following:

1. Hazardous material toxicity
2. Patient condition
3. Availability of decontamination

3-3 Competencies — Planning the Response.

3-3.1 Given a plan of action by the incident commander, the Level II responder shall describe his or her role in a hazardous materials incident as identified in the local emergency response plan or the organization's standard operating procedures. The Level II responder shall be able to describe the importance of coordination between various agencies at the scene of hazardous materials incidents.

3-3.2 Given a hazardous materials incident, the Level II responder shall plan a response to provide the appropriate level of emergency medical care to persons involved in hazardous materials incidents and to provide medical support to hazardous materials response personnel. The Level II responder shall be able to:

(a) Given a simulated hazardous materials incident, assess the problem and formulate and implement a plan including the following:

1. EMS control activities
2. EMS component of an incident management system
3. Medical monitoring of personnel utilizing chemical-protective and high temperature-protective clothing
4. Triage of hazardous materials victims
5. Medical treatment for chemically contaminated individuals
6. Product and exposure information gathering and documentation

(b) Describe the importance of pre-emergency planning relating to specific sites

(c) Describe the hazards and precautions to be observed when approaching a hazardous materials incident

(d) Describe the considerations associated with the placement, location, and setup of the patient decontamination site

(e) Explain the advantages and limitations of the following techniques of decontamination and how they are or are not applicable to patient decontamination:

1. Absorption
2. Chemical degradation
3. Dilution
4. Isolation

(f) Describe when it would be prudent to pull back from a hazardous materials incident

3-3.3 Given the name of the hazardous material and the type, duration, and extent of exposure, the Level II responder shall determine if the protective clothing and equipment available to EMS personnel is appropriate to implement the planned response. The Level II responder shall be able to:

(a) Identify the advantages and dangers of search and rescue missions at hazardous materials incidents

(b) Identify the advantages and hazards associated with the rescue, extrication, and removal of a victim from a hazardous materials incident

(c) Describe the types, application, use, and limitations of protective clothing used by EMS personnel at hazardous materials incidents

(d) Demonstrate how to interpret a chemical compatibility chart for chemical-protective clothing

3-4 Competencies — Implementing the Planned Response.

3-4.1 Given a plan for providing patient care at a hazardous materials incident, the Level II responder shall perform the preparations necessary to receive the patient for treatment and transport. The Level II responder shall be able to demonstrate the proper donning, doffing, and usage of all personal protective equipment provided to the Level II responder by the authority having jurisdiction.

3-4.2 At the scene of a hazardous materials incident, the Level II responder shall be able to provide or coordinate the patient care. The Level II responder shall be able to:

(a) Given a simulated hazardous materials incident and using local available resources, demonstrate the implementation of the patient decontamination procedure (*see Appendix E*)

(b) Explain the principles of emergency decontamination and its application for critically ill patients

(c) Demonstrate the ability to coordinate patient care activities, including treatment, disposition, and transportation of patients

3-4.3 Given a simulated hazardous materials incident, the Level II responder shall be able to demonstrate the ability to establish and manage the EMS component of an incident management system.

3-4.4 Given a simulated hazardous materials incident, the Level II responder shall perform medical support of hazardous materials incident response personnel. The Level II responder shall be able to:

(a) Explain the components of pre-entry and post-entry assessment, including the following:

1. Vital signs
2. Body weight
3. General health
4. Neurological status
5. Electrocardiographic rhythm strip, if available

(b) Explain the following factors and how they influence heat stress for hazardous materials response personnel:

1. Hydration
2. Physical fitness
3. Environmental factors
4. Activity levels
5. Level of PPE
6. Duration of entry

(c) Explain the medical monitoring protocols and demonstrate medical monitoring procedures for personnel at the scene of a hazardous materials incident

(d) Describe the criteria for site selection of a medical monitoring station

(e) Demonstrate the ability to set up and operate a medical monitoring station

(f) Demonstrate the ability to interpret and analyze data obtained from medical monitoring of hazardous materials response personnel

(g) Given a simulated hazardous materials incident, demonstrate proper documentation of medical monitoring

3-5 Competencies — Terminating the Incident.

3-5.1 Upon termination of the hazardous materials incident, the Level II responder shall complete the reporting, documentation, and EMS termination activities as required by the local emergency response plan or the organization's standard operating procedures. The Level II responder shall be able to:

- (a) * Describe the information regarding incident EMS activities that needs to be relayed through the chain of command to the incident commander
- (b) Describe the activities required in terminating the EMS component of a hazardous materials incident
- (c) Describe the process and demonstrate the ability to conduct the EMS portion of an incident critique
- (d) Explain the process of making revisions to EMS operating procedures and response capabilities as a result of information learned

Chapter 4 Referenced Publications

4-1 The following documents or portions thereof are referenced within this standard as mandatory requirements and shall be considered part of the requirements of this standard. The edition indicated for each referenced mandatory document is the current edition as of the date of the NFPA issuance of this standard. Some of these mandatory documents might also be referenced in this standard for specific informational purposes and, therefore, are also listed in Appendix F.

4-1.1 NFPA Publications. National Fire Protection Association, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101.

NFPA 472, *Standard for Professional Competence of Responders to Hazardous Materials Incidents*, 1997 edition.

NFPA 1561, *Standard on Fire Department Incident Management System*, 1995 edition.

Appendix A Explanatory Material

This appendix is not a part of the requirements of this NFPA document but is included for informational purposes only.

A-1-2 The competency requirements for EMS personnel contained herein have been prepared to reduce the numbers of accidents, exposures, and injuries resulting from hazardous materials incidents.

A-1-3 Authority Having Jurisdiction. The phrase "authority having jurisdiction" is used in NFPA documents in a broad manner, since jurisdictions and approval agencies vary, as do their responsibilities. Where public safety is primary, the authority having jurisdiction may be a federal, state, local, or other regional department or individual such as a fire chief; fire marshal; chief of a fire prevention bureau, labor department, or health department; building official; electrical inspector; or others having statutory authority. For insurance purposes, an insurance inspection department, rating bureau, or other insurance company representative may be the authority having jurisdiction. In many circumstances, the property owner or his or her designated agent assumes the role of the authority having jurisdiction; at government installations, the commanding officer or departmental official may be the authority having jurisdiction.

A-1-3 Basic Life Support (BLS). Emergency Medical Technician-Ambulance (EMT-A). This level in some jurisdictions may be recognized as EMT-Basic (EMT-B).

A-1-3 Basic Life Support (BLS). Emergency Care First Responder (ECFR). In Canada, the terminology used is: Emergency Medical Assistant-1 (EMA-1), Emergency Medical Assistant-2 (EMA-2), and Emergency Medical Assistant-3 (EMA-3).

A-1-3 Hazardous Materials. There are many definitions and descriptive names being used for the term hazardous materials, each of which depends on the nature of the problem being addressed.

Unfortunately, there is no one list or definition that covers everything. The United States agencies involved, as well as state and local governments, have different purposes for regulating hazardous materials that, under certain circumstances, pose a risk to the public or the environment.

(a) *Hazardous Materials.* The United States Department of Transportation (DOT) uses the term *hazardous materials*, which covers eight hazard classes, some of which have subcategories called classification, and a ninth class covering other regulated materials (ORM). DOT includes in its regulations hazardous substances and hazardous wastes as an ORM-E, both of which are regulated by the Environmental Protection Agency (EPA), if their inherent properties would not otherwise be covered.

(b) *Hazardous Substances.* EPA uses the term *hazardous substances* for the chemicals that, if released into the environment above a certain amount, must be reported and, depending on the threat to the environment, for which federal assistance in handling the incident can be authorized. A list of the hazardous substances is published in Title 40, *Code of Federal Regulations*, Part 302, Table 302.4.

(c) *Extremely Hazardous Substances.* EPA uses the term *extremely hazardous substances* for chemicals that must be reported to the appropriate authorities if released above the threshold reporting quantity. Each substance has a threshold reporting quantity. The list of extremely hazardous substances is identified in Title III of Superfund Amendments and Reauthorization Act (SARA) of 1986 (Title 40, *Code of Federal Regulations*, Part 355).

(d) *Toxic Chemicals.* EPA uses the term *toxic chemicals* for chemicals whose total emissions or releases must be reported annually by owners and operators of certain facilities that manufacture, process, or otherwise use a listed toxic chemical. The list of toxic chemicals is identified in Title III of SARA.

(e) *Hazardous Wastes.* EPA uses the term *hazardous wastes* for chemicals that are regulated under the Resource, Conservation and Recovery Act (Title 40, *Code of Federal Regulations*, Part 261.33). Hazardous wastes in transportation are regulated by DOT (Title 49, *Code of Federal Regulations*, Parts 170–179).

(f) *Hazardous Chemicals.* The United States Occupational Safety and Health Administration (OSHA) uses the term *hazardous chemicals* to denote any chemical that would be a risk to employees if exposed in the workplace. Hazardous chemicals cover a broader group of chemicals than the other chemical lists.

(g) *Hazardous Substances.* OSHA uses the term *hazardous substances* in Title 29, *Code of Federal Regulations*, Part 1910.120, which resulted from Title I of SARA and covers emergency response. OSHA uses the term differently than EPA. Hazardous substances, as used by OSHA, cover every chemical regulated by both DOT and EPA.

A-1-3 Secondary Contamination. A substance is considered to pose a serious risk of secondary contamination if it is likely to be carried on equipment, clothing, skin, or hair in sufficient quantities to be capable of harming personnel outside of the hot zone.

A-2-1.2 See Appendix D.

A-2-2.2(a)5 As defined in Webster's Dictionary, the word *synergism* means "a cooperative action of discrete agencies such that the total effect is greater than the sum of the effects taken independently." In the context of hazardous materials, it is important to remember that the signs and symptoms of a given chemical are generally standard for that particular chemical. But when two or more chemicals are involved, the resultant signs and symptoms from an exposure may be dramatically different than what the EMS provider anticipates.

A-2-4.2(d)1 EMS control activities at a hazardous materials incident include, but are not limited to, the following:

- (a) Identification of EMS needs, including appropriate level of protection for EMS personnel and equipment, resources for patient care, and decontamination of patient and EMS personnel
- (b) Securing of resources to meet EMS needs
- (c) Assignment of personnel, in the cold zone, to coordinate triage, treatment, disposition, and transport as required
- (d) Assignment of appropriately trained personnel to perform medical monitoring and other EMS support functions for hazardous materials response personnel in the cold zone
- (e) Assignment of appropriately trained personnel to provide patient care, assist with patient decontamination, and perform any other EMS support functions, as may be required in the warm zone

A-3-5.1(a) The type of information that should be made available to the incident commander would include, but not necessarily be limited to, the following:

- (a) Patients
 - 1. Number
 - 2. Condition
 - 3. Disposition
- (b) Hazardous materials response personnel
 - 1. Number of personnel screened
 - 2. Adverse reactions noted
 - 3. Personnel transported for further treatment
 - 4. Completed records
 - 5. Recommended medical, physical, and psychological needs for immediate rehabilitation
 - 6. Recommended medical surveillance follow-up
- (c) Availability of EMS personnel and equipment

Appendix B Training

This appendix is not a part of the requirements of this NFPA document but is included for informational purposes only.

B-1 General. The Emergency Medical Services (EMS) personnel responding to hazardous materials incidents should be trained and should receive regular continuing education to maintain competency in three areas: emergency medical tech-

nology, hazardous materials, and specialized topics approved by the authority having jurisdiction.

B-1.1 EMS Training. Recognized US DOT, state, regional, or local training curricula should constitute the entry level EMS preparation for continuing hazardous materials training. At a hazardous materials incident it is desirable that all EMS BLS provider personnel be trained to the US DOT EMT-A level or equivalent.

B-1.2 Hazardous Materials Training. The foundation for EMS response to a hazardous materials incident should be the competencies described in NFPA 472, *Standard for Professional Competence of Responders to Hazardous Materials Incidents*.

B-1.3 Specialized Training. Following completion of approved EMS training and appropriate level of hazardous materials instruction described in this standard, the authority having jurisdiction should stipulate additional specialized instruction that the EMS personnel responding to hazardous materials incidents must complete.

B-2 Training Plan.

B-2.1 The authority having jurisdiction should develop a formal training plan and provide a program to train EMS personnel to the level being utilized.

B-2.2 A training plan should be developed and contain guidelines for the following functional categories:

- (a) Program management
- (b) Content development
- (c) Instructor competencies
- (d) Technical specialist competencies

B-2.3 The training plan should be criteria-based to maintain a consistent quality of curriculum and instruction.

B-2.4 The training plan should specify entry knowledge and skill levels, training, and refresher training for both students and instructors.

B-2.5 The training plan should define evaluation criteria for successful completion of knowledge and skill objectives of the training program.

B-2.6 The training plan should provide for supervised field experience for EMS hazardous materials responder and EMS hazardous materials coordinator training levels.

B-3 Training Program. The training program should be a comprehensive competency-based guideline of the implementation and presentation of the required subject material. As a minimum it should address the areas discussed in this section.

B-3.1 Program Manager.

B-3.1.1 The program manager should have the authority and responsibility for the overall implementation of the program.

B-3.1.2 The program manager should be able to demonstrate knowledge of the following:

- (a) The content of NFPA 472, *Standard for Professional Competence of Responders to Hazardous Materials Incidents*; NFPA 471, *Recommended Practice for Responding to Hazardous Materials Incidents*; and this standard
- (b) EMS delivery systems
- (c) Budgeting and financial planning
- (d) Processes used to develop instructional materials

B-3.1.3 The program manager should demonstrate the skill and ability to perform the following tasks:

- (a) Coordinate the training program
- (b) Evaluate program effectiveness
- (c) Identify instructors and technical specialists

B-3.2 Content. The content of the training program should include the competencies of this standard as a minimum.

B-3.3 Evaluation. In recognition of the need for technically sound curricula and instruction to meet the competencies outlined in this standard, careful evaluation of all instructors' training, background, and experience should be made.

B-3.3.1 The authority having jurisdiction should ensure that the training program meets the needs of the local area.

B-3.3.2 The program manager should ensure that the training program meets the needs of the hazardous materials response team and the EMS providers.

B-4 Instruction. The need exists for technically sound curricula and delivery to meet the competencies outlined in this standard.

B-4.1 Instructors. The instructor should

- (a) Have mastery of the material he/she presents
- (b) Have an understanding of the training program objectives
- (c) Have the ability to teach and evaluate

B-4.2 Technical Specialist. The technical specialist is a person who has technical expertise and practical knowledge in a specific area. This category is intended to support training activities by allowing individuals not otherwise qualified at the instructor level to present an essential segment for which they do have expertise.

B-4.3 Final Evaluation. Upon completion of the training program, the student should demonstrate competency in all prescribed content areas. This evaluation should include written and practical testing as specified by the program manager and instructors.

Appendix C Recommended Support Resources

This appendix is not a part of the requirements of this NFPA document but is included for informational purposes only.

C-1 General. Emergency medical service personnel who respond to hazardous materials incidents must operate within a network of support resources. This appendix addresses the general classes of these resources and presents a recommended minimum level of support necessary for adequate emergency medical response.

C-2 Poison Control Centers (PCC).

C-2.1 Goal. In addition to providing support to the general hazardous materials response, the goal of the Poison Control Center is to provide the emergency medical personnel who respond to hazardous materials incidents with medical guidance, information, and advice during incidents involving toxic chemical releases and associated injuries. The PCC should regularly participate in the following activities together with the EMS component of the hazardous materials incident response.

C-2.1.1 Preplanning Assistance. Poison Control Centers should provide preplanning assistance, including the following:

- (a) Training
- (b) EMS hazardous materials standard operating procedures review
- (c) EMS reference materials

C-2.1.2 Technical Advice. Poison Control Centers should have the ability to coordinate decontamination, treatment, and transportation of injured persons. The PCC should be available to the EMS personnel who respond to hazardous materials incidents for emergency consultation around the clock and during the normal working hours for nonemergency consultation. Poison Control Centers should be capable of providing advice regarding the following areas:

- (a) Identity of ingredients
- (b) Toxicity of substances involved and symptoms and signs of exposure
- (c) Recommended level of protective clothing
- (d) Potential for secondary contamination
- (e) Recommended decontamination procedures
- (f) Specific treatment and/or antidotes

C-2.1.3 Data Bases. The PCC should supervise and review the EMS data bases used during hazardous materials incident response.

C-2.1.4 Medical Surveillance. The PCC should provide support for the following:

- (a) Surveillance quality assurance program design
- (b) Surveillance Q/A program review
- (c) Medical follow-up activities

C-3 Chemical Injury Treatment Centers.

C-3.1 Goal. The emergency medical responders to hazardous materials incidents should transfer chemically injured patients to facilities having adequate chemical injury treatment capability. All such facilities should have a minimum level of competency to receive chemically injured patients, including the following provisions.

C-3.1.1 Patient Decontamination Capabilities. Facilities should have the following resources in order to perform patient decontamination:

- (a) Decontamination area
- (b) Proper ventilation system
- (c) Restricted access
- (d) Runoff containment

C-3.1.2 Facilities should provide a cadre of trained in-house hazardous materials incident injury treatment personnel.

C-3.1.3 Chemical injury treatment centers should have on hand personal protective clothing for hospital personnel that may treat hazardous materials patients.

C-3.1.4 All treatment centers should have formal hazardous materials incident response procedures directed to EMS providers and hospital personnel.

C-4 Communications. The network of emergency medical response resources to hazardous materials incidents should be linked by an adequate communication system within the incident command post. The following components are suggested as a minimum.

C-4.1 Radiotelephone. All mobile and fixed EMS components should be able to coordinate EMS hazardous materials

incident response via at least one dedicated frequency. All fixed facilities shall have r-f emergency power capability for at least one radio channel.

C-4.2 Telephone Service. There should be telephone service within the Medical Section/Division; preferably a cellular telephone.

C-4.3 Computer. All components of the EMS hazardous materials incident response system should have an orientation to and direct or indirect access to computerized chemical data bases, computerized preplans, and computerized operational command and control.

C-4.3.1 Fixed Installation. Computer generated information should be readily available to field and clinical EMS hazardous materials response personnel via at least two of the following:

- (a) Verbal transmission
- (b) Fax transmission
- (c) Modem transmission

C-4.3.2 Mobile. On-scene EMS response personnel should have immediate direct access to a field computerized highly toxic hazardous materials data base and computerized command and control information.

C-4.4 Other Resources. Additional response resources available to hazardous materials incidents include the following:

- (a) CHEMTREC (CMA)
- (b) ATSDR (HHS)
- (c) Private resources

Appendix D Medical Treatment Considerations

This appendix is not a part of the requirements of this NFPA document but is included for informational purposes only.

D-1 The assessment and prehospital care of patients who are involved in hazardous materials incidents, and who are potentially chemically contaminated, should include the following steps:

- (a) The safety of the EMS provider should be provided for by securing the scene, ensuring appropriate decontamination of the patient, and protecting against exposure to communicable diseases and hazardous materials.
- (b) The patient's airway should be secure and regularly monitored.
- (c) The patient's breathing should be monitored and assisted when necessary.
- (d) Supplemental oxygen should be administered if the surrounding environment safely permits.
- (e) Bleeding should be controlled. This may be accomplished by the application of pressure bandages. Lower extremity bleeding may be controlled through the use of pneumatic anti-shock garments.
- (f) When trauma may have involved cervical spine injury, an appropriate stabilization, immobilization collar should be applied.
- (g) Cardiopulmonary resuscitation should be performed, if indicated.
- (h) In general, avoid all prophylactic invasive procedures unless required by life-threatening conditions. This includes the establishment of intravenous lines.
- (i) Direct medical control should be established.

The authority having jurisdiction should ensure that a written prehospital medical standard operating procedures protocol is in place to provide direction to EMS personnel who respond to hazardous materials incidents.

Appendix E Patient Decontamination

This appendix is not a part of the requirements of this NFPA document but is included for informational purposes only.

E-1 Patient decontamination, if required, should be carried out in the warm zone by properly trained personnel wearing appropriate chemical-protective clothing and respiratory equipment.

Protocol(s) should be written to address the following:

- (a) Determination of the potential for secondary contamination and the necessity for, and extent of, decontamination
- (b) Selection of appropriate personal protective equipment to be worn by personnel in the warm zone who are assisting with or performing decontamination
- (c) Decontamination of patients when the exposure is to an unidentified gas, liquid, or solid material
- (d) Emergency decontamination of patients with critical injuries and illness requiring immediate patient care or transport

Appendix F Referenced Publications

F-1 The following documents or portions thereof are referenced within this standard for informational purposes only and are thus not considered part of the requirements of this standard unless also listed in Chapter 4. The edition indicated here for each reference is the current edition as of the date of the NFPA issuance of this standard.

F-1.1 NFPA Publications. National Fire Protection Association, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101.

NFPA 471, *Recommended Practice for Responding to Hazardous Materials Incidents*, 1997 edition.

NFPA 472, *Standard for Professional Competence of Responders to Hazardous Materials Incidents*, 1997 edition.

F-1.2 Other Publications.

F-1.2.1 U.S. Government Publications. U.S. Government Printing Office, Superintendent of Documents, Washington, DC 20402.

Title 29, *Code of Federal Regulations*, Part 1910.120

Title 40, *Code of Federal Regulations*, Part 261.33

Title 40, *Code of Federal Regulations*, Part 302

Title 40, *Code of Federal Regulations*, Part 355

Title 49, *Code of Federal Regulations*, Parts 170-179

F-2 The following documents are not referenced within this standard, but may be useful to the reader.

Poisoning and Drug Overdose, Kent R. Olson, M.D., ed, Appleton & Lange, Norwalk, CT, 1990.

Borak, Jonathan, Michael Callan, and William Abbott. *Hazardous Materials Exposure: Emergency Response and Patient Care*. Englewood Cliffs, NJ: Prentice Hall, 1991.

Bronstein, Alvin C., and Phillip L. Currance. *Emergency Care for Hazardous Materials Exposure*, 2nd ed. St. Louis: Mosby Life-line, 1994.

Index

© 1997 National Fire Protection Association, All Rights Reserved.

The copyright in this index is separate and distinct from the copyright in the document which it indexes. The licensing provisions set forth for the document are not applicable to this index. This index may not be reproduced in whole or in part by any means without the express written permission of the National Fire Protection Association, Inc.

-A-

Advanced life support (ALS)	
Definition	1-3
Agencies, coordination between	3-3.1
Authority having jurisdiction (definition)	1-3, A-1-3

-B-

Basic life support (BLS)	
Definition	1-3, A-1-3
Training	B-1.1

-C-

Chemical contamination	2-2.2(b), 3-3.2(a)
Chemical injury treatment centers	C-3
Chemical-protective clothing (CPC)	2-3.3(a), 3-3.2(a), 3-3.3(d)
Chemicals	
Hazardous (definition)	A-1-3
Toxic (definition)	A-1-3
Clothing	see Protective clothing
Cold zone	A-2-4.2(d)
Definition	1-3
Communications	2-4.1(a), C-4

Competence/competencies	
Definition	1-3
Level I responders	2-2 to 2-5, A-2-2.2(a), A-2-4.2(d)
Level II responders	3-2 to 3-5, A-3-5.1(a)
Components of EMS system (definition)	1-3
Computers	C-4.3
Confinement (definition)	1-3
Contaminant (definition)	1-3
Contamination	
Chemical	2-2.2(b), 3-3.2(a)
Reduction	<i>see</i> Decontamination
Secondary	<i>see</i> Secondary contamination
Control	
Definition	1-3
EMS	2-4.2(d), 3-3.2(a), A-2-4.2(d)
Medical	2-2.1(c)
Control/receiving facility	2-4.1(a)
Definition	1-3
Control zones	
Cold zone	A-2-4.2(d)
Definition	1-3
Definition	1-3
Hot zone (definition)	1-3
Warm zone	A-2-4.2(d)
Definition	1-3

-D-

Data bases	C-2.1.3
Decontamination	2-2.2(e) to (f)
Definition	1-3
Emergency	3-4.2(b), E-1(d)
Gross (definition)	1-3
Patients	2-2.2(f), 3-2.2, 3-3.2(d) to (e), 3-4.2(a) to (b), A-2-4.2(d), C-3.1.1, App. E
Responders	2-2.2(e) to (f)
Decontamination area	2-4.1(d), C-3.1.1(a)
Definition	1-3
Definitions	1-3, 2-1.2, 3-1.2, A-1-3, A-2-1.2
Demonstrate (definition)	1-3
Describe (definition)	1-3

-E-

Emergency care first responder (ECFR)	
Definition	1-3, A-1-3
Emergency decontamination	3-4.2(b), E-1(d)
Emergency medical technician-ambulance (EMT-A)	
Definition	1-3, A-1-3
Emergency medical technician-intermediate (EMT-I)	
Definition	1-3
Emergency medical technician-paramedic (EMT-P)	
Definition	1-3
EMS/HM responders	
Level I	Chap. 2, A-2
Competencies	2-2 to 2-5, A-2-2.2(a), A-2-4.2(d)
Definition	2-1.2, A-2-1.2
Goals	2-1.3
Level II	Chap. 3, A-3
Competencies	3-2 to 3-5, A-3-5.1(a)
Definition	3-1.2
Goals	3-1.3
Environmental factors, evaluation of	2-2.1(b)

-G-

Gross decontamination (definition)	1-3
---	-----

-H-

Hazard/hazardous (definition)	1-3
Hazardous materials	2-2.1, 3-2.1
Classifications	1-3
Definitions	1-3, A-1-3
Training	B-1.2
Hazardous materials incidents	<i>see</i> Incidents
Hazardous materials response team (definition)	1-3
High temperature-protective clothing	3-3.2(a)
Definition	1-3
Hot zone (definition)	1-3

-I-

Identify (definition)	1-3
Incident commander	3-5.1(a), A-3-5.1(a)
Definition	1-3
Incident management system	2-3.2, 2-4.2(d), 3-3.1, 3-4.3
Definition	1-3
Incidents	
Analysis of	
Level I	2-2, A-2-2.2(a)
Level II	3-2
Definition	1-3
Implementation of response	
Level I	2-4, A-2-4.2(d)
Level II	3-4
Planning of response	
Level I	2-3
Level II	3-3
Termination of	
Definition	1-3
Level I	2-5
Level II	3-5, A-3-5.1(a)
Information resources	2-2.1(c)
Instructors	B-4.1

-L-

Local area (definition)	1-3
Local emergency planning committee (LEPC)	
Definition	1-3

-M-

Medical control	2-2.1(c)
Control/receiving facility	2-4.1(a)
Definition	1-3
Medical surveillance (monitoring)	3-4.4, A-2-4.2(d), C-2.1.4
Definition	1-3

-O-

Objective (definition)	1-3
-------------------------------	-----

-P-

Patients	
Assessment	2-2, 3-2.2, A-2-2.2(a)
Decontamination	<i>see</i> Decontamination
Medical management	2-3.2
Transportation	2-3.4, 2-4.1, 2-4.2(d), 2-4.3, 3-4.1, 3-4.2(c), A-2-4.2(d)
Treatment	2-3.4, 2-4.1 to 2-4.2, 3-2.2(b), 3-4.1 to 3-4.2, A-2-4.2(d), App. D